



中国移动 CMCA 全球信任证书证书策略和 电子认证业务规则

<版本：V3.1>

生效日期：2024 年 8 月 16 日

CMCA Global Trust Certificate Policy and Certification Practice Statement

<Version: V3.1>

Effective date: August 16, 2024

卓望数码技术（深圳）有限公司

Aspire Technology (Shenzhen) Ltd

文档版本控制表			
名称及版本	主要修改说明	完成时间	修改人
V0.1	新建文档	2020.4.10	委员会工作组
V0.1A	修订文档	2020.4.22	委员会工作组
V1.0.1	修订文档	2021.8.10	委员会工作组
V2.0	修正文档格式，完善证书审核、证书更新、审计日志程序等表述	2022.6.30	委员会工作组
V2.1	增加附录证书信息；调整一些不恰当的描述，文字表达及格式等内容。	2023.6.1	委员会工作组
V3.1	更新根证书及中级 CA 证书；调整一些不恰当的描述，文字表达及格式等内容。	2024.8.16	委员会工作组
Control Table of Document Version			
Name and version	Main modification instructions	Completion time	Modified by
V0.1	New document	2020.4.10	SAPAC Working Team
V0.1A	Revised documentation	2020.4.22	SAPAC Working Team
V1.0.1	Revised documentation	2021.8.10	SAPAC Working Team
V2.0	Revised the document format, improve the expression of Certificate application processing, Certificate renewal, Audit log procedures.	2022.6.30	SAPAC Working Team
V2.1	Added certificate hierarchy information in the Appendix; Adjusted some inappropriate descriptions, wording, and formatting issues;	2023.6.1	SAPAC Working Team
V3.1	Updated root certificate and subordinate CA certificates;Adjusted some inappropriate descriptions, wording, and formatting issues.	2024.8.16	SAPAC Working Team

目 录 TABLE OF CONTENTS

1. 概括性描述 GENERAL DESCRIPTION	1
1.1 概述 OVERVIEW	1
1.2 文档名称与标识 DOCUMENT NAME AND IDENTIFICATION	5
1.2.1 名称 Name	5
1.2.2 版本 Version	6
1.3 电子认证活动参与者 PARTICIPANTS OF ELECTRONIC AUTHENTICATION ACTIVITY	6
1.3.1 电子认证服务机构 Certification authority(CA)	6
1.3.2 注册机构 Registration Authority (RA)	6
1.3.3 订户 Subscriber	7
1.3.4 依赖方 Relying party	7
1.3.5 其他参与者 Other participants	7
1.4 证书应用 CERTIFICATE APPLICATION	7
1.4.1 适合的证书应用 Suitable certificate Application	7
1.4.2 限制/禁止的证书应用 Application of Restricted / Prohibited Certificates	9
1.5 策略管理 POLICY MANAGEMENT	10
1.5.1 策略文档管理机构 Management organization of policy document	10
1.5.2 联系人 Contact person	10
1.5.3 决定 CPS 符合策略的机构 Organization determining CPS suitability for the policy	11
1.5.4 CPS 批准程序 CPS approval procedure	11
1.6 定义和缩写 DEFINITIONS AND ACRONYMS	12
2. 信息发布与信息管管理 INFORMATION PUBLICATION AND MANAGEMENT	13
2.1 信息库 REPOSITORY	13
2.1.1 信息库监督、监控机制 Repositories supervision	13
2.1.2 信息库内部数据维护 Internal data maintenance of the information database	14
2.2 信息发布 INFORMATION PUBLICATION	15
2.2.1 CPS 的发布 CPS publication	15
2.2.2 公众信息的发布 Publication of public information	16
2.2.3 认证信息的发布 Publication of authentication information	16
2.3 发布的时间或频率 TIME OR FREQUENCY OF PUBLICATION	16
2.4 信息库访问控制 ACCESS CONTROLS ON REPOSITORIES	17
3. 身份标识与鉴别 IDENTIFICATION AND AUTHENTICATION	18
3.1 命名 NAMING	18
3.1.1 名称类型 Types of names	18
3.1.2 对名称有意义的要求 Need for names to be meaningful	18
3.1.3 订户的匿名或伪名 Anonymity or pseudonymity of subscriber	19
3.1.4 理解不同名称形式的规则 Rules for understanding different forms of names	19
3.1.5 名称的唯一性 Name uniqueness	19
3.1.6 商标的承认、鉴别和角色 Recognition, Identification and Role of Trademarks	20
3.2 初始身份确认 INITIAL IDENTITY VALIDATION	20

3.2.1 证明拥有私钥的方法 Method to prove possession of private key	20
3.2.2 组织机构身份的鉴别 Authentication of organization identity	21
3.2.3 个人身份的鉴别 Authentication of Individual Identity	28
3.2.4 没有验证的订户信息 Subscriber information not validated	28
3.2.5 授权确认 Validation of Authority	28
3.2.6 互操作准则 Interoperational guidelines	29
3.3 密钥更新请求的标识与鉴别 IDENTIFICATION AND AUTHENTICATION FOR RE-KEY REQUEST	30
3.3.1 常规更新的标识与鉴别 Identification and authentication for renewal request	30
3.3.2 吊销后更新的标识与鉴别 Identification and authentication for renewal after revocation	31
3.4 吊销请求的标识与鉴别 IDENTIFICATION AND AUTHENTICATION FOR REVOCATION REQUEST	31
CM	31
4. 证书生命周期操作要求 CERTIFICATE LIFE CYCLE OPERATIONAL REQUIREMENTS	31
4.1 证书申请 CERTIFICATE APPLICATION	31
4.1.1 证书申请实体 Who Can Submit a Certificate Application	31
4.1.2 注册过程与责任 Enrollment process and responsibilities	32
4.2 证书审核 CERTIFICATE APPLICATION PROCESSING	33
4.2.1 执行识别与鉴别功能 Performing identification and authentication functions	33
4.2.2 CMCA 证书申请批准和拒绝 Approval and rejection of certificate application	34
4.2.3 处理证书申请的时间 Time to process certificate applications	36
4.3 证书签发 CERTIFICATE ISSUANCE	37
4.3.1 证书签发中注册机构和电子认证服务机构的行为 CA Actions during Certificate Issuance	37
4.3.2 电子认证服务机构和注册机构对订户的通告 Notification of Certificate Issuance ..	37
4.4 证书接受 CERTIFICATE ACCEPTANCE	38
4.4.1 构成接受证书的行为 Conduct Constituting Certificate acceptance	38
4.4.2 电子认证服务机构对证书的发布 Publication of the certificate by the CA	38
4.4.3 CMCA 对其他实体的通告 Notification of certificate issuance by the CA to other entities	39
4.5 密钥和证书的使用 KEY PAIR AND CERTIFICATE USAGE	39
4.5.1 订户私钥和证书的使用 Subscriber private key and certificate usage	39
4.5.2 依赖方公钥和证书的使用 Relying party public key and certificate usage	40
4.6 证书更新 CERTIFICATE RENEWAL	41
4.6.1 证书更新的原因 Circumstance for Renewal	41
4.6.2 请求证书更新的实体 Who may request renewal	41
4.6.3 证书更新流程 Processing for Renewal	41
4.6.4 颁发新证书时对订户的通告 Notification of new certificate issuance to subscriber ..	41
4.6.5 构成接受更新证书的行为 Conduct constituting acceptance of a renewal certificate	42
4.6.6 电子认证服务机构对更新证书的发布 Publication of the renewal certificate by the CA	42

4.6.7 电子认证服务机构对其他实体的通告 Notification of certificate issuance by the CA to other entities	42
4.7 证书密钥更新 CERTIFICATE RE-KEY	42
4.7.1 证书密钥更新的情形 Circumstance for Re-key	42
4.7.2 请求证书密钥更新的实体 Who may request certification of a new public key	43
4.7.3 证书密钥更新请求的处理 Processing for Re-key	43
4.7.4 颁发新证书时对订户的通告 Notification of new certificate issuance to subscriber ..	43
4.7.5 构成接受密钥更新证书的行为 Conduct constituting acceptance of a re-keyed certificate	43
4.7.6 电子认证服务机构对密钥更新证书的发布 Publication of the re-keyed certificate by the CA	43
4.7.7 电子认证服务机构对其他实体的通告 Notification of certificate issuance by the CA to other entities	44
4.8 证书变更 CERTIFICATE MODIFICATION	44
4.8.1 证书变更的原因 Circumstance for Modification	44
4.8.2 请求证书变更的实体 Who may request certificate modification	44
4.8.3 证书变更的流程 Processing for Modification	44
4.8.4 颁发新证书时对订户的通告 Notification of new certificate issuance to subscriber ..	44
4.8.5 构成接受变更证书的行为 Conduct constituting acceptance of modified certificate. .	45
4.8.6 电子认证服务机构对变更证书的发布 Publication of the modified certificate by the CA	45
4.8.7 电子认证服务机构对其他实体的通告 Notification of certificate issuance by the CA to other entities	45
4.9 证书吊销和挂起 CERTIFICATE REVOCATION AND SUSPENSION	45
4.9.1 证书吊销的情形 Circumstances for Revocation	45
4.9.2 请求证书吊销的实体 Who Can Request Revocation	49
4.9.3 吊销请求的流程 Processing for Revocation	50
4.9.4 吊销请求宽限期 Revocation Request Grace Period	53
4.9.5 电子认证服务机构处理吊销请求的时限 Time within which CA Must Process the Revocation Request	53
4.9.6 依赖方检查证书吊销的要求 Revocation Checking Requirement for Relying Parties	54
4.9.7 CRL 发布频率 CRL issuance frequency	54
4.9.8 CRL 发布的最大滞后时间 Maximum Latency for CRLs	54
4.9.9 在线状态查询的可用性 On-line Revocation/Status Checking Availability	54
4.9.10 在线状态查询要求 On-line Revocation Checking Requirements	55
4.9.11 吊销信息的其他发布形式 Other Forms of Revocation Advertisements Available ...	56
4.9.12 密钥损害的特别要求 Special Requirements Related to Key Compromise	56
4.9.13 证书挂起的情形 Circumstances for Suspension	56
4.9.14 请求证书挂起的实体 Who Can Request Suspension	56
4.9.15 挂起请求的流程 Procedure for Suspension Request	57
4.9.16 挂起的期限限制 Limits on Suspension Period	57
4.10 证书状态服务 CERTIFICATE STATUS SERVICES	57
4.10.1 操作特性 Operational characteristic	57

4.10.2 服务可用性 <i>Service availability</i>	57
4.10.3 可选特征 <i>Optional Features</i>	58
4.11 订购结束 END OF SUBSCRIPTION	58
4.12 密钥托管与恢复 KEY ESCROW AND RECOVERY	59
4.12.1 密钥恢复的策略与行为 <i>Key escrow and recovery policy and practices</i>	59
4.12.2 会话密钥的封装与恢复的策略与行为 <i>Session key encapsulation and recovery policy and practices</i>	59
5. 认证机构设施、管理和操作安全控制 FACILITY, MANAGEMENT AND OPERATIONAL SECURITY CONTROLS OF CERTIFICATION BODY	59
5.1 物理安全控制 PHYSICAL SECURITY CONTROLS	60
5.1.1 物理场地位置与建筑 <i>Physical location and architecture</i>	60
5.1.2 物理访问 <i>Physical access</i>	60
5.1.3 电力与空调 <i>Power and air conditioning</i>	61
5.1.4 水患防治 <i>Water protection</i>	62
5.1.5 火灾防护 <i>Fire prevention and protection</i>	62
5.1.6 介质存储 <i>Media storage</i>	63
5.1.7 废物处理 <i>Waste disposal</i>	63
5.1.8 异地备份 <i>Off-site backup</i>	64
5.2 流程安全控制 PROCESS SECURITY CONTROLS	64
5.2.1 可信角色 <i>Trusted roles</i>	64
5.2.2 每项任务需要的人数 <i>Number of people required per task</i>	65
5.2.3 每个角色的识别与鉴别 <i>Identification and identification of each role</i>	65
5.2.4 职责分割原则 <i>Responsibility division principle</i>	66
5.3 人员控制 PERSONNEL CONTROLS	67
5.3.1 资格、经历和无过失要求 <i>Qualifications, experience, and clearance requirements</i> ..	67
5.3.2 背景审查程序 <i>Background review procedures</i>	68
5.3.3 培训要求 <i>Training requirements</i>	69
5.3.4 再培训周期和要求 <i>Retraining frequency and requirements</i>	71
5.3.5 工作岗位轮换周期和顺序 <i>Job rotation cycle and sequence</i>	72
5.3.6 未授权行为的处罚 <i>Sanctions for unauthorized actions</i>	72
5.3.7 独立合约人的要求 <i>Requirements of Independent Contractors</i>	73
5.3.8 提供给员工的文档 <i>Supplements for personnel</i>	73
5.4 审计日志程序 AUDIT LOG PROCEDURES	74
5.4.1 记录事件的类型 <i>Types of event records</i>	74
5.4.2 处理日志的周期 <i>Frequency of processing log</i>	75
5.4.3 审计日志的保存期限 <i>Retention period for audit log</i>	75
5.4.4 审计日志的保护 <i>Protection of audit log</i>	75
5.4.5 审计日志备份程序 <i>Back procedures of audit log</i>	76
5.4.6 审计收集系统 <i>Audit collection system</i>	76
5.4.7 对导致事件实体的处理 <i>Processing to event-causing subject</i>	76
5.4.8 脆弱性评估 <i>Vulnerability assessments</i>	77
5.5 记录归档 RECORDS ARCHIVAL	78
5.5.1 归档记录的类型 <i>Types of records archived</i>	78

5.5.2 归档记录的保存期限 Retention period for archived records	78
5.5.3 归档文件的保护 Protection of archive	79
5.5.4 归档文件的备份 Backup of archived records	79
5.5.5 记录时间戳要求 Requirements for time-stamping of records	80
5.5.6 归档收集系统 Archives collection system	80
5.5.7 获得和检验归档信息的程序 Procedures for obtaining and inspecting archived information	80
5.6 电子认证服务机构密钥更替 KEY REPLACEMENT	81
5.6.1 密钥更替操作 Key replacement operation	81
5.6.2 密钥更替操作管理 Key replacement operation management	82
5.7 损害与灾难恢复 DAMAGE AND DISASTER RECOVERY (DR)	82
5.7.1 事故和损害处理程序 Processing procedure of accident and damage	86
5.7.2 计算资源、软件和/或数据的损坏 Damage of computing resource, software and/or data	87
5.7.3 实体私钥损害处理程序 Damage treatment procedure of entity private key	87
5.7.4 灾难后的业务连续性能力 Business continuity ability after disaster	88
5.8 电子认证服务机构或注册机构的业务终止 CA OR RA TERMINATION	89
5.8.1 CA 终止原因 Termination reason of CA	89
5.8.2 终止通知 Termination notice	89
5.8.3 终止归档 Termination filing	89
5.8.4 终止措施 Termination measures	89
5.8.5 RA 的终止 Termination of RA	90
6. 认证系统技术安全控制 TECHNICAL SAFETY CONTROL OF CERTIFICATION SYSTEM	92
6.1 密钥对的生成和安装 GENERATION AND INSTALLATION OF KEY PAIR	92
6.1.1 密钥对的生成 Generation of CA key pair	92
6.1.2 私钥传送给订户 Public key transfer	93
6.1.3 公钥传送给证书签发机构 Public key transmission of CA	94
6.1.4 CMCA 电子认证服务机构公钥传送给依赖方 CMCA e-certification service agency public key is transmitted to the relying party	94
6.1.5 密钥的长度 Length of key	94
6.1.6 公钥参数的生成和质量检查 Generation and quality check of public key	95
6.1.7 密钥使用目的 Purpose of key use	95
6.2 私钥保护和密码模块工程控制 PRIVATE KEY PROTECTION AND CRYPTOGRAPHIC MODULE ENGINEERING CONTROLS	96
6.2.1 密码模块的标准和控制 Cryptographic module standards and controls	96
6.2.2 私钥多人控制 Private key multi-person control	96
6.2.3 私钥托管 Private key trusteeship	97
6.2.4 私钥备份 Private key backup	97
6.2.5 私钥归档 Private key archival	98
6.2.6 私钥导入、导出密码模块 Private key transfer into or from a cryptographic module	98
6.2.7 私钥在密码模块的存储 Private key storage on cryptographic module	99
6.2.8 激活私钥 Private key activation	99

6.2.9 解除私钥激活状态 <i>Private key deactivation</i>	100
6.2.10 销毁私钥 <i>Private key destruction</i>	101
6.2.11 密码模块的评估 <i>Evaluation of cryptographic module</i>	101
6.3 密钥对管理的其他方面 OTHER ASPECTS OF KEY PAIR MANAGEMENT	102
6.3.1 公钥归档	102
6.3.2 证书操作期和密钥对使用期 <i>Certificate operational periods and key pair usage periods</i>	102
6.4 激活数据 ACTIVATION DATA	102
6.4.1 激活数据的产生 <i>Activation data generation</i>	102
6.4.2 激活数据的保护 <i>Activation data protection</i>	103
6.4.3 激活数据的其他方面 <i>Other aspects of activation data</i>	103
6.5 计算机安全控制 COMPUTER SECURITY CONTROLS	104
6.5.1 具体的计算机安全技术要求 <i>Computer security technical requirements</i>	104
6.5.2 计算机安全评估 <i>Computer security rating</i>	106
6.6 系统生命周期控制 SYSTEM LIFE CYCLE CONTROLS	106
6.6.1 系统开发控制 <i>System development controls</i>	106
6.6.2 安全管理控制 <i>Security management controls</i>	107
6.6.3 生命周期的安全控制 <i>Life cycle security control</i>	107
6.7 网络的安全控制 NETWORK SECURITY CONTROLS	107
6.8 时间戳 DIGITAL TIME STAMP (DTS)	108
7. 证书、证书吊销列表和在线证书状态协议 CERTIFICATE, CRL, AND OCSP PROFILES	108
7.1 证书 CERTIFICATE PROFILE	108
7.1.1 证书版本号 <i>Version Number(s)</i>	121
7.1.2 证书扩展项 <i>Certificate Content and Extensions; Application of RFC 5280</i>	121
7.1.3 算法对象标识符 <i>Algorithm object identifier</i>	125
7.1.4 名称形式 <i>Name form</i>	125
7.1.5 名称限制 <i>Name Constraints</i>	127
7.1.6 证书策略对象标识符 <i>Certificate Policy Object Identifier</i>	127
7.1.7 策略限制扩展项的用法 <i>Usage of Policy Constraints Extension</i>	128
7.1.8 策略限定符的语法和语义 <i>Policy Qualifiers Syntax and Semantics</i>	128
7.1.9 关键证书策略扩展项的处理规则 <i>Processing Semantics for the Critical Certificate Policies Extension</i>	128
7.2 证书吊销列表 CRL PROFILE	129
7.2.1 版本号 <i>Version number(s)</i>	129
7.2.2 CRL 和 CRL 条目扩展项 <i>CRL and CRL entry extensions</i>	129
7.3 在线证书状态查询协议 OCSP PROFILE	130
7.3.1 版本号 <i>Version number(s)</i>	130
7.3.2 OCSP 扩展项 <i>OCSP extension</i>	130
8 认证机构审计和其他评估 AUDIT AND OTHER ASSESSMENTS OF CERTIFICATION BODY	131
8.1 审计的频率或情形 FREQUENCY OR CIRCUMSTANCES OF AUDIT	131

8.2 审计者的资质 QUALIFICATION OF AUDITOR	131
8.3 审计者与中国移动 CMCA 的关系 RELATIONSHIPS BETWEEN AUDITORS AND CMCA	132
8.3.1 审计者与中国移动 CMCA 的关系 Relationships between auditors and CMCA	132
8.4 审计内容 AUDIT CONTENT	133
8.5 对问题与不足采取的措施 RESOLUTION FOR PROBLEMS AND DEFICIENCIES	133
8.6 评估结果的传达与发布 COMMUNICATIONS OF RESULTS	133
8.7 其他 OTHER	134
9 法律责任和其他业务条款 LEGAL RESPONSIBILITY AND OTHER BUSINESS TERMS	134
9.1 费用 FEES	134
9.1.1 证书签发和更新费用 Certificate fees	134
9.1.2 证书查询费用 Certificate inquiry fee	135
9.1.3 证书吊销或状态信息的查询费用 Query fee for certificate revocation or status information	135
9.1.4 其他服务费用 Other service charges	135
9.1.5 退款策略 Refund policy	135
9.2 财务责任 FINANCIAL RESPONSIBILITY	136
9.2.1 保险范围 Insurance coverage	136
9.2.2 其他资产 Other assets	137
9.2.3 对最终实体的保险或担保 Insurance or guarantee of end entity	137
9.3 业务信息保密 BUSINESS INFORMATION CONFIDENTIALITY	138
9.3.1 保密信息范围 Confidential information scope	138
9.3.2 不属于保密的信息 Information not within the scope of confidential information	138
9.3.3 保护保密信息的信息 Responsibility of business information confidentiality	139
9.4 个人隐私保密 PRIVACY OF INDIVIDUAL INFORMATION	139
9.4.1 隐私保密方案 Privacy plan	139
9.4.2 作为隐私处理的信息 Information treated as private	140
9.4.3 不被视为隐私的信息 Information not deemed private	141
9.4.4 保护隐私的责任 Responsibility to protect private information	141
9.4.5 使用隐私信息的告知与同意 Notice and Consent to Use Private Information	141
9.4.6 依法律或行政程序的信息披露 Information disclosure in accordance with legal or administrative procedures	142
9.4.7 其他信息披露情形 Other information disclosure	142
9.5 知识产权 INTELLECTUAL PROPERTY RIGHTS	143
9.6 陈述与担保 REPRESENTATIONS AND WARRANTIES	143
9.6.1 电子认证服务机构的陈述与担保 CA representations and warranties	143
9.6.2 注册机构的陈述与担保 RA representations and warranties	146
9.6.3 订户的陈述与担保 Subscriber representations and warranties	147
9.6.4 依赖方的陈述与担保 Representations and warranties of relying party	149
9.6.5 其他参与者的陈述与担保 Representations and warranties of other participants	150
9.7 担保免责 DISCLAIMERS OF WARRANTIES	150
9.8 有限责任 LIMITED LIABILITY	151
9.9 赔偿 INDEMNITIES	151
9.10 有效期限与终止 TERM AND TERMINATION	153

9.10.1 有效期限 <i>Term of validity</i>	153
9.10.2 终止 <i>Termination</i>	153
9.10.3 效力的终止与保留 <i>Termination and reservation of validity</i>	153
9.11 对参与者的个别通告与沟通 <i>INDIVIDUAL NOTIFICATION AND COMMUNICATION TO PARTICIPANTS</i>	154
9.12 修订 <i>AMENDMENTS</i>	154
9.12.1 修订程序 <i>Revision procedure</i>	154
9.12.2 通知机制和期限 <i>Notification mechanism and time limit</i>	154
9.12.3 必须修改业务规则的情形 <i>Situations where business rules have to be modified</i>	155
9.13 争议处理 <i>DISPUTE RESOLUTION</i>	155
9.14 管辖法律 <i>GOVERNING LAWS</i>	155
9.15 适用法律的符合性 <i>APPLICABLE LAWS</i>	156
9.16 一般条款 <i>GENERAL TERMS</i>	156
9.16.1 完整协议 <i>Entire agreement</i>	156
9.16.2 转让 <i>Assignment</i>	157
9.16.3 分割性 <i>Segmentation</i>	157
9.16.4 强制执行 <i>Enforcement</i>	157
9.16.5 不可抗力 <i>Force majeure</i>	158
9.17 其他条款 <i>OTHER TERMS</i>	158
附录：证书信息 APPENDIX: CERTIFICATE INFORMATION	0

1. 概括性描述 General Description

1.1 概述 Overview

卓望数码技术（深圳）有限公司是中国移动控股子公司，负责中国移动认证中心（China Mobile Certification Authority，简称 CMCA）的电子认证服务业务运营，是具备经中华人民共和国工业和信息化部颁发的电子认证服务许可资质的电子认证服务机构之一。

Aspire Technology (Shenzhen) Ltd is a subsidiary of China Mobile. Aspire Technology (Shenzhen) Ltd which is responsible for the electronic certification service business operation of China Mobile Certification Authority (CMCA). CMCA is a third-party authority approved by the Ministry of Industry and Information Technology of People's Republic of China.

证书策略及电子认证业务规则（CP&CPS）是关于认证机构（CA, Certification Authority）在全部数字证书（以下简称证书）服务生命周期（如签发、吊销、更新）中的业务实践所遵循规范的详细描述和声明，是对相关业务、技术和法律责任方面细节的描述。

The Certificate Policy and Certification Practice Statement (CP&CPS) is a detailed description and declaration of the specifications followed by the business practice of the certification body (CA, Certification Authority) in the full digital certificate (hereinafter referred to as certificate) service life cycle (e.g. issuance, revocation, renewal), and is a description of the details of the relevant business, technical and legal liability aspects.

中国移动证书信任体系（CMTCN）包括中国国内信任体系和全球信任体系，本 CP&CPS 是 CMCA 全球信任体系的证书业务规则声明，根据国家相关法律法规的要求，本 CP&CPS 详细阐述了中国移动 CMCA 开展全球信任证书认证业务的各项规范、流程和保障措施，以及电子认证服务参与各方所承担的责任与义务。The China Mobile Certificate Trust System (CMTCN) includes the China domestic trust system and the global trust system. This CP&CPS is a

certificate business rule statement CMCA the global trust system. In accordance with the requirements of relevant national laws and regulations, this CP&CPS describes in detail the specifications, procedures and safeguards of China Mobile's global trust certificate certification business, as well as the responsibilities and obligations of the participants in the e-certification service.

本文档的编写遵从《中华人民共和国电子签名法》、中华人民共和国工业和信息化部颁布的《电子认证服务管理办法》、《电子认证业务规则规范（试行）》，以及最新的 RFC3647、Guidelines for the Issuance and Management of Extended Validation Certificates（简称“EV Guidelines”）、Network and Certificate System Security Requirements（简称“NCSSR”）以及 Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates（简称“Baseline Requirements”或“BR”）等。CMCA 遵循 <http://www.cabforum.org> 上发布的 Baseline Requirements、EV Guidelines 的最新版本进行签发和管理 SSL 证书。

This document is prepared in accordance with the Law of the People's Republic of China on Electronic Signatures, the Measures for the Administration of Electronic Certification Services promulgated by the Ministry of Industry and Information Technology of the People's Republic of China, the Code of Practice for Electronic Certification (Trial Implementation), and the latest RFC3647, Guidelines for the Issuance and Management of Extended Validation Certificates (hereinafter referred to as “EV Guidelines”), Network and Certificate System Security Requirements (hereinafter referred to as “NCSSR”) and Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates (hereinafter referred to as “Baseline Requirements” or “BR”). CMCA conforms to the latest version of the Baseline Requirements and EV Guidelines published on the <http://www.cabforum.org> to issue and manage the publicly-trusted SSL certificates.

CMCA 已获得主管单位即工业和信息化部颁发的电子认证服务许可等资质，

并处于资质有效期内。

CMCA has obtained the electronic certification service license issued by the competent unit, namely the Ministry of Industry and Information Technology, and is within the validity period of the qualification.

CMCA 全球信任体系遵循 WebTrust 相关要求, 并通过外部第三方审计机构审计。

CMCA Global Trust System follows the relevant WebTrust requirements and is audited by external third - party auditors.

本 CP&CPS (V3.1) 的生效日期是 **2024 年 8 月 16 日**。

Effective Date of this CP&CPS (V3.1) **2024 年 8 月 16 日**。

CMCA 全球信任证书体系的架构如下：




图 1 CMCA 全球信任全球信任证书体系架构

CMCA architecture of the global trust system is as follows:




Figure 1 CMCA Global Trust Certificate Architecture

CMCA GLOBAL TRUST ROOT CA 根密钥长度为 RSA4096-bit，有效期 25 年，将于 2049 年 7 月 13 日到期。

CMCA GLOBAL TRUST ROOT CA 下设三个中级根：

- CMCA DV SSL CA 根密钥长度为 RSA4096-bit，有效期 20 年，将于 2044 年 7 月 12 日到期，签发 DV SSL 证书，订户证书有效期不超过 397 天。
- CMCA OV SSL CA 根密钥长度为 RSA4096-bit，有效期 20 年，将于 2044 年 7 月 12 日到期，签发 OV SSL 证书，订户证书有效期不超过 397 天。
- CMCA EV SSL CA 根密钥长度为 RSA4096-bit，有效期 20 年，将于 2044 年 7 月 12 日到期，签发 EV SSL 证书，订户证书有效期不超过 397 天。

CMCA GLOBAL TRUST ROOT CA Root key length RSA4096- bit, Valid for 25 years, will expire on July 13th, 2049.

CMCA GLOBAL TRUST ROOT CA has two subordinate CAs:

- CMCA DV SSL CA key length is RSA4096-bit, valid for 20 years, will expire on July 12th, 2044, for issuing a DV SSL certificate, the subscriber certificate is valid for no more than 397 days.
- CMCA OV SSL CA key length is RSA4096-bit, valid for 20 years, will

expire on July 12th, 2044, for issuing a OV SSL certificate, the subscriber certificate is valid for no more than 397 days.

- CMCA EV SSL CA key length is RSA4096-bit, valid for 20 years, will expire on July 12th, 2044, for issuing a EV SSL certificate, the subscriber certificate is valid for no more than 397 days.

CMCA 中级根的生成遵循严格的管理规范，由授权人员执行特定操作签发。并经由第三方审计机构见证，中级证书的生成过程将全程记录，本 CP&CPS 不做具体阐述。

The generation of subordinate CA follows strict management specifications and is issued by authorized personnel for specific operations. And through the third-party audit institutions witness, the generation process will be recorded, this CP&CPS does not do specific elaboration.

1.2 文档名称与标识 Document name and identification

1.2.1 名称 Name

本文档中文名称为《中国移动 CMCA 全球信任证书证书策略和电子认证业务规则》（英文名《CMCA Global Trust Certificate Policy and Certification Practice Statement》）。

DV SSL 证书对应的证书策略对象标识号符（OID）为 2.23.140.1.2.1。

OV SSL 证书对应的证书策略对象标识号符（OID）为 2.23.140.1.2.2。

EV SSL 证书对应的证书策略对象标识号符（OID）为 2.23.140.1.1。

The Chinese name of this document is 《中国移动 CMCA 全球信任证书证书策略和电子认证业务规则》 (<CMCA Global Trust Certificate Policy and Certification Practice Statement>).

OID corresponding to DV SSL Certificate is 2.23.140.1.2.1.

OID corresponding to OV SSL Certificate is 2.23.140.1.2.2.

OID corresponding to the EV SSL certificate is 2.23.140.1.1.

1.2.2 版本 Version

本 CP&CPS 版本号为：V3.1。

The version No. is V3.1

1.3 电子认证活动参与者 Participants of electronic authentication activity

1.3.1 电子认证服务机构 Certification authority(CA)

电子认证服务机构 CA（Certification Authority）是颁发证书的实体，负责证书业务策略制定以及证书生命周期管理、密钥管理、信息库发布等工作，本文电子认证服务机构仅指 CMCA。

The certification authorities refer to the certificate certification body, which is the entity to issue the certificate, namely the China Mobile Certification Authority, be responsible for certificate business policy formulation, certificate life-cycle management, key management, information base release and other work, this paper only refers to CMCA.

1.3.2 注册机构 Registration Authority (RA)

注册机构（Registration Authority，简称 RA）也称为注册审核机构，是为最终证书申请者建立注册过程的实体，对证书申请者进行身份鉴别和标识，发起或传递实体证书管理信息。

CMCA 全球信任体系下的注册机构均设在 CMCA 内部，由 CMCA 本身承担 RA 职责，并未委托外部机构行使 RA 机构职责。

Registration Authority (RA) is also called as registration and audit institution, which is the entity established by end certificate applicant during the registration process. It can conduct identity authentication and identification of

certificate applicant, initiate or transfer entity certificate management information.

The registered agencies under CMCA Global Trust System are located within CMCA, which themselves assume RA responsibilities and do not entrust external agencies to exercise RA institutional responsibilities.

1.3.3 订户 Subscriber

订户是指向CMCA申请证书的实体，即电子签名人或证书持有人。

The Subscriber is the entity pointing to which CMCA applies for a certificate. also called electronic signers or certificate holders.

1.3.4 依赖方 Relying party

依赖方是指信赖于证书所证明的基础信任关系并依此进行业务活动的实体。

A dependent party is the entity that relies on the underlying trust relationship demonstrated by the certificate and conducts business activities accordingly.

1.3.5 其他参与者 Other participants

除 CMCA、订户和依赖方以外的参与者称为其它参与者。

Participants other than CMCA, subscribers and relying parties are called other participants.

1.4 证书应用 Certificate application

1.4.1 适合的证书应用 Suitable certificate Application

签发 CA	签发证书类型
CMCA DV SSL CA	DV SSL 全球服务器证书
CMCA OV SSL CA	OV SSL 全球服务器证书
CMCA EV SSL CA	EV SSL 全球服务器证书

CA issued	Type of certificate issued
CMCA DV SSL CA	DV SSL Global server certificate
CMCA OV SSL CA	OV SSL Global server certificate
CMCA EV SSL CA	EV SSL Global Server Certificate

CMCA GLOBAL TRUST ROOT CA仅用于签发中级CA证书，不签发最终订户证书。

CMCA GLOBAL TRUST ROOT CA is only used to issue subordinate ca certificate, not final subscriber certificate.

1.4.1.1 SSL 全球服务器证书 SSL global server certificate

SSL 全球服务器证书包含 DV SSL 全球服务器证书和 OV SSL 全球服务器证书，均支持通配符证书、多域名证书、单域名证书类型。该类证书适合用于在订户浏览器与 Web 服务器之间建立安全通道，实现数据信息在客户端与服务器之间的加密传输，防止数据信息的泄露。

DV SSL 全球服务器证书由 CMCA DV SSL CA 签发。

OV SSL 全球服务器证书由 CMCA OV SSL CA 签发。

SSL Global Server certificate contains DV SSL Global server certificate and OV SSL Global server certificate, all supported wildcard certificates, multiple domain name certificates, and single domain name certificate type. Such certificate is suitable for establishing secure channels between the subscriber browser and Web server to realize encrypted transmission of data information between client and server and to prevent leakage of data information.

DV SSL Global server certificate is issued by CMCA DV SSL CA certificate.

OV SSL Global server certificate is issued by CMCA OV SSL CA certificate.

1.4.1.2 EV SSL 全球服务器证书 EV SSL Global Server Certificate

CMCA EV SSL 全球服务器证书包含单域名证书、多域名证书，该类证书适合用于在订户浏览器与 Web 服务器之间建立安全通道，实现数据信息在客户端与服务器之间的加密传输，防止数据信息的泄露。

CMCA EV SSL 全球服务器证书由 CMCA EV SSL CA 签发。

CMCA EV SSL global server certificate contains single domain name certificate and multi-domain name certificate, this kind of certificate is suitable for establishing a secure channel between the subscriber browser and the Web server, realizing the encrypted transmission of data information between the client and the server, and preventing the leakage of data information.

CMCA EV SSL global server certificate issued by CMCA EV SSL CA certificate.

1.4.2 限制/禁止的证书应用 Application of Restricted / Prohibited Certificates

CMCA全球信任体系下的证书根据其类型在功能上有所限制，比如EV SSL 服务器证书只能用于经过严格认证的WEB服务器。

CMCA certificates under the global trust system are functionally limited by their type, such as EV SSL server certificates can only be used for strictly authenticated WEB servers.

各类证书的密钥用法在订户证书中的扩展项中进行了限制。然而基于证书扩展项限制的有效性取决于应用软件，如果参与方不遵守相关约定，其对证书的应用超出本 CP&CPS 限定的应用范围，将不受 CMCA 的保护。

The key usage of all kinds of certificates is limited in the subscriber certificate. However, the validity of the certificate extension restriction is based on the application software, and if the participant does not comply with the relevant agreement, the certificate is beyond the scope limited by this CP&CPS and will not be protected by CMCA.

CMCA 全球信任体系下签发的证书不能在如下领域使用：任何与国家或地方法律、法规规定相违背的应用系统。

Certificates issued CMCA the global trust system cannot be used in any application system that is contrary to national or local laws and regulations.

1.5 策略管理 Policy management

1.5.1 策略文档管理机构 Management organization of policy document

本 CP&CPS 由卓望数码技术（深圳）有限公司安全认证策略委员会组织制定并负责管理。委员会下设工作组，当需要编写或修订本 CP&CPS 时，由工作组组织编写，由委员会审批后正式发布。

This CP&CPS is formulated and managed by the Security Authority Policy Administration Committee(SAPAC), which is established by Aspire Technology(Shenzhen) Ltd. SAPAC has a working group. When this CP&CPS needs to be prepared or revised, it is organized by the working group and issued after approval by the committee.

1.5.2 联系人 Contact person

中国移动 CMCA 将对 CP&CPS 进行严格的版本控制和文档管理，由 CMCA 安全认证策略委员会，由专门的 CP&CPS 管理人员负责日常维护，指定运营服务部负责对外联络。

CMCA shall conduct the strict version control and document management of CP&CPS, and the Security Authentication Policy Management Committee (SAPAC) is responsible for the management. The specified CP&CPS management personnel carry out the maintenance, in addition, the specified Operation Service Department takes charge of the external liaison.

联系部门：安全业务部

电话：86-755-66820666

传真：86-755-66820001

地址：深圳高新技术产业园区南区深港产学研基地大楼六楼

电子邮件：cmca@aspirecn.com

联络网站：www.cmca.net

Contact department: Security Business

Tel.: 86-755-66820666

Fax: 86-755-66820001

Address: 6th Floor, West Shengang IER Building, South District,
Shenzhen High-tech Industry Park, Shenzhen

E-mail: cmca@aspirecn.com

Contact website: www.cmca.net

1.5.3 决定 CPS 符合策略的机构 Organization determining CPS suitability for the policy

CMCA 安全认证策略委员会对本 CP&CPS 文件具有决定权和最终解释权。
SAPAC has the decision-making power and the final interpretation right for this CP&CPS document.

1.5.4 CPS 批准程序 CPS approval procedure

在中国移动 CMCA 证书策略及认证业务声明做出任何变动之前，CMCA 安全认证策略委员会将对提供的变动建议进行研究，做出变更决定。策略委员会至少每年一次组织对 CP&CPS 内容进行审查，明确 CP&CPS 是否要修订以及修订的内容，并组织工作组进行编写，经策略委员会批准后予以更新发布。

Before making any change of CMCA CP&CPS, the Security Authentication SAPAC of CMCA will research the change suggestions provided and make the change decision. The Strategy Committee organizes a review of the CP&CPS content at least every year, clarifying whether the CP&CPS will be revised and revised, and to be prepared and updated with the approval of the Strategy Committee.

1.6 定义和缩写 Definitions and acronyms

CMCTN	中国移动证书信任体系 (China Mobile Certificate Trust Network)
CP	证书策略 (certification policy)
CPS	电子认证业务规则或电子认证业务说明 (certification practice statement)
CRL	证书吊销列表或证书黑名单 (certificate revocation list)
CSR	证书签名请求 (<i>Certificate Signing Request</i>)
HTTP	超文本传输协议 (Hypertext Transfer Protocol)
HTTPS	安全套接层下的超文本传输协议 (Hypertext Transfer Protocol with SSL)
CA	电子认证服务机构 (certificate authority)
RA	注册机构 (registration authority)
LRA	本地注册受理点或本地受理点 (local registration authority)
PIN	个人授权码 (personal identification number)
OCSP	在线证书状态查询协议 (online certificate search protocol)
LDAP	轻量目录访问协议 (Lightweight Directory Access Protocol)
PKCS	公共密钥加密标准 (<i>Public Key Cryptography Standards</i>)
PKI	公共密钥基础设施 (public key infrastructure)
SSL	加密套阶字协议层 (<i>Secure Sockets Layer</i>)
URL	指定的信息位置 (<i>uniform resource locator</i>)
WWW or Web	万维网 (World Wide Web)
X.509	国际电信同盟认证体系的证书标准 (the ITU-T standard for certificates and their corresponding authentication framework)

CMCTN	China Mobile Certificate Trust Network
CP	certification policy
CPS	certification practice statement
CRL	certificate revocation list
CSR	<i>Certificate Signing Request</i>
HTTP	Hypertext Transfer Protocol
HTTPS	Hypertext Transfer Protocol with SSL

CA	certificate authority
RA	registration authority
LRA	local registration authority
PIN	personal identification number
OCSP	online certificate search protocol
LDAP	Lightweight Directory Access Protocol
PKCS	<i>Public Key Cryptography Standards</i>
PKI	public key infrastructure
SSL	<i>Secure Sockets Layer</i>
URL	<i>uniform resource locator</i>
WWW or Web	World Wide Web
X.509	the ITU-T standard for certificates and their corresponding authentication framework

2. 信息发布与信息管**Information publication and management**

2.1 信息库 **Repository**

CMCA 信息库面向订户及证书应用依赖方提供信息服务。信息库包括但不限于以下内容：证书、CRL、CP&CPS、证书服务协议、技术支持手册以及 CMCA 网站信息等。

CMCA information database provides information services to subscribers and certificate application relying parties. The information database includes, but is not limited to, the following: certificates, CRL, CP&CPS, certificate service agreement, technical support manual, and CMCA website information.

2.1.1 信息库监督、监控机制 **Repositories supervision**

CMCA 针对信息库建立监督、监控机制，以此保障信息库安全可靠，并确保信息库、分发库的证书和签发出的证书一致、订户获取的证书与签发证书一致，证书准确发放给了订户。

CMCA establishes the supervision and monitoring mechanism for the information database. This ensures that the information base is secure and reliable, that the information base, the certificates issued by the distribution

base and the certificates issued are consistent, that the certificates obtained by the subscribers are consistent with the certificates issued, and that the certificates are issued accurately to the individual subscribers.

2.1.2 信息库内部数据维护 Internal data maintenance of the information database

CMCA 将维护内部数据记录，用于记录所有曾经因为网络钓鱼可疑或可能被其他欺诈手段利用的原因被吊销或拒绝申请的证书信息（包括 EV 证书），这些证书的申请机构在今后的身份验证中标识为可能的高风险证书申请。

CMCA will maintain internal data records for all certificate information (including EV certificates) that has been revoked or denied for suspected phishing suspect or may be exploited by other fraud, which applicant agencies identify as possible high - risk certificate applications in future authentication.

在进行身份验证时 CMCA 将申请机构与一些高风险机构名单进行比对，主要是指最有可能成为网络钓鱼或其他身份欺诈目标的组织机构，自动在申请阶段将其标记为“高风险申请者”，确保证书在签发前申请机构的身份得到充分验证。

For authentication purposes CMCA the list of applicant institutions is compared with the list of high-risk institutions, mainly those organizations that are most likely to be the target of phishing or other identity fraud, which are automatically marked as "high-risk applicants" at the application stage to ensure that the identity of the applicant institution before issuance is fully verified.

这些组织名单有：

1) 根据反钓鱼联盟、防病毒厂商或相关联盟、负责网络安全事务的政府机构等第三方发布的名单，或公共媒体公开报道中披露的信息；

2) CMCA 将因为可能遭到网络钓鱼或其他身份欺诈攻击而吊销其 OV SSL 全球服务器、EVSSL 全球服务器证书，CMCA 将把这些被拒绝的申请者的组织机构标记为“高风险申请者”，并且作为今后识别高风险申请机构的依据。

These lists of organizations have:

1) According to third-party lists published by anti phishing alliances, antivirus vendors or related alliances, government agencies responsible for cybersecurity affairs, or information disclosed in public media reports;

2) CMCA will revoke their certificates OV SSL global servers and EVSSL global servers for possible phishing or other identity fraud attacks, and will mark the organization of these rejected applicants as "high-risk applicants" and serve as a basis for future identification of high-risk applicants.

CMCA 将拒绝处于高风险信息库中的证书申请。

CMCA will reject applications for certificates in a high-risk repository

2.2 信息发布 Information publication

2.2.1 CPS 的发布 CPS publication

本 CP&CPS 结构遵循 RFC 3647 且包含其要求的所有内容。

本 CP&CPS 以及相关的技术支持信息等在 CMCA 网站上发布。

本 CP&CPS 发布的内容为 CMCA 全球信任证书业务的基线要求,如有版本更新,以最新版本为准。

CMCA 遵循 <http://www.cabforum.org> 上发布的 Baseline Requirements、EV Guidelines 的最新版本。如果本文档和 Baseline Requirements、EV Guidelines 之间有任何不一致,以 <http://www.cabforum.org> 上发布的为准。

This CP&CPS structure is in compliance with RFC 3647 and contains all content required by it.

This CP&CPS and related technical support information are released on CMCA website.

Content released by this CP&CPS constitutes the baseline requirement of CMCA's global trust certificate business. For any version update, the latest version shall prevail.

CMCA follows the latest version of Baseline Requirements and EV

Guidelines released on <http://www.cabforum.org>. In event of any inconsistency between this document and the Baseline Requirements and EV Guidelines, the Baseline Requirements and EV Guidelines shall prevail.

2.2.2 公众信息的发布 Publication of public information

中国移动 CMCA 将及时在网站上公布相关的公众信息

CMCA will publish relevant public information on the website in time

2.2.3 认证信息的发布 Publication of authentication information

证书在签发成功后，中国移动 CMCA 自动将证书副本发布到目录服务器上。

中国移动 CMCA 定期公布的证书有效期内被废止的数字证书可从中国移动 CMCA 的 CRL 发布站点获取。

证书客户可以在中国移动 CMCA 的网站中查询获得其证书有关信息。

After the certificate is successfully issued, CMCA automatically publishes the certificate copies to the LDAP server. The digital certificate repealed in certificate effective date published by CMCA regularly can be obtained from CRL publication site of CMCA.

The certificate customer can inquire and obtain the relevant certificate information in CMCA website.

2.3 发布的时间或频率 Time or frequency of publication

证书相关方可通过中国移动 CMCA 信息库 7x24 小时获取 CP&CPS。

中国移动 CMCA 有权利对其 CP&CPS 进行改动和版本升级，其发布时间及频率由中国移动 CMCA 决定，至少每年对 CP&CPS 进行审查一次，至少每年更新一次。

中国移动 CMCA 的网站实时更新，会在第一时间发布和证书业务相关的信息。

证书签发成功后，CMCA 自动将证书副本发布到目录服务器上。

中国移动 CMCA 通常在 24 小时内自动发布最新证书吊销列表 CRL，发布时间为每天的凌晨，也可人工发布最新 CRL。证书客户可在中国移动 CMCA 网站上查询、下载数字证书以及 CRL。

CP&CPS are available through the repository as 7*24 service.

CMCA has the right to make changes and upgrades to its CP&CPS, and its publication time and frequency are determined by CMCA. CMCA will publish the latest version of CP&CPS on the website, and the related parties of certificate can obtain CP&CPS through CMCA repository within 7x24 hours. Review the CP&CPS at least once a year, and update at least annually.

CMCA website will update real time, and will publish the information related to certificate business in the first time.

After the certificate is successfully issued, CMCA automatically publishes the copy of the certificate to the LDAP.

CMCA LDAP usually automatically publishes the latest CRL within 24 hours, and the publication time is the morning of each day. While the latest CRL can also be published manually. The certificate customers can inquire, download digital certificate and CRL on CMCA website.

2.4 信息库访问控制 Access controls on repositories

2.2 节中所发布信息的查询、获取是公开的，没有任何限制。

中国移动 CMCA 设置了信息访问控制和安全审计措施，保证只有经过授权的中国移动 CMCA 工作人员才能编写和修改中国移动 CMCA 在线的公告版本和公布信息。

The information published in section 2.2 is open and without constraints.

CMCA has set up information access controls and security audit measures to ensure that only authorized CMCA staff can prepare and modify

CMCA online announcement version and publish the information.

3. 身份标识与鉴别 Identification and authentication

3.1 命名 Naming

3.1.1 名称类型 Types of names

根据证书主体类型不同，中国移动 CMCA 签发的证书的主体名字可以是域名、公网 IP 等，命名符合 X.500 定义的甄别名规范。

According to the type of certificate subject, the subject name of the certificate issued by CMCA can be domain name, public network IP, etc. The naming conforms to the distinguished name specification defined by X.500.

3.1.2 对名称有意义的要求 Need for names to be meaningful

DN (Distinguished Name)：唯一甄别名，在数字证书的主体名称域中，用于唯一标识证书主体的X.500名称，需要填写反映证书主体真实身份的、具有实际意义的、与法律不冲突的内容。

EV SSL全球服务器证书的甄别名称中的通用名只能是订户机构所拥有的域名，结合该订户机构的其他信息一起被鉴别和认证。

DV SSL全球服务器证书、OV SSL全球服务器证书的甄别名称中的通用名可以是订户所拥有的域名或者公网IP，结合该订户的其他信息一起被鉴别和认证。

DN (Distinguished Name) :A unique screening name, in the domain of the subject name of the digital certificate, is used to uniquely identify the X.500 name of the subject of the certificate. It is necessary to fill in the content which reflects the true identity of the subject of the certificate and has practical significance and does not conflict with the law.

The universal name under the discriminated name of EV SSL global server certificate can only be domain name of the subscriber organization, which can

be authenticated and certified together with other information of the subscriber. SSL common name in the screening name of DV SSL global server certificate and OV SSL global server certificate can be a domain name owned by the subscriber or a public network IP, identified and authenticated together with other information of the subscriber.

3.1.3 订户的匿名或伪名 Anonymity or pseudonymity of subscriber

中国移动 CMCA 所签发的全球信任证书不可以使用匿名或伪名。

The subscribers (certificate applicants) shall not be anonymous or pseudo.

3.1.4 理解不同名称形式的规则 Rules for understanding different forms of names

DN (Distinguished Name) 的命名规则由 CMCA 定义, 详见本 CP&CPS 7.1.的说明。

The naming rules for DN (Distinguished Name) are defined by CMCA, as described in this CP&CPS 7.1.

3.1.5 名称的唯一性 Name uniqueness

CMCA 保证其签发的证书, 其主题甄别名, 在 CMCA 的信任域内是唯一的。不同的订户的证书的主体甄别名不能相同, 但对于同一订户, CMCA 可以用其唯一的主题甄别名为其签发多张证书。当证书申请中出现不同订户存在相同名称时, 遵循先申请者优先使用, 后申请者增加附加识别信息予以区别的原则。

CMCA guarantee that the certificate issued by it, its subject screening name, is unique in CMCA trust domain. Different subscribers' certificates cannot have the same subject identification name, but for the same subscriber, CMCA can use their unique subject identification to issue multiple certificates. When

different subscribers have the same name in the certificate application, follow the principle that the applicant first uses it first, and then the applicant adds additional identification information to distinguish it.

3.1.6 商 标 的 承 认 、 鉴 别 和 角 色 Recognition, Identification and Role of Trademarks

CMCA 签发的证书的主体甄别名不包含任何商标或者可能对其他机构构成侵权的信息。

CMCA the subject identification name of the certificate issued does not contain any trademark or information that may constitute infringement on other institutions.

3.2 初始身份确认 Initial identity validation

3.2.1 证明拥有私钥的方法 Method to prove possession of private key

证书申请者必须证明持有与所要注册公钥相对应的私钥，证明的方法包括在证书申请消息中包含数字签名（PKCS#10）、其它与此相当的密钥标识方法，或者 CMCA 要求的其它证明方式，包括提交的初始化信息（被分配的密钥存储介质和对应的 PIN 码）等。

Applicants must prove that he/she holds the corresponding private key to the public key being registered. You can use the ways of digital signature contained in certificate request messages (PKCS#10) or other equivalent method to identify the secret keys, or some ways required by CMCA, such as initial information (distributed key medium and its PIN code), etc. to prove that you holds the relevant keys.

3.2.2 组织机构身份的鉴别 Authentication of organization identity

机构类订户的证书申请表上有申请者本身或被充分授权的证书申请者代表的签字（公章）表示接受证书申请的有关条款，并承担相应的责任。

Subscriber or subscriber's representative fully delegated by the organization should sign the application form with company's chop, and accept and affords corresponding responsibilities described in the subscriber agreement.

CMCA 接受订户的证书申请后，应对订户的身份真实性进行审核，并按照双方的约定妥善保存订户申请材料。

After CMCA accepts the certificate application, review the identity authenticity of the subscriber, and properly preserve the subscriber application materials as agreed by both parties.

3.2.2.1 机构身份的鉴别 Authentication of Organization Identity

CA 机构或授权的注册机构将确认机构订户是确实存在的、合法的实体及确认申请人的意愿。其鉴别流程方法如下。

（1）通过权威第三方数据库对有效机构身份证明文件进行核查确认，确保所提供的信息与核查结果一致。

（2）检查组织机构授权给授权代表办理证书事宜的授权文件及授权代表有效身份证件，确保授权代表得到申请机构的授权。CA 机构可通过鉴证数据源得到的电话号码等方式与申请机构进行联络，以确认申请者某个信息的真实性，如验证申请表中的某个人是否是授权代表。

（3）如果 CA 机构无法得到所有所需的信息，可委托第三方进行调查或要求申请者提供额外的信息和证明材料。

The CA or the authorized RA will confirm the actual existence and legality of this organization and confirm the applicant's intention. The authentication procedure is specified as follows.

(1) Check and confirm the valid organization identity document through an

authoritative third-party database to ensure that the provided information is consistent with the verification results.

(2) Check the authorization documents authorized by the organization to the authorized representative to handle the certificate and the valid government-issued photo ID of the authorized representative to ensure that the authorized representative is authorized by the organization. The CA can contact the applicant through a telephone number obtained by Authentication Data Source to confirm the authenticity of some information of the applicant, such as verifying whether a person in the application form is an authorized representative.

(3) If CA is unable to obtain all the required information from a third party, it may entrust a third party to conduct an investigation or request the applicant to provide additional information and supporting materials

3.2.2.2 DBA/商业名称的鉴别 DBA/tradename

若证书主题包含 DBA 或商业名称，CMCA 将通过以下方式中的至少一种确认申请者有权使用该 DBA 或商业名称。

- 1) 政府机构提供的可证明申请者合法成立、存在或认可的有效文档
- 2) 可靠的数据来源（如邓白氏编码）
- 3) 与负责管理此类 DBA 或商业名称的政府机构的沟通；
- 4) 附有证明文件的证明信；
- 5) 公用事业账单、银行对账单、信用卡对账单、政府签发的税务文件或 CA 认为可靠的其他身份证明形式。

If the certificate subject contains a DBA or tradename, the CA or the authorized RA shall verify the applicant's right to use the DBA or tradename using at least one of the following ways.

- 1) Valid documents provided by a government agency in the jurisdiction of the applicant's legal creation, existence, or recognition.
- 2) A reliable data source. (eg: Dun & Bradstreet)
- 3) Communication with a government agency responsible for the

management of such DBAs or tradenames;

- 4) An Attestation Letter accompanied by documentary support; or
- 5) A utility bill, bank statement, credit card statement, government-issued tax document, or other form of identification that the CA determines to be reliable.

3.2.2.3 国别验证 Verification of Country

若证书主题中包含国家选项，CMCA将通过以下方式中的至少一种进行国家的鉴别。

- 1) 通过权威第三方数据查询网站DNS记录显示的IP地址或申请者的IP地址来确认所在国家，确保申请人的IP地址所在国与申请人实际所在国一致。
- 2) 请求域名的ccTLD。
- 3) 域名注册机构提供的信息。
- 4) 通过本文第3.2.2.1节种申请者提供的机构证明信息所在国家的确认。

If the certificate subject contains an option of country, the CA or the authorized RA shall verify the country using one of the following ways.

(1) Confirm the host country by checking the IP address displayed by the DNS record of the website or the IP address of the applicant through an authoritative third-party database, and ensure that the country where the applicant's IP address is located is consistent with the actual country where the applicant is located.

(2) The ccTLD of the requested domain name.

(3) Information provided by the domain name registrar.

(4) Confirm the country through the information provided by the applicant in Section 3.2.2.1 of this CP&CPS.

3.2.2.4 域名的确认和鉴别 Validation of Domain Authorization or Control

对于域名的验证，被验证的实体可以是申请者的母公司、子公司或联营公司，CMCA将采用以下鉴别方式中的一种：

For the purpose of domain name validation, entities to be validated may also be the applicant's parent company, subsidiary company, or affiliate. CMCA may use one of the following ways for the validation of domain names:

- 1) 通过邮件方式发送随机值，然后接收一个使用该随机值的确认响应，确认申

请人对FQDN的控制权。随机值必须发送到WHOIS注册备案的域名联系人电子邮件地址。（根据Baseline Requirements v2.0.5第3.2.2.4.2的域名验证方法）

- 2) 通过邮件方式发送随机值，然后接收一个使用该随机值的确认响应，确认申请人对FQDN的控制权。随机值必须发送到标识为域名联系人的电子邮件地址'adimn', 'adiministrator', 'webmaster', 'hostmaster' 或 'postmaster', 后面是 ("@")之后跟着授权域名。（依据Baseline Requirements v2.0.5 第3.2.2.4.4的域名验证方法）
- 3) 通过在"/.well-known/ pki-validation"目录下对约定的信息进行改动，确认订户对FQDN的控制权。（依据Baseline Requirements v2.0.5 第3.2.2.4.18的域名验证方法）
- 4) 通过在DNS CNAME、TXT或CAA记录中是否存在已约定的随机值，以确认订户对域名的控制权。要求：1) 授权域名；或者2) 一个前缀以下划线字符开头的域名授权。（依据Baseline Requirements v2.0.5 第3.2.2.4.7的域名验证方法）

上述验证方法中用到的随机值有效期为从产生该随机值开始的30天。

CMCA不为.onion形式的域名签发SSL全球服务器证书。

- 1) Send a random value by email, and receive a confirming response using the random value to confirm the applicant's control over the FQDN. The random value must be sent to the domain name contact email address registered by WHOIS. (Based on the domain name validation method of Baseline Requirements v2.0.5 Section 3.2.2.4.2)
- 2) Send a random value by email, and receive a confirming response using the random value to confirm the applicant's control over the FQDN. The random value must be sent to the email address identified as the domain name contact or created by using ' admin,' administrator', ' webmaster', hostmaster' or ' postmaster', followed by the at-sign("@"), followed by an authorized domain name. (Based on the domain name validation method of Baseline Requirements v2.0.5 Section 3.2.2.4.4)
- 3) Confirm the subscriber's control over the FQDN by making changes to the agreed information under the "/. well-known/pki-validation" directory. (Based on the domain name validation method of Baseline Requirements v2.0.5 Section 3.2.2.4.18)
- 4) Confirm the subscriber's control over the domain name by confirming the

presence of a negotiated random value in a DNS CNAME, TXT or CAA record.

Requirements: 1) authorized domain name; or 2) an authorized domain name with a prefix starting with underline character. (Based on the validation method of domain name in Baseline Requirements v2.0.5 Section 3.2.2.4.7).

The random value used in the above validation method remains valid for no more than 30 days from the time of creation. CMCA does not issue SSL Global Server Certificates for domain names in the form of .onion.

3.2.2.5 IP 地址的验证 Verification of IP address

CMCA 采用以下方式，确认申请者拥有或实际控制该 IP 地址：

在包含 IP 地址的 URI（统一资源标识符）的在线网页上对约定的信息进行改动，通过此方式以确认申请者对 IP 地址的实际控制权。鉴别方式遵循 Baseline Requirements v2.0.5 第 3.2.2.5.2 节。

CMCA 不为 IP 地址签发 EV SSL 证书。

CMCA adopts the following way for the authentication, to confirm the applicant owns or practically controls the IP address:

By making a change to the agreed-upon information found on an online Web page identified by a uniform resource identifier containing the IP address, to confirm the applicant's practical control over the IP address. This way of validation conforms to section 3.2.2.5.2 of the Baseline Requirements v2.0.5. CMCA does not issue EV SSL certificate for an IP address.

3.2.2.6 通配符域验证 Wildcard domain validation

对于通配符域名，CMCA 审核通配符右侧的域名，保证通配符（*）右侧的域名是明确归属于某一个商业实体、社会组织或政府机构等机构，并经过注册获得的。

CMCA 拒绝通配符（*）右侧的域名直接是顶级域名、公共后缀或由域名注册管理机构控制的域名的证书申请，除非申请者能够证明其完全控制该域名的所有命名空间。

必要时，CMCA 还需要采取其它独立的审查措施，以确认该域名的归属权，如果要求申请者提供相应的协助，该申请者不得拒绝这种请求。

As for the validation of a wildcard domain name, CMCA verifies the domain name in the right position of the wildcard to ensure the domain name in the right position of (*) is obtained through registration, and explicitly owned or controlled by a business entity, a social organization, or a government authority etc.

CMCA rejects any certificate request with a domain name in the right position of the wildcard (*) being a gTLD, public suffix, or a registry-controlled domain name, unless the applicant proves its rightful control of the entire domain namespace.

If necessary, CMCA may also perform the independent investigation to confirm the ownership of the domain name. The subscriber shall not refuse the requirements when corresponding assistance is needed from CMCA.

3.2.2.7 数据源的准确性 Accuracy of data sources

CMCA 采用准确、可靠的第三方数据源来验证证书申请者的信息。在选择是否依赖一个数据源之前，CMCA 会对该数据源的可依赖性、数据的准确性以及数据的抗更改和抗伪造性进行评估。将考虑以下几个方面：

- 1) 所提供的信息的年限；
- 2) 该数据源更新的频率，确保数据保持更新；
- 3) 数据的供应方，以及数据收集的目的；
- 4) 数据的公开可用性及可访问性；
- 5) 伪造或更改数据的难度。

对于 SSL 证书的验证数据源，若获得可依赖数据或文件的时间不超过本 CP&CPS 第 6.3.2 节中约定的证书最大有效期，则可复用。

CMCA uses accurate and reliable third - party data sources to verify the information of certificate applicants. CMCA evaluates the dependence on the data source, the accuracy of the data, and data change and forgery resistance

before choosing whether to rely on a data source. The following aspects will be considered:

- 1) Years of information provided;
- 2) The frequency of data source updates to ensure that data is kept up to date;
- 3) The supply side of the data and the purpose of data collection;
- 4) Open availability and accessibility;
- 5) Difficulty in falsifying or altering data.

For data sources that validate SSL certificates, you can reuse data or files that are dependent for no more than the maximum validity period of the certificate as stipulated in Section 6.3.2 of this CP&CPS.

3.2.2.8 CAA 记录 CAA records

CMCA 在签发 SSL 证书之前，将对签发证书主题别名扩展项中的每一个 `dNSName` 做 CAA 记录检查，并遵循查询到的指示。如果签发证书，必须在 CAA 记录的 TTL 时间或 8 小时内（两者更大者）。

CMCA will check for CAA records for each `dNSName` in the certificate SubjectAlternative Name extension before issuing the SSL certificate and follow the instructions found. If a certificate is issued, it must be within the TTL time or 8 hours of the CAA record (the greater one).

CMCA 根据 RFC8659 的规定处理 “issue”、“issuewild” 及 “iodef” 的属性标签：若 “issue”、“issuewild” 标签存在并且其中不包含 “cmca.net”，则 CMCA 不签发对应的证书；若 CAA 记录中存在 “iodef” 标签，则 CMCA 与申请者沟通后决定是否为其颁发证书。

CMCA shall process the property tags of "issue", "issuewild" and "iodef" as specified in RFC8659: if the "issue", "issuewild" tags exist and do not contain "cmca.net", CMCA will not issue the corresponding certificate, if the "iodef" tag appears in the CAA record, CMCA will communicate with the applicant and then decide whether to issue the certificate.

CMCA 以下列 CAA 记录查找失败情况作为可签发证书的条件：1) 在非 CMCA 的基础设施中查询 CAA 记录失败；2) 至少尝试过一次重新查找 CAA 记录；3) 域名所在区域不存在指向 ICNNA 根区域的 DNSSEC 验证链。

CMCA is permitted to treat a record lookup failure as permission to issue if:

- 1) The failure is outside the CA's infrastructure.
- 2) The lookup has been retried at least once.
- 3) The domain's zone does not have a DNSSEC validation chain to the ICANN root.

3.2.3 个人身份的鉴别 Authentication of Individual Identity

CMCA 不受理个人证书业务，此部分要求仅针对企业申请授权办理人员的身份鉴别。中国移动 CMCA 将核对证书申请人信息与提供的身份证信息是否一致，并将数字证书申请人身份证复印归档备案。

CMCA objects individual certificate business. This requirement is only targeted for identity authentication of authorized clerks for corporate application. CMCA will check whether the certificate applicant information is consistent with the ID card information provided, and file the digital certificate applicant ID card.

3.2.4 没有验证的订户信息 Subscriber information not validated

CMCA 签发的证书信息没有未经过验证的信息。

The certificate information issued by CMCA has no unverified information.

3.2.5 授权确认 Validation of Authority

当申请者代表组织机构申请证书时，需要出示足够的证明信息以证明申请者是否已获得组织机构的授权。CMCA 有责任确认该授权信息，并将授权信息妥

善保存。

当机构授权经办人办理证书业务时，应当进行的核实验证流程参照本 CP&CPS 相关要求。

CMCA 允许申请者指定独立个人来申请证书。若申请者以书面形式指定证书申请人，则不接受在该指定人员以外的其他人提交证书申请请求。CMCA 在收到申请者确认的书面请求时，应向申请者提供其已授权人员的清单。

When the applicant applies for a certificate on behalf of the organization subscribers, sufficient certification information is required to demonstrate whether the applicant has been authorized by the organization. CMCA has the responsibility to confirm the authorization information and properly preserve the authorization information.

When the agency authorizes the handler to engage in certificate business, the verification procedure should refer to requirements of this CP&CPS.

CMCA gives its consent to applicants to designate independent individuals to apply for certificates. In case the applicant appoints the certificate applicant in writing, submission of certification application request by people other than the designated clerks is prohibited. Upon receipt of the written request confirmed by the applicant, the applicant shall be provided with a list of its authorized personnel.

3.2.6 互操作准则 Interoperational guidelines

对于申请 CMCA 全球信任体系下的 DV 证书、OV 证书及 EV 证书，CMCA 承担对订户身份的鉴别职能，暂不委托其他机构行使此职责。

CMCA 不签发任何交叉认证的证书。

For applying for DV certificates, OV certificates and EV certificates under CMCA Global Trust System, CMCA undertakes the identification function of subscriber identity and temporarily does not entrust other agencies to perform this responsibility .

CMCA refrains from issuing any cross-certified certificates.

3.3 密钥更新请求的标识与鉴别 Identification and authentication for re-key request

在订户证书到期前，订户需要获得新的证书以保持证书使用的连续性。证书更新请求包含“密钥更新”和“证书更新”，对于“密钥更新”，中国移动 CMCA 一般要求订户产生一个新的密钥对代替过期的密钥，具体参考（同 4.7）；对于“证书更新”，CMCA 暂不支持该服务。客户申请更新证书时，需重新填写证书更新表，按照初始身份验证步骤提交相关资料（同 4.1），并由中国移动 CMCA 审核。

Before the subscriber certificate expires, the subscriber needs to obtain a new certificate to maintain the continuity of the certificate use. Certificate Update requests include both Key Update and Certificate Update. For key update, CMCA generally requires subscribers to produce a new key pair instead of expired key with specific reference (as 4.7), CMCA will not complete the certificate update form and submit the information (as 4.1) and reviewed by CMCA.

3.3.1 常规更新的标识与鉴别 Identification and authentication for renewal request

由于证书到期、证书信息更改或密钥更新等情况，证书需要重新办理。

经中国移动 CMCA 签发证书有效期一般为 1 年，有效期不超过 397 天。

证书到期前一个月，中国移动 CMCA 会提醒证书持有者办理新证书。

证书客户填写证书申请表，按照初始身份验证步骤提交相关资料（同 3.2），并由中国移动 CMCA 或其授权机构审核。

Prior to the expiry of the subscriber certificate, the subscriber needs to obtain the new certificate to keep the certificate usage continuity.

The certificate issued by CMCA is generally 1 year, not more than 397 days.

One month before the certificate expires, CMCA reminds the certificate holder to apply for a new certificate.

Certificate customer fill out certificate apply form, submit relevant information according to initial authentication step (same as 3.2), and be reviewed by CMCA or its authorized organization.

3.3.2 吊销后更新的标识与鉴别 Identification and authentication for renewal after revocation

吊销后的证书必须重新生成新的公私钥对并按照 3.2 的规定申请新的证书。
The revoked certificate must regenerate the new public-private key pair and apply for the new certificate in accordance with 3.2.

3.4 吊销请求的标识与鉴别 identification and authentication for revocation request

CMCA 或注册机构有本 CP&CPS 4.9.1.1 所述理由需要撤销订户的证书时，有权依法撤销证书，这种情况无须进行鉴别。如果订户主动要求撤销证书，则按照本 CP&CPS 第 3.2 节描述进行身份鉴别。

CMCA or RA can revoke a certificate based on reasons stated in section 4.9.1.1 of this CP&CPS without authentication. Subscribers who request to revoke certificate follows CP&CPS section 3.2..

4. 证书生命周期操作要求 Certificate life cycle operational requirements

4.1 证书申请 Certificate application

4.1.1 证书申请实体 Who Can Submit a Certificate Application

任何实体需要使用 CMCA 全球信任体系下签发的证书时，均可提出证书申

请。

Any entity that needs to use a certificate issued under the CMCA global trust system can submit a certificate application.

4.1.2 注册过程与责任 Enrollment process and responsibilities

申请者应事先了解订户协议、本 CP&CPS 等文件约定的事项，特别是其中关于证书适用范围、权利、义务和担保的相关内容。

申请者应向 CMCA 递交证书申请表及相应证明文件，此行为即意味着申请者已经了解和接受订户协议。

The applicant shall have prior knowledge of the matters stipulated in the Subscriber Agreement, this CP&CPS, in particular those relating to the scope of application, rights, obligations and guarantees of the certificate.

Applicants should submit a certificate application form and corresponding supporting documents to CMCA, which means that the applicant has understood and accepted the subscriber agreement.

1、订户

订户即申请证书的实体，订户须明确表示其愿意接受本CP&CPS中所规定的相关责任与义务（本CP&CPS公布在CMCA网站上），并需要按照3.2.2的要求提供真实、准确的申请信息；根据《中华人民共和国电子签名法》的规定，订户未向CMCA提供真实、完整和准确的信息，或者有其他过错，给电子签名依赖方、CMCA造成损失的，订户应承担相应的法律及赔偿责任。订户有责任保护其拥有的证书私钥安全。

1、Subscribers

The subscribers, the entity applying for the Certificate, shall expressly express its willingness to accept relevant responsibilities and obligations under this CP&CPS (this CP&CPS is published on CMCA website) and shall provide true and accurate application information as required by 3.2.2. According to

Electronic Signature Law of the People's Republic of China, If the applicant fails to provide true, complete and accurate information to CMCA, or has other faults, causing losses to the electronic signature relying party and CMCA, the subscriber shall bear corresponding legal and compensation liabilities. The subscriber has the responsibility to secure the certificate private key that it owns.

2、认证及注册机构

订户可以直接向CMCA申请证书，由CMCA审核订户信息并处理订户的请求。注册机构对订户提供的身份信息参照3.2.2的要求进行鉴别，CMCA对通过鉴别后的订户签发证书。CMCA作为电子认证机构，应妥善保管证书订户申请信息。CMCA应在适当时间将证书订户的信息归档，同时应履行本CP&CPS中所规定的相关责任与义务。

2、Certification and Registration Authority

Subscribers can apply for certificates directly from CMCA, and the subscriber information is audited by CMCA and the subscriber's request is processed. According to the requirements of 3.2.2, the registered institution identifies the identity information provided by the subscriber CMCA issues a certificate to the authenticated subscriber. CMCA as an electronic certification body, the certificate subscriber application information should be properly kept. CMCA shall file the information of the certificate subscriber at the appropriate time, and shall fulfill the relevant responsibilities and obligations stipulated in this CP&CPS.

4.2 证书审核 Certificate Application Processing

4.2.1 执行识别与鉴别功能 Performing identification and authentication functions

当 CMCA 接受到订户的证书申请后，应按本 CP&CPS 3.2 的要求，对订户进行身份识别与鉴别。根据 CP&CPS 3.2 指定来源获得的数据或证明文件的时间不超过 825 天（获得的域名和 IP 地址的验证数据或文件的时间不超 398

天) 且该信息未发生变化, 则 CMCA 可使用该数据或证明文件, 核实证书中的信息。

After CMCA and its registration agencies receive the subscriber's certificate application, they will perform identity recognition and verification of identification over the subscriber according to the requirements of CP&CPS 3.2. CMCA may use the documents and data to verify certificate information, provided that it obtained the data or document (according to section 3.2 of this CP&CPS) no more than 825 days prior to issuing the certificate (and for validation of domain names and IP addresses, any reused data or document must be obtained no more than 398 days prior to issuing the certificate), and provided that no changes occurred to the documents and data within such time period.

4.2.2 CMCA 证书申请批准和拒绝 Approval and rejection of certificate application

4.2.2.1 证书申请的批准 Approval of Certificate Applications

CMCA 成功完成了证书申请所有必需的确认步骤并提交证书请求后, CMCA 通过发行正式证书来批准证书申请。

如果符合下述条件, CMCA 可以批准证书申请:

1. 该申请完全满足本 CP&CPS 3.2 关于订户身份的标识和鉴别规定;
2. 申请者接受或者没有反对订户协议的内容和要求;

After CMCA successfully completes verification steps for the certificate application and submits a certificate request, when CMCA formally issues certificates, it means CMCA has approved the certificate application.

CMCA will approve the certificate requests, if the following conditions are met:

1. The application shall completely meet the requirements from CPS section 3.2 regarding the subscriber's identification information and

authentication.

2. Applicant accepts or has no opposition regarding the content or requirements of the subscriber's agreement.

4.2.2.2 证书申请的拒绝 Rejection of Certificate Applications

如果发生下列情形，CMCA拒绝证书申请：

- 1) 该申请不符合本 CP&CPS 3.2 关于订户身份的标识和鉴别规定；
- 2) 申请者不能提供所需要的身份证明材料；
- 3) 申请者反对或者不能接受订户协议的有关内容和要求；
- 4) 申请的证书含有 ICANN (The Internet Corporation for Assigned Names and Numbers) 考虑中的新 gTLD (顶级域名) ；
- 5) CMCA认为批准该申请将会对 CMCA 带来争议、法律纠纷或者损失。

对于中级CA所签发的订户证书，如果法律法规明确禁止某个申请，或CMCA认为批准该申请具有高风险性，CMCA 应拒绝该申请，CMCA 根据反钓鱼联盟、防病毒厂商或相关联盟、负责网络安全事务的政府机构等第三方发布的名单，或公共媒体公开报道中披露的信息，或 CMCA 之前由于怀疑网络钓鱼或其他诈骗用途或顾虑而拒绝的证书请求或撤销的证书，建立和维护证书高风险申请人列表，在接受证书申请时将会查询该列表信息。对于列表中出现的申请人，CMCA 将直接拒绝其申请。

对于拒绝的证书申请，CMCA 通知申请者证书申请失败。

If the following circumstances happened, CMCA refuses the certificate application in case of the following situations:

- 1) The application does not meet the specifications of subscriber ' s identification and authentication in CP&CPS 3.2.
- 2) The applicant cannot provide the required identity documents.
- 3) The applicant opposes or does not accept the relevant content or requirements of the subscriber's agreement.
- 4) The requested certificates contain a new gTLD under consideration by ICANN (The Internet Corporation for Assigned Names and Numbers).
- 5) CMCA considers that the approval of the application will bring about

controversies, legal disputes or losses to CMCA.

For the subscriber certificates issued by the subordinate CAs, if the application is prohibited clearly by laws and regulations, or CMCA considers that there are highly risks to approve the application, CMCA shall reject it. CMCA establishes and maintains a list of high risk certificate applicants according to the list provided by anti-phishing alliance, antivirus vendor or related alliance, government agencies which are responsible for network security affairs and other third parties, or the disclosure of information through public media reports, or previously rejected certificate requests by CMCA due to suspected phishing or other fraudulent usage or concerns. CMCA will query information from the list during accepting certificate application. If the applicants appear in this list, CMCA will reject their application directly.

For the rejected certificate application request, CMCA will notify the applicant about the failure of application.

4.2.3 处理证书申请的时间 Time to process certificate applications

在证书申请者提交资料齐全并符合要求的情况下，CMCA 在 3 个工作日内开始处理证书申请。

If the certificate applicant submits complete information and meets the requirements, CMCA will begin the processing of the certificate application within 3 working days.

CMCA 能否在上述时间期限内处理证书申请取决于证书申请人是否真实、完整、准确地提交了相关信息。

The capability of the CMCA to process the applications within the period mentioned above will depend on whether the applicant has submitted the true, complete and accurate information.

4.3 证书签发 Certificate Issuance

4.3.1 证书签发中注册机构和电子认证服务机构的行为

CA Actions during Certificate Issuance

根 CA 的证书签发由 CMCA 授权的可信人员谨慎地发布直接指令，使根 CA 执行证书签名操作。

CA 将在证书申请被批准后签发证书。CA 为申请人签发的证书基于其在证书申请中被批准的信息。签发证书的操作符合 CA/浏览器论坛（CA/Browser Forum）通过 www.cabforum.org 发布的要求。

A trusted person authorized by CMCA deliberately issues a direct command with respect to certificate issuance by the root CA, in order for the root CA to perform a certificate signing operation.

The certificate will be generated and issued if the application is approved by CA. The contents of these certificates are based on the approved information on the certificate application. The operations of certificate issuance are in compliance with the requirements of by CA/Browser Forum at www.cabforum.org.

4.3.2 电子认证服务机构和注册机构对订户的通告

Notification of Certificate Issuance

CMCA 无论是拒绝还是批准订户的证书申请，CMCA 有义务告知订户申请结果。CMCA 会以电话、电子邮件或其他方式对订户进行通告。

CMCA is obliged to inform the subscriber of the result of the application, whether it is to reject or approve the subscriber's certificate application. CMCA will notify subscribers by telephone, email or otherwise.

4.4 证书接受 Certificate acceptance

4.4.1 构成接受证书的行为 Conduct Constituting Certificate acceptance

1. 订户自行访问专门的 CMCA 证书服务网站将证书下载，证书下载完毕即代表订户接受了证书。

2. CMCA 注册机构在订户的允许下，代替订户下载证书，并把证书通过邮件及其他 CMCA 认为可靠方式发送给订户，即代表订户接受了证书。

3. 订户接受了获得证书的方式，并且没有提出反对证书或者证书中的内容。

4. 订户反对证书或者证书内容的操作失败。

1. Subscribers access to specialized CMCA certificate service website and download the certificate. When the certificate is completely downloaded, it represents that the subscriber have received a certificate.

2. CMCA' s RA downloads certificate on behalf of the subscribers, when a subscriber receives a certificate from RA through e-mail represents that the subscriber has received the certificate.

3. Subscribers have received the way of obtaining the certificates, and no objection of the certificates or their contents.

4. Subscribers fail to oppose or conduct the operation of objection over the certificates or the content of certificates.

4.4.2 电子认证服务机构对证书的发布 Publication of the certificate by the CA

证书通过以下方式发布：

1. 签发的证书都发布在 CMCA 数据库中。

2. CMCA 将签发的证书发送给订户。

A Certificate is published through various means:

1. The certificates issued are all published in the CMCA database.

2. CMCA send the issued certificate to the subscriber.

4.4.3 CMCA 对其他实体的通告 Notification of certificate issuance by the CA to other entities

对于CMCA签发的证书，CMCA不对其他实体进行通告，其他实体可以在信息库上自行查询。

For certificates issued by CMCA, CMCA does not notify other entities, and other parties can query themselves on the information database.

4.5 密钥和证书的使用 Key Pair And Certificate Usage

4.5.1 订户私钥和证书的使用 Subscriber private key and certificate usage

订户在提交了证书申请并接受了 CMCA 所签发的证书后，均视为已经同意遵守与CMCA、依赖方有关的权利和义务的条款。订户接受到数字证书，应采取合理措施妥善保存其证书对应的私钥避免未经授权的使用。

订户只能在适用的法律、本 CP&CPS 以及订户协议规定的范围内使用私钥和证书。

订户有责任和义务保证只在证书中列出的主题别名对应的服务器中部署证书。

After the subscribers have submitted certificate application and received certificates issued by CMCA, they are deemed to have agreed to comply with the terms of CMCA, relying party related rights and obligations. The subscriber who receives the certificate shall take appropriate measures to properly keep the corresponding private key to the certificate from unauthorized use.

Subscribers can only use the private key and certificate in the CPS

specified range, and under applicable laws and the subscriber agreement.

For the signature certificate, the private key can be used for the signature of a message. The subscriber should know about and confirm the signature content. For the encryption certificate, the private key can be used to decrypt the information which uses the corresponding public key to encrypt. After the certificate expires or is revoked, the subscriber must stop using the certificate's corresponding private key.

For the SSL/TLS certificates, the subscribers undertake an obligation and warranty to install the certificates only on servers that are accessible at the subjectAltName(s) listed in the certificates.

4.5.2 依赖方公钥和证书的使用 Relying party public key and certificate usage

依赖方信赖CMCA全球信任体系签发的证书所证明的信任关系时需要：

- 1) 获取并安装该证书对应的证书链；
- 2) 在信赖证书所证明的信任关系前确认该证书为有效证书，包括：检查CMCA公布的最新CRL，或者通过CMCA提供的OCSP服务确认该证书未被吊销；检查该证书路径中所有出现过的证书的可靠性；检查该证书的有效期；以及检查其他能够影响证书有效性的信息；
- 3) 在信赖证书所证明的信任关系前确认该证书记载的内容与所要证明的内容一致。

Creditors' trust CMCA the relationship of trust evidenced by certificates issued by the global trust system need to:

- 1) Obtain and install the certificate chain corresponding to the certificate;
- 2) Confirm that the trust certificate is valid before the trust relationship. These include: checking the latest CRL, published by CMCA or confirming that the certificate has not been revoked through the OCSP service provided by the certificate; checking the reliability of all certificates that have appeared in the certificate path; checking the validity of the certificate; and checking

other information that can affect the validity of the certificate;

- 3) Prior to the trust relationship proved by the trust certificate, confirm that the contents of the certificate are consistent with the contents to be proved.

4.6 证书更新 Certificate renewal

CMCA不提供全球信任证书更新服务。

CMCA does not provide a Global Trust Certificate Update service.

4.6.1 证书更新的原因 Circumstance for Renewal

不适用。

Not applicable.

4.6.2 请求证书更新的实体 Who may request renewal

不适用。

Not applicable.

4.6.3 证书更新流程 Processing for Renewal

不适用。

Not applicable.

4.6.4 颁发新证书时对订户的通告 Notification of new certificate issuance to subscriber

不适用。

Not applicable.

4.6.5 构成接受更新证书的行为 Conduct constituting acceptance of a renewal certificate

不适用。

Not applicable.

4.6.6 电子认证服务机构对更新证书的发布 Publication of the renewal certificate by the CA

不适用。

Not applicable.

4.6.7 电子认证服务机构对其他实体的通告 Notification of certificate issuance by the CA to other entities

不适用。

Not applicable.

4.7 证书密钥更新 Certificate Re-key

证书密钥更新是指订户生成新的密钥对并申请为新公钥签发新证书。

Certificate key update means that the subscriber generates a new key pair and applies for the issuance of a new certificate new public key.

4.7.1 证书密钥更新的情形 Circumstance for Re-key

- 1、当订户证书密钥遭到损坏时；
 - 2、当订户证实或怀疑其证书密钥不安全时；
 - 3、其它可能导致密钥更新的情形。
1. When the subscriber certificate key is corrupted;
 2. When the subscriber confirms or suspects that its certificate key is not

secure;

3. Other circumstances that may result in key updates.

4.7.2 请求证书密钥更新的实体 Who may request certification of a new public key

已经申请过 CMCA 证书的订户可申请证书密钥更新。

Subscribers who have applied for a CMCA certificate can apply for a certificate key update.

4.7.3 证书密钥更新请求的处理 Processing for Re-key

同 3.3。

Same as 3.3.

4.7.4 颁发新证书时对订户的通告 Notification of new certificate issuance to subscriber

同 4.3.2。

Same as 4.3.2.

4.7.5 构成接受密钥更新证书的行为 Conduct constituting acceptance of a re-keyed certificate

同 4.4.1。

Same as 4.4.1.

4.7.6 电子认证服务机构对密钥更新证书的发布 Publication of the re-keyed certificate by the CA

同 4.4.2。

Same as 4.4.2.

4.7.7 电子认证服务机构对其他实体的通告 Notification of certificate issuance by the CA to other entities

同 4.4.3。

Same as 4.4.3.

4.8 证书变更 Certificate Modification

4.8.1 证书变更的原因 Circumstance for Modification

不适用。

Not applicable.

4.8.2 请求证书变更的实体 Who may request certificate modification

不适用。

Not applicable.

4.8.3 证书变更的流程 Processing for Modification

不适用。

Not applicable.

4.8.4 颁发新证书时对订户的通告 Notification of new certificate issuance to subscriber

不适用。

Not applicable.

4.8.5 构成接受变更证书的行为 Conduct constituting acceptance of modified certificate

不适用。

Not applicable.

4.8.6 电子认证服务机构对变更证书的发布 Publication of the modified certificate by the CA

不适用。

Not applicable.

4.8.7 电子认证服务机构对其他实体的通告 Notification of certificate issuance by the CA to other entities

不适用。

Not applicable.

4.9 证书吊销和挂起 Certificate revocation and suspension

4.9.1 证书吊销的情形 Circumstances for Revocation

4.9.1.1 订户证书吊销的原因 Reasons for Revoking a Subscriber Certificate

如有下列情况中的任何一种情况发生，则必须在24小时之内吊销证书：

- 1) 订户书面申请吊销数字证书；
- 2) 订户通知CA最初的证书申请未经有效授权；
- 3) 订户相信或怀疑密钥泄漏或遭受攻击，存放证书的服务器损坏或被锁定

等情形；或者CA有证据表明订户证书私钥泄露的情形；

4) CMCA获知已出现了经过验证的订户私钥泄露方法，该方法可基于公钥很容易地计算出订户私钥（例如 Debian 弱密钥，请参阅 <http://wiki.debian.org/SSLkeys>）；

5) CA机构获得证据，证书中所包含的域名或IP地址的控制权验证已不再可靠。

The subscriber's certificate must be revoked within 24 hours if any of the following occurs:

1) The subscriber applies for revocation of digital certificate in writing;

2) Subscriber notices CA original certificate application is not validly authorized;

3) Subscribers believe or suspect that the key is leaking or attacked, the server where the certificate is damaged or locked; or CA has evidence of the private key disclosure of the subscriber certificate;

4) CMCA is made aware of a demonstrated or proven method that can easily compute the Subscriber's Private Key based on the Public Key in the Certificate (such as a Debian weak key, see <https://wiki.debian.org/SSLkeys>);

5) CMCA obtains evidence that the validation of domain authorization or control for any Fully- Qualified Domain Name or IP address in the Certificate should not be relied upon.

CA 应该在 24 小时内吊销证书，如有下列其中一项或多项，必须在 5 天内吊销证书：

1. 证书不再符合Mozilla Root Store Policy或CA/Browser论坛的Baseline第Requirements中第6.1.5及6.1.6节的规定；

2. CA取得证书被滥用的证据；

3. CA获悉订户已违反订户协议或使用条款项下的一项或多项重要义务；

4. CA 机构得知订户不再能合法使用证书中包含的域名或 IP 地址，如法院或仲裁停止了域名注册商使用某域名的权限，或域名注册商与申请人之间的使用许可或服务协议终止了；

5. CA 了解到某通配符证书被用于验证具有欺诈误导性质的域名；

6. CA获悉证书所载的信息有重大改变；

7.发现并证实某证书没有根据 CA/浏览器论坛（CA/Browser Forum）发布

的最新版本的 Guidelines 、 Baseline Requirement 以及CP&CPS 要求的程序而签发；

8. CA确定或知悉证书内的任何信息不准确；

9. CA 签发证书的权利已届满或被吊销或终止，除非 CA 已作出安排，继续维护 CRL/OCSP；

10. CA的CP及/或CP&CPS规定吊销证书；

11. 证书的技术内容或格式造成了对应用软件供应商或依赖方不可接受的风险，如 CA/浏览器论坛决定弃用某种算法或密钥长度，认为其风险水平不可接受，在一定期限内 CA 应吊销此类证书。

CA should revoke the certificate within 24 hours, if one or more of the following must be revoked within 5 days:

1. The certificate no longer complies with Cla uses 6.1.5 and 6.1.6;

2. CA obtained evidence of certificate abuse;

3. CA was informed that the subscriber has b reached one or more important obligations under the subscriber agreement or the terms of Use;

4.CA agency learns that the subscriber can no longer legally use the domain or IP address contained in the certificate, such as the court or arbitration has stopped the permission of the domain registrar to use a domain name, or that the use license or service agreement between the domain registrar and the applicant is terminated;

5. CA learned that a wildcard certificate is used to verify a domain name that is fraudulent and misleading;

6. The CA was informed of significant changes in the information contained in the certificate;

7.Found and confirmed that a certificate was not issued under the latest version of Guidelines 、 Baseline Requirement released by the CA/ browser forum (CA/Browser Forum) and the program required by CP&CPS;

8. CA identified or knew the in accuracy of any information in the certificate

9. CA's right to issue certificates has expired or been revoked or terminated unless CA makes arrangements to continue to maintain

CRL/OCSP;

10. CA's CP&CPS regulations provide to revoke the certificate;

11. The technical content or format of the certificate poses an unacceptable risk to the application supplier or relying party, such as the decision of the CA/browser forum to discard an algorithm or key length, which considers its risk level unacceptable, and within a certain period of time CA such certificate should be revoked.

4.9.1.2 吊销中级 CA 证书的原因 Reasons for Revoking a Subordinate CA Certificate

撤销中级 CA 证书的情形:

若发生下列一种或多种情况, 签发 CA 应在七(7)天内撤销中级 CA 证书:

1. 中级 CA 要求书面撤销;
2. 中级 CA 通知签发 CA, 原来的证书请求没有得到授权, 并且没有后续补充授权;
3. 签发 CA 取得证据, 证明其所属 CA 与证书上的公钥对应的私钥发生了密钥泄露或不再符合第 6.1.5 和 6.1.6 条的要求;
4. 签发 CA 取得证书被滥用的证据;
5. 签发 CA 意识到证书不是按照 CA/浏览器论坛 (CA/Browser Forum) 发布的最新版本的 EV Guidelines 、 Baseline Requirement 以及 CP&CPS 要求签发的, 或者中级 CA 没有遵守 CA/浏览器论坛 (CA/Browser Forum) 发布的最新版本的 EV Guidelines 、 Baseline Requirement 以及 CP&CPS 要求;
6. 签发 CA 确定证书所载的任何信息不准确或有误导性;
7. 签发 CA 或附属 CA 因任何理由而停止运作, 并没有安排其他 CA 为该证书提供撤销支持;
8. 签发 CA 或中级 CA 签发证书的权利已届满或被撤销或终止, 除非 CA 已做出安排, 继续维护 CRL/OCSP;
9. 签发 CA 的 CP&CPS 规定撤销证书。

Cases of subordinate CA certificate revocation:

The issuance of the CA shall be revoked within seven (7) days from the

subordinate CA certificate if one or more of the following occurs:

1. Subordinate certification authorities require written revocation;
2. The original certificate request CA, the subordinate CA notice was not authorized and there was no subsequent supplementary authorization;
3. The issuing CA to obtain evidence that the private key corresponding to the public key on the certificate to which it belongs been disclosed or no longer meets the requirements of articles 6.1.5 and 6.1.6;
4. Evidence of abuse in issuing CA obtaining certificates;
5. The issuing CA is aware that the certificate is not issued in accordance with the EV Guidelines; Baseline Requirement and CP&CPS requirements of the latest version issued by the CA/ Browser Forum (CA/Browser Forum), or that the subordinate CA does not comply with the EV Guidelines, Baseline Requirement and CP&CPS requirements of the latest version issued by the CA/Browser Forum;
6. Determineing that any information contained in the certificate is inaccurate or misleading;
7. Issuing CA or affiliated CA ceased operations for any reason and did not arrange other CA to provide revocation support for the certificate;
8. Issuing CA or subordinate CA to issue certificates has expired or has been revoked or terminated unless the CA has arranged to continue to maintain the CRL/OCSP;
9. CP&CPS provision for revocation of certificates issued.

4.9.2 请 求 证 书 吊 销 的 实 体 Who Can Request Revocation

可要求撤销证书的实体包括：订户、RA、CA、法院及其他公权力部门。此外，订户、依赖方、应用软件供应商和其他第三方可以通过在线提交或者邮件等

方式（详见 www.cmca.net 官网联系方式）提交证书问题报告，通知发出证书的CA撤销证书的合理原因。

同时，CMCA也可在4.9.1所述的情形下主动吊销订户的证书。

The entities that may require certificate revocation include subscribers, RA, CA, courts and other public authorities. In addition, subscribers, relying parties, application software suppliers and other third parties can submit a certificate issue report by online submission or email (see the www.cmca.net official website contact information for details) to notify the CA reason to revoke the certificate.

At the same time, CMCA may voluntarily revoke the subscriber's certificate in the circumstances described in 4.9.1.

4.9.3 吊销请求的流程 Processing for Revocation

CMCA提供7x24稳定的系统服务，可以实时接受和响应证书吊销请求和证书问题报告。订户、依赖方、应用软件供应商和其他第三方如发现或怀疑证书存在问题，可以通过CMCA门户网站及时报告，包括不限于以下情形：可疑的私钥泄漏、证书误用或其他类型的欺诈、折衷、误用、不当行为或与证书相关的任何其他事项。

CMCA provides 7x24 stable system services, can accept and respond to certificate revocation requests and certificate problem reports in real time. Subscribers, relying parties, application vendors and other third parties may report problems with certificates in a timely manner through CMCA website, including private key leaks, certificate misuse or other types of fraud, tradeoffs, misuse, misconduct or any other matters related to certificates that are not limited to the following suspicious circumstances.

吊销分为主动吊销和被动吊销。主动吊销是指订户提出吊销申请，由CMCA审核通过后吊销证书的情形；被动吊销是指当CMCA确定订户违反证书使用规定、约定、或是订户主体已经消亡等情况发生时，采取吊销证书的手段以停止对该证

书的证明。

Revocation is divided into active revocation and passive revocation. Active revocation refers to the case where the subscriber applies for revocation and cancels the certificate after CMCA passes the certificate; passive revocation refers to the certificate by the revocation of the certificate.

4.9.3.1主动吊销Active revocation

1.订户向CMCA提出证书撤销申请，CMCA核实申请撤销实体的身份和授权实体的身份。

2.订户将证书撤销申请表提交给CMCA，由CMCA完成撤销。

3.订户可通过以下方式申请撤销：

E-mail: cmca@aspirecn.com

CMCA收到申请后 24 小时内处理撤销申请。

1. Subscribers may submit the revocation request to the CMCA and the CMCA will verify the identity of subscriber and the delegated party.

2. Subscribers submits a revocation application form to CMCA and CMCA completes the revocation operation.

3. subscribers may request the revocation of a certificate through the following ways:

E-mail to:cmca@aspirecn.com

4. CMCA will process the revocation requests within 24 hours after receiving.

4.9.3.2被动吊销Passive revocation

当出现被动吊销的情形时，CMCA将以适当形式通知订户，告知拟吊销的证书内容、吊销原因、吊销操作时限等。

In the case of passive revocation occurs, CMCA will notify the subscriber in an appropriate form, inform the contents of the certificate, the reason, the suspension time limit and other matters, and confirm that the subscriber receives the revocation notice with no objection.

CMCA在发现证书订户身份资料有问题或其对证书有非法使用情况下，可根据CA规则对订户证书执行吊销操作，无需订户提出吊销申请。

- 证书的私钥泄漏;
- 订户未缴纳证书相关费用;
- 其他中国移动 CMCA 认为有必要吊销订户证书的原因
- 中国移动 CMCA 或授权的注册机构或受理点书面填写“证书吊销申请表”,并附上必须吊销证书的问题报告;
- 中国移动 CMCA 或授权的注册机构按照第三章的要求对等待吊销的证书申请进行审核;
- 中国移动 CMCA 吊销订户证书后,发证机构将通知订户证书被吊销以及吊销原因;
- 吊销的订户证书在 24 小时内进入 CRL , 或被直接签发 CRL, 向外界公布。

CMCA may revoke a subscriber certificate according to this CP/CPS if any issues are identified with the subscriber's identity information or if there is illegal use of the certificate, without requiring the subscriber to request the revocation.

- Private key leak for the certificate;
- Subscriber has failed to pay the certificate - related fees;
- Any other reason why CMCA consider it necessary to revoke subscriber certificates;
- CMCA or authorized registration agencies or acceptance points to fill in the "certificate revocation application form" in writing, and attach the issue of the certificate must be revoked report;
- CMCA or authorized registration agencies in accordance with the requirements of section 3 to review pending revocation of the certificate application;
- After CMCA revokes the subscriber certificate, the issuing authority will inform the customer of the revocation and the reason for the revocation;
- The revoked subscriber certificate enters CRL within 24 hours or is

issued directly to CRL.

依赖方和其他第三方，有责任和义务向 CMCA 报告可疑的私钥泄漏、证书误用或其他类型的欺诈、折衷、误用、不当行为或与证书相关的任何其他事项。

Relying parties and other third parties have the responsibility and obligation to report to CMCA suspicious private key leaks, certificate misuse or other types of fraud, compromise, misuse, misconduct or any other matters relating to certificates.

4.9.4 吊 销 请 求 宽 限 期 Revocation Request Grace Period

如果出现密钥泄露或有泄露嫌疑等事件，吊销要求必须在发现泄密或有泄密嫌疑 8 小时以内提出。其他撤销原因的撤销要求必须在变更前的 48 小时内提出。

If key exposure occurs or suspected occurs, revocation request must be submitted in finding leakage or leakage suspicion within 8 hours after key exposure or suspected exposure is found. Revocation requirements caused by other reasons must be made in within 48 hours.

4.9.5 电子认证服务机构处理吊销请求的时限 Time within which CA Must Process the Revocation Request

CMCA 接到撤销请求后将立即处理，调查与证书问题报告或证书撤销请求相关的事实和情况。CMCA 处理撤销请求的周期为 24 小时。。

CMCA shall process the request immediately after receiving the request for revocation, and investigate the facts and circumstances related to the certificate problem report or the certificate revocation request. The cycle of revocation request processing for CMCA is 24 hours.

4.9.6 依赖方检查证书吊销的要求 Revocation Checking

Requirement for Relying Parties

依赖方在信任此证书前应检查证书的有效性，确认证书未被吊销。

The relying party shall check the validity of the certificate before trusting the certificate and confirm that the certificate has not been revoked.

4.9.7 CRL 发布频率 CRL issuance frequency

订户证书一般为 24 小时定期发布 CRL 并且订户 CRL 的有效期为 3 天。

The subscriber certificate CRLs are generally updated and reissued every 24 hours and are valid for 3 days (the value of the nextUpdate field exceeds the value of the thisUpdate field by 3 days).

中级 CA 证书一般为每 12 个月定期发布 CRL 并且中级根 CRL 的有效期为 12 个月。在撤销中级 CA 证书后，将在 24 小时内更新 CRL。

The subordinate CA certificate CRLs are generally updated and reissued every 12 months and are valid for 12 months (the value of the nextUpdate field exceeds the value of the thisUpdate field by 12 months). After the subordinate CA certificate is revoked, the CRL will be updated within 24 hours.

4.9.8 CRL 发布的最大滞后时间 Maximum Latency for CRLs

CMCA 的 CRL 发布最大滞后时间为发布周期之后的 24 小时内。。

The maximum latency time for CMCA CRL release is 24 hours.

4.9.9 在线状态查询的可用性 On-line Revocation/Status Checking Availability

CMCA 向证书订户和依赖方提供在线证书状态查询服务。OCSP 响应须符

合RFC6960 的要求，并且被 OCSP 服务器签名。OCSP 服务器的证书与正在查询状态的证书由同一个 CA 签发，OCSP 服务器的证书包含一个 RFC6960 定义的类型为id-pkix-ocsp-nocheck 的扩展项。CMCA supports OCSP responses for subscribers and the relying parties. The OCSP responses conform to RFC6960, and signed by an OCSP Responder whose Certificate is signed by the CA that issued the Certificate whose revocation status is being checked. The OCSP signing certificates contain an extension of type id-pkix-ocsp-nocheck, as defined by RFC6960..

4.9.10 在线状态查询要求 On-line Revocation Checking Requirements

CMCA 能够提供在线状态查询，证书订户和依赖方可通过 OCSP 服务进行证书状态的实时查询。

CMCA can provide online status query so that certificate subscribers and dependent parties can perform nowcast query of certificate status through OCSP service.

中国移动CMCA提供的OCSP服务支持GET和POST方式。

OCSP service provided by CMCA supports GET and POST method.

对于订户证书，CMCA 至少每四天更新 OCSP 信息。OCSP 响应的最长有效期为 10 天。对于已经撤销的证书，立即更新 OCSP。

对于中级 CA 证书，CMCA 至少每 12 个月更新 OCSP 信息。当撤销中级 CA 证书时，在 24 小时内更新 OCSP 信息。

对于未签发的证书的状态查询请求，CMCA 不返回“good”状态。

For subscriber certificates, CMCA updates the OCSP information at least every four days. OCSP responses from this service have a maximum expiration time of ten days. For the revoked certificates, OCSP status will be updated immediately.

For subordinate CA certificates, CMCA updates the OCSP information at least

every twelve months, and within 24 hours after revoking a subordinate CA certificate.

CMCA does not respond with a "good" status for the request for status of a certificate that has not been issued..

4.9.11 吊销信息的其他发布形式 Other Forms of Revocation Advertisements Available

CMCA不提供吊销信息的其他发布形式。

Currently CMCA does not provide other forms of announcement about the revoked certificates.

4.9.12 密钥损害的特别要求 Special Requirements Related to Key Compromise

无论是订户还是 CMCA，发现或者怀疑密钥安全被损害时，应该立即吊销证书，并发布到 CRL。吊销后如需继续申请证书，按照证书申请流程进行操作。Whether a subscriber or CMCA, discovers or suspects that key security is compromised, the certificate should be revoked immediately and posted to CRL.If you need to continue to apply for a certificate after the revocation, operate according to the certificate application process.

4.9.13 证书挂起的情形 Circumstances for Suspension

CMCA 不提供全球信任证书的证书挂起服务。

CMCA does not provide a certificate hang service for global trust certificates.

4.9.14 请求证书挂起的实体 Who Can Request Suspension

CMCA 不提供全球信任证书的证书挂起服务。

CMCA does not provide a certificate hang service for global trust certificates.

4.9.15 挂起请求的流程 Procedure for Suspension Request

CMCA 不提供全球信任证书的证书挂起服务。

CMCA does not provide a certificate hang service for global trust certificates.

4.9.16 挂起的期限限制 Limits on Suspension Period

CMCA 不提供全球信任证书的证书挂起服务。

CMCA does not provide a certificate hang service for global trust certificates.

4.10 证书状态服务 Certificate status services

4.10.1 操作特性 Operational characteristic

证书状态可以通过CMCA提供的OCSP 以及CRL 获取（在证书到期之前）上述方式的证书状态服务应该对查询请求有合理的响应时间和并发处理能力。证书吊销信息的保留期限至证书有效期后。

The certificate status service which can be obtained by the OCSP provided by CMCA and the certificate status service (before the certificate expires) should have reasonable response time and concurrent processing ability to the query request. The retention period of certificate revocation information is after the validity of the certificate.

4.10.2 服务可用性 Service availability

中国移动CMCA提供7*24小时不间断OCSP（在线证书状态查询）服务，在网络允许的情况下，订户能够实时获得证书状态查询服务，响应时间小于10秒。

The CMCA provides 724 hours uninterrupted OCSP (online certificate status protocol) service. When the network allows, the subscriber can obtain the certificate status query service in real time, and the response time is less than 10 seconds.

4.10.3 可选特征 Optional Features

无。

None.

4.11 订购结束 End Of Subscription

订购结束是指证书订户终止与中国移动 CMCA 的服务，包含以下情况：

1. 当证书到期时，证书订户不再延长证书使用期或者不再重新申请证书时，服务终止自动产生。
2. 在证书的有效期内，由于证书订户的原因而单方面要求终止证书服务，如订户申请吊销该证书。中国移动 CMCA 将根据证书订户的要求吊销证书。证书订户与中国移动 CMCA 的服务终止。

End of order means that the certificate subscriber terminates the service CMCA, including the following:

1. When the certificate expires, the certificate subscriber does not extend the certificate service period or reapply for the certificate, the service termination automatically arises.
2. During the validity period of the certificate, the unilaterally requests the termination of the certificate service due to the reason of the certificate subscriber, such as the subscriber applying for the revocation of the certificate. CMCA will revoke the certificate according to the requirements of the certificate subscriber. Certificate Subscriber and CMCA Service Termination.

4.12 密钥托管与恢复 Key Escrow And Recovery

4.12.1 密钥恢复的策略与行为 Key escrow and recovery policy and practices

不适用。CMCA不托管任何SSL证书订户的私钥，因此也不提供密钥恢复服务。

Not applicable. CMCA does not host the private key of any SSL certificate subscriber and therefore does not provide a key recovery service.

4.12.2 会话密钥的封装与恢复的策略与行为 Session key encapsulation and recovery policy and practices

不适用。

Not applicable.

5. 认证机构设施、管理和操作安全控制 Facility, management and operational security controls of certification body

本章描述物理环境、操作过程和人员的安全控制。

This chapter describe physical environment, operation process and personnel security controls.

5.1 物理安全控制 Physical security controls

5.1.1 物理场地位置与建筑 Physical location and architecture

CMCA的运营机房位于广东省广州市天河区高唐路333号中国移动南方基地数据中心B座5楼，进入机房须经过三道审核，机房电磁屏蔽效能满足GJBz20219-94标准“C”级要求。机房具备抗震、防火、防水、恒湿温控、独立供电、备用发电、门禁控制、视频监控等功能，可保证认证服务的连续性和可靠性。The operating computer room of CMCA is located on the 5th floor of B data Center of China Mobile South Base, 333 Gaotang Road, Tianhe District, Guangzhou City, Guangdong Province. The electromagnetic shielding efficiency of the computer room meets the "C" level requirement" of the GJBz20219-94 standard. The machine room has the functions of earthquake resistance, fire prevention, waterproof, constant humidity and temperature control, independent power supply, standby power generation, access control, video surveillance and so on, which can ensure the continuity and reliability of the certification service.

5.1.2 物理访问 Physical access

外来人员进入CMCA机房，需经过中国移动南方基地、CMCA两道审核，进入CMCA机房需要有CMCA工作人员陪同进入。

操作人员进入CMCA综合机房，须经过指纹认证加门禁授权卡身份认证，并有24小时视频监控设备进行监控。

操作人员进入CA核心区需要双人指纹加门禁卡认证，其他区域为单人指纹加门禁卡认证，并且所有门禁的进出信息都会在监控室的安保系统中记录。

Non-CMCA staff entering CMCA machine room need to go through the audit of China Mobile South Base and CMCA Road. CMCA staff are required to enter CMCA machine room.

If the operators enter CMCA comprehensive machine room, they must pass the fingerprint authentication and access control authorization card identity authentication, and have the 24 - hour video monitoring equipment for monitoring.

Operators entering the CA core area require dual fingerprint and access card authentication, while other areas require single fingerprint and access card authentication. All access information will be recorded in the security system of the monitoring room.

5.1.3 电力与空调 Power and air conditioning

- 为了确保计算机设备安全可靠连续运行，本工程引入三路电源，两路由大楼总配电室 UPS 接至屏蔽机房配电柜再分别供给各计算机设备，门禁监控等使用；一路市电工机房照明和专用空调使用。全部电气系统均为三相五线制。本工程所装配的动力配电柜采用常州正泰 XL-21 产品。大量的动力布线按安装规范均穿金属管槽保护。安全可靠，经检验整个系统运行正常。
- In order to ensure safe, reliable and continuous operation of computer equipment, the engineering has introduced three power supplies, of which two power supplies are connected from total distribution room UPS of the building to shielding room power distribution cabinet, and then supply to each computer equipment and access monitoring, etc. respectively for usage; One power supply is used for electric supply machine room and special-purpose air conditioning. All electrical systems are three-phase five-wire systems. Power distribution cabinet assembled in the engineering shall adopt Changzhou CHINT XL-21 Products. A large number of power wiring shall pass through metal tube seat for protection in accordance with installation specification. It is security and reliable, and the overall system can run normally after inspection.

- 机房采用两台机房专用空调机，活动地板下送风，顶部侧回风，温度控制范围在 18°C~28°C，湿度控制范围在 30%~75%RH，能够满足机房高热湿比、长时间运行、高可靠性、安全性的要求。经检测达到设计要求。
- The machine room adopts two special-purpose air conditioning machines for machine room, which supplies air below raised floor and returns air from top side. The temperature range is controlled within 18 °C ~28 °C and humidity range is controlled within 30%~75%RH, which can meet the requirements of high heat humidity ratio, long time operation, high reliability and security in the machine room. Reach the design requirements after detection.

5.1.4 水患防治 Water protection

中国移动 CMCA 在机房建设时已采取相应措施，防止水侵蚀，充分保障系统安全。

CMCA has taken corresponding measures during the construction of machine room, to prevent water erosion and fully ensure the system security.

5.1.5 火灾防护 Fire prevention and protection

中国移动 CMCA 通过与专业防火部门协调，实施消防灭火等应急响应措施，避免火灾的威胁，充分保障系统安全。敏感区（三层）、安全区域（四、五层），其建筑物的耐火等级按照 GBJ45《高层民用建筑设计防火规范》中规定的二级耐火等级。

CMCA can implement the corresponding emergency response measures such as fire extinguishment, etc. through the coordination with Specialized Fire Protection Department, to avoid the threatening of fire disaster and fully ensure the system security. Sensitive area (Floor 3), security area (Floor 4 and 5), fire resistance rating of its building shall be performed in accordance with secondary fire resistance rating stipulated in GBJ45 Fire Protection Design of

Tall Buildings.

5.1.6 介质存储 Media storage

CMCA 保管的介质是指光盘、硬盘、软盘、U 盘、存储卡、磁带等，由专人管理，存储介质必须得到安全可靠的保护，避免诸如温度、湿度和磁力等环境变化可能产生的危害和破坏。

Medias refer to storage media such as light disc, hard disc, floppy disc, U-disk, memory card and tape, etc., and media storage must get safe and reliable protection, to avoid the possible harm and destruction caused due to environmental change such as temperature, humidity and magnetic force, etc.

5.1.7 废物处理 Waste disposal

当 CA 机构保存的相关数据已不再需要或存档的期限已满时，中国移动 CMCA 将完全销毁这些数据。所有处理行为将记录在案，以供审查的需要，销毁行为遵守我国的法律。

敏感的文件资料（包括纸介质、光盘或软盘废物等）抛弃前要进行粉碎处理；对于存储或传输信息的介质，在抛弃前要做不可读取处理；涉密介质在抛弃前要根据生产商的指导做归零处理。加密机等重要设备废弃根据加密机管理办法销毁。When relevant data saved by CA institution is no longer needed or filing period has expired, CMCA will destroy these data completely. All disposal behavior shall be recorded for the review, and the destruction behavior shall conform to our country's law.

Sensitive documents (including paper media, CD or floppy disk waste, etc.) should be crushed before abandonment; for media that store or transmit information, it should be unreadable before abandonment; and confidential media should be treated according to the manufacturer's guidance before abandonment. Encryption machine and other important equipment abandoned according to encryption machine management methods to destroy.

5.1.8 异地备份 Off-site backup

CMCA建立了异地备份机制。设置异地备份机房，并配置相关设备，当CA系统出现灾难时，可以通过异地备份中心的备份数据恢复CA系统。

CMCA established a remote backup mechanism. Set up remote backup computer room and configure related equipment. When the CA system is in disaster, the CA system can be restored through the backup data of the remote backup center.

5.2 流程安全控制 Process security controls

5.2.1 可信角色 Trusted roles

中国移动 CMCA 明确规定了以下关键职能职位为可信角色：

- 1) 系统管理人员：指对数字证书系统进行日常管理、运维、监控等日常处理的人员，并可根据需要签发服务器证书和系统角色证书的人员。
- 2) 安全管理人员：安全管理人员对 CA 中心物理安全和系统安全负责，负责拟定安全管理制度和操作流程，以及日常安全工作的执行督导管理。
- 3) 密钥管理人员：密钥管理员负责管理密钥设施，对密钥进行操作，如密钥生成、备份、恢复、销毁等操作。
- 4) 证书业务管理员：对业务操作员进行管理。
- 5) 核心技术人员：指 CA 系统的专业开发、测试人员或证书服务技术支持专业人员。

CMCA clearly stipulated that the following key functional positions are trusted roles:

- 1) System management personnel: refers to personnel who carry out daily management, operation, monitoring, and other daily processing of digital certificate systems, and can issue server certificates and system role certificates as needed.
- 2) Security management personnel: Security management personnel are

responsible for the physical security and system security of the CA center, responsible for formulating security management systems and operational procedures, as well as supervising and managing the execution of daily security work.

3) Key management personnel: Key administrators are responsible for managing key facilities and operating keys, such as key generation, backup, recovery, destruction, etc.

4) Certificate business administrator: manages business operators.

5) Core technical personnel: Refers to professional developers, testers, or certificate service technical support professionals of the CA system.

5.2.2 每项任务需要的人数 Number of people required per task

CMCA 对与运行和操作相关的职能有明确的分工，对于敏感操作，贯彻互相牵制的安全机制。

对于密钥和加密设备的操作，需要 5 个可信人员中的 3 个共同完成。

对于证书审核、签发至少需要 2 个证书业务管理员。

CMCA have a clear division of functions related to running and operation, and carry out the security mechanism of mutual containment for sensitive operations.

For the operation of keys and encryption devices, 3 out of 5 trusted personnel are required to complete it together.

For certificate review and issuance, at least 2 certificate business administrators are required.

5.2.3 每个角色的识别与鉴别 Identification and identification of each role

所有中国移动 CMCA 的在职人员的识别与鉴别都是通过各种安全令牌标示

的，所有人员必须通过认证后，根据作业性质和职位权限的需要，发放系统操作卡、门禁卡、登录密码、操作证书、作业帐号等安全令牌。对于使用安全令牌的员工，中国移动 CMCA 系统将独立完整地记录其所有的操作行为。

All the on-the-job personnel of CMCA are identified and authenticated through various security tokens. All personnel must pass the authentication and issue security tokens such as system operation card, access card, login password, operation certificate, job account number and so on according to the nature of the operation and the need of the position authority. For employees who use security tokens, the CMCA system will record all its operations independently and completely.

所有中国移动 CMCA 在职人员必须确保：

- 发放的安全令牌只直接属于个人或组织所有
- 发放的安全令牌不允许共享

中国移动 CMCA 的系统 and 程序通过识别不同的令牌，对操作者进行权限控制。

All mobile CMCA employees must ensure that:

- Security tokens issued belong directly to individuals or organizations
- Security tokens issued do not allow sharing

CMCA system and program by identifying different tokens to the operator authority control.

5.2.4 职责分割原则 Responsibility division principle

中国移动 CMCA 的运营员工和负责 CA 中心系统设计、开发、维护的员工承担不同的职责，双方的岗位互相分离。此外，证书发放关键环节中，信息录入与审核签发人员应由不同的人员担任。

Operating employees and employees who take charge of design, development and maintenance of CMCA system of CMCA shall assume different responsibilities, and post of each party is separated with each other. Besides, in the key link of certificate issuance, different persons serve as the information

entry personnel and the review signer.

当 CA 中心员工被怀疑，或者已进行了未授权的操作，例如未经授权滥用权利或超出权限使用 CA 中心系统或进行越权操作，CA 中心在得到信息后立即中止该员工进入 CA 中心证书服务体系。根据情节严重程度，实施包括提交司法机关处理等措施。

一旦发现上述情况，CA 中心立即作废或终止该人员的工作。

When a CMCA employee is suspected or has performed unauthorized operations, such as unauthorized abuse of rights or using the CMCA system beyond authority or performing unauthorized operations, the CMCA immediately suspends the employee's access to the CMCA certificate service system after receiving the information. According to the seriousness of the circumstances, measures including submitting to judicial authorities for handling are implemented.

Once the above condition is found, CMCA immediately cancels or terminates the work of such personnel.

5.3 人员控制 Personnel controls

5.3.1 资格、经历和无过失要求 Qualifications, experience, and clearance requirements

人事管理制度用以 CA 中心确定其人员和岗位设置，保障 CA 中心的安全运营。人事管理制度包括人员的可信度审查、岗位设置等。

The personnel management system confirms the personnel and post setting with CMCA to ensure the safe operation of CA center. Personnel management system includes the credibility review of personnel, post setting, etc.

中国移动 CMCA 对员工在资格、经历方面有着严格的要求，而且所聘任的员工要求没有法律方面的过失，具备高可信度。

CMCA has strict requirement to staff in qualification and experience, and the staff appointed shall have no law fault with high reliability.

CA 中心应制定可信人员策略并据此进行人员的可信度审查和聘用。可信人员必须接受并通过广泛的背景调查,才能证明他们有能力进行那些关键操作所必须的信任级别。

CMCA shall formulate the trusted personnel strategy and conduct the reliability review and employment of personnel based on this. The trusted personnel shall receive and conduct wide background survey to certify that they have the ability to conduct the key operation with necessary trust level.

CA 中心对人员的教育水平、从业经历、信用情况等方面进行调查,来评估人员的可信度。进行可信人员背景调查必须遵循国家的有关法律、法规和政策。对任何参与证书管理过程的人员,无论是作为 CA 的雇员、代理或独立合约人,CA 中心都应核实该人员的身份和可信度。

CMCA should investigate the educational level, working experience and credit standing of employees to assess their credibility. Background investigation of credible personnel must be consistent with relevant laws, regulations and policies of the country.

For people participating in the certificate management process as an employee, agent or independent contractor of the CA, the CMCA shall verify their identity and credibility.

5.3.2 背景审查程序 Background review procedures

CA 中心员工的录取经过严格的审查,根据岗位需要增加相应可信任的员工。员工需要有 2 个月的考察期,根据考察的结果安排相应的工作或者辞退并且剥离岗位。CA 中心根据需要对员工进行职责、岗位、技术、政策、法律、安全等方面的培训。

CMCA staff shall be enrolled with strict review, and the corresponding trusty staff is added according to the post need. The staff shall experience 2-month

survey period, and corresponding work is arranged, or the staff is refused and leave the post according to the survey result. CMCA conducts the training in responsibility, post, technology, policy, laws, safety and other aspects according to the demand.

CA 中心会对其关键的 CA 职员进行严格的背景调查。受理点操作员的审查可以参照 CA 中心对可信任员工的考察方式。受理点责任单位可以在此基础上，增加考察和培训条款，但不得违背 CA 中心证书受理的规程和 CA 中心证书业务声明。

CMCA would conduct the strict background survey to its key staff. The operator at the LRA could be reviewed by reference of the survey method made by the CMCA to the trusted staff. The responsible unit at the LRA could add survey and training terms on such basis, but shall not violate the certificate acceptance rule of CMCA and the certificate business statement of CA center.

CA 中心确立流程管理规则，据此 CA 员工受到合同和章程的约束，不许泄露 CA 中心证书服务体系的敏感信息。所有的员工与 CA 中心签定保密协议。CMCA confirms the process management rules, and CA staff shall not give away the sensitive information of certificate service system in CMCA due to constraint from contract and Articles of Association. All staff shall sign the confidentiality agreement with CA center.

5.3.3 培训要求 Training requirements

CA 中心对 CA 中心员工进行以下内容的综合性培训：

- ✧ 公司统一新员工培训
- ✧ CA 中心技术系统介绍
- ✧ CA 中心运营体系介绍
- ✧ 岗位职责及业务流程
- ✧ 相关法律、管理办法等

CMCA conducts the comprehensive training of the following contents to its

staff:

- ✧ Uniform new staff training of company
- ✧ Introduction to technical system of CMCA
- ✧ Introduction to operation system of CA center
- ✧ Post responsibility and business process
- ✧ Relevant laws and management method, etc.

中国移动 CMCA 对录用人员按照其岗位和角色安排培训。培训内容有：PKI 的相关知识、岗位职责、内部规章制度、认证系统软件、相关应用软件、操作系统与网络、ISO9000 质量控制体系、ISO27001 信息安全管理体系、CP&CPS 等。

CMCA arranges training for recruiters according to their positions and roles. The training contents include: PKI related knowledge, job responsibilities, internal rules and regulations, certification system software, related application software, operating system and network, ISO9000 quality control system, ISO27001 information security management system, CP&CPS and so on.

处理证书业务相关的员工必须接受下列培训：

- 1) 向所有负责信息身份验证的职员（“验证专家”）提供技能培训。培训内容包括基础 PKI 知识、审核与验证制度和流程、对验证过程的主要威胁因素（如，网络钓鱼及其他社会工程学策略）；
- 2) 保留人员培训记录，并且确保“验证专家”能够胜任身份信息验证工作的 技术要求；
- 3) 验证专家必须按其不同的技术水平等级被授予不同的签发证书权限，技术水平分级标准应与培训内容以及业绩考核标准一致；
- 4) 确保为验证专家分配签发证书权限前，不同技术水平等级的验证专家都具有足够的胜任能力；
- 5) 要求所有的验证专家通过关于证书标准中身份验证要求的 CA 内部考试。

Employees involved in the certification business must receive the following training:

- 1) Provide skills training to all staff responsible for information authentication (" Verification experts "). The training includes basic PKI knowledge , audit

and verification systems and processes, major threat factors to the verification process (For example, phishing and other social engineering strategies) ;

- 2) Maintain personnel training records and ensure that "certification experts" are up to the technical requirements of authentication;
- 3) Validation experts must be granted different certification authority according to their different technical level, and the technical level classification standard should be consistent with the training content and performance appraisal standard;
- 4) Ensure that certification experts at different levels of technology have sufficient competence before assigning certification authority to certification experts;
- 5) All certification experts are required to pass CA internal examinations on authentication requirements in certification standards.

5.3.4再培训周期和要求 Retraining frequency and requirements

对于充当可信角色或其他重要角色的人员，每年至少接受 CMCA 组织的培训一次。

根据行业法律法规、CA 中心策略调整、系统更新等情况，CA 中心可能要求员工进行继续培训，以适应新的变化。

中国移动 CMCA 所有受信任角色的人员应保持与 CA 的培训和绩效计划一致的技能水平。

For those who act as credible or other important roles, they are trained at least once a year by CMCA organizations.

Depending on industry laws and regulations, CMCA strategy adjustment, system updates, etc., the CMCA may require employees to continue their training to accommodate new changes.

Personnel of all trusted roles in CMCA should maintain skills consistent with CA's training and performance plan.

5.3.5 工作岗位轮换周期和顺序 Job rotation cycle and sequence

CA 中心运营服务员工和负责 CA 中心开发、维护的员工承担不同的职责，双方的岗位互相分离，即开发员工和运营员工分离的原则。

CMCA 根据具体工作情况安排并制定员工工作岗位的轮换周期与顺序。

The CMCA Operations Service staff and those responsible for the development and maintenance of the CMCA assume different responsibilities, with their positions separated from each other, namely the principle of separation between development and operating employees.

CMCA arrange and formulate the employee job rotation cycle and order according to the specific work situation.

5.3.6 未授权行为的处罚 Sanctions for unauthorized actions

当 CA 中心员工被怀疑，或者已进行了未授权的操作，例如未经授权滥用权利或超出权限使用 CA 中心系统或进行越权操作，CA 中心在得到信息后立即中止该员工进入 CA 中心证书服务体系。根据情节严重程度，实施包括提交司法机关处理等措施。一旦发现上述情况，CA 中心立即作废或终止该人员的工作。

When the personnel in CMCA is doubted or operates without authorization, for example, the right is abused without authorization or the CMCA system is used beyond the permission or the operation is conducted beyond the power, CMCA shall immediately suspend the staff entering the CMCA certificate service system after knowing the information. Implement the measures, including submitting to judiciary authorities for handling according to the case

seriousness. Once the above condition is found, CMCA immediately cancels or terminates the work of such personnel.

5.3.7 独立合约人的要求 Requirements of Independent Contractors

CA 应验证授权的第三方人员在证书颁发过程中是否符合第 5.3.3 节的培训和技能要求，以及第 5.4.1 节的文件保存和事件记录要求。

对不属于 CMCA 内部的工作人员，但从事 CMCA 有关业务的人员等独立签约者，CMCA 的统一要求如下：

1. 人员档案进行备案管理；
2. 具有相关业务的工作经验；
3. 符合本 CP&CPS 5.3.3 的要求。

如承担可信角色则需与内部人员管理要求一致。

CA shall verify that authorized third party personnel comply with the training and skills requirements of Section 5.3.3, as well as the event recording requirements of Section 5.4.1 during the certificate issuance process.

For independent contractors who do not belong within CMCA, but those engaged in CMCA business, the unified requirements of CMCA are as follows:

1. Personnel files for record management;
2. Experience in related business;
3. Meet the requirements of this CP&CPS 5.3.3.

If you assume a credible role, you need to be consistent with internal personnel management requirements.

5.3.8 提供给员工的文档 Supplements for personnel

文档包括《中国移动 CMCA 认证业务规则》、《中国移动 CMCA 运营管理规范》、《中国移动 CMCA 鉴证管理规范》、《中国移动 CMCA 服务管理规范》、

相关法律、政策、制度说明以及相关管理制度等。

The document includes the Certification Practice Statement of CMCA, Operations Management Specification of CMCA, Authentication Management Specification of CMCA, Service Management Specification of CMCA, the relevant laws, policies, system introduction and the relevant management system, etc.

5.4 审计日志程序 Audit log procedures

5.4.1 记录事件的类型 Types of event records

CMCA记录的日志信息包括但不限于以下类型：

- 1、CA密钥生命周期内的管理事件，包括密钥生成、备份、恢复、归档和销毁；
- 2、RA系统记录的证书订户身份信息；
- 3、证书生命周期中的各项操作，包括证书申请、证书密钥更新、证书吊销等事件；
- 4、应用系统日志、系统变更记录，包括应用系统日常运行产生的日志文件、系统故障处理记录、系统变更记录等；
- 5、人员访问控制记录；

上述日志信息包括记录时间、序列号、记录的实体身份、日志种类等。

Log information logged by CMCA includes, but is not limited to, the following types:

- 1、Management event within CA key life cycle, including Key generation, backup, storage, recovery, archival and destruction;
- 2、Certificate subscriber identity information recorded by the RA system;
- 3、Actions in the certificate life cycle , including Certificate application, approval, renewal and revocation;
- 4、Application system logs and system change records, including log files generated by daily operation of application systems, system fault processing records, system change records , etc;
- 5、Personnel access control records;

The above log information includes record time, serial number, recorded entity identity, log type, etc.

5.4.2 处理日志的周期 Frequency of processing log

CMCA 对上条中 1 类日志由密钥管理员收集并管理；2、3 类日志由数据库保存，并每天进行一次增量备份，每周进行一次全备份；4 类日志数据每天自动保存在备份设备上或者纸质记录每月定期归档保存。5 类日志每季度进行一次审计。

CMCA the first class log in the above article is collected and managed by the key administrator; the 2 and 3 kinds of logs are saved by the database, and the incremental backup is carried out once a day, and the full backup is carried out once a week; the 4 kinds of logs are automatically saved on the backup device every day, and paper records are archived on a monthly basis. Class 5 logs are audited quarterly.

5.4.3 审计日志的保存期限 Retention period for audit log

中国移动 CMCA 在数据库保存审查记录至少三个月，离线存档至少五年。
CMCA shall preserve the review record in database for three months at least, and keep in the archives off line for 5 years at least.

5.4.4 审计日志的保护 Protection of audit log

中国移动 CMCA 执行严格的访问控制管理，确保只有中国移动 CMCA 授权的人员才能接近这些审查记录。这些记录处于严格的保护状态，严格禁止访问、阅读、修改和删除等操作。

CMCA implements the strict visit control management to ensure only the

personnel with the authorization of CMCA could access these review record. These records are in strict protection status, no visit, reading, amendment, deletion and other operations are allowed.

5.4.5 审计日志备份程序 Back procedures of audit log

中国移动 CMCA 保证所有的审查记录和审查总结都按照中国移动 CMCA 备份标准和程序进行。根据记录的性质和要求，采用在线和离线的各种备份工具，有实时、每天、每周、每月和每年等各种形式的备份。

CMCA ensures all review records and review summary are conducted according to the backup standard and procedure of CMCA. Based on the record nature and requirement, various online and offline backup tools are adopted with the real-time, daily, weekly, monthly, yearly, and other various backup.

5.4.6 审计收集系统 Audit collection system

应用程序、网络和操作系统等都会自动生成审计数据和记录信息。

Applications, networks, and operating systems will automatically generate audit data and record information.

5.4.7 对导致事件实体的处理 Processing to event-causing subject

中国移动 CMCA 对审查中发现的攻击现象将做详细记录，在法律许可的范围内追溯攻击者，并保留采取相应对策措施的权利，如：切断对攻击者已经开放的服务、递交司法部门处理等措施。

CMCA 有权决定是否对导致事件的实体进行通告。

CMCA should take a detailed record of the attacks found in the review, ascend the attackers within the law, and reserve the right to take appropriate

countermeasures, such as: Cutting off the open service to attacker, submitting the judicial department for treatment, and other measures.

CMCA has the right to decide whether to notify the entity that caused the event.

5.4.8 脆弱性评估 Vulnerability assessments

CMCA 每年进行一次风险评估，内容如下：

- 1、识别可预见的内部和外部威胁，可能导致未经授权的访问、披露、误用、更改或破坏任何证书数据或证书管理过程；
- 2、评估这些威胁的可能性和潜在损害，同时考虑证书数据和证书管理过程的敏感性；和
- 3、评估 CA 为对付这些威胁而采取的政策、程序、信息系统、技术和其他安排的充分性。

CMCA conducts an annual risk assessment as follows:

- 1) Identify foreseeable internal and external threats that may lead to unauthorized access, disclosure , misuse , change or destruction of any certificate data or certificate management process ;
- 2) Assess the likelihood and potential harm of these threats, taking into account the sensitivity of certificate data and the certificate management process; and
- 3) Assess the adequacy of the policies, procedures, information systems, technologies, and other arrangements taken by the CA to address these threats.

对在审查过程中发现的系统的脆弱性，中国移动 CMCA 的相关关键人员，包括审计管理员、安全管理员、系统超级管理员等，或者聘请专业的系统安全评估单位，共同进行相应的脆弱性评估，出具评估报告，并在 96 小时内对系统脆弱性进行修补。

For the system vulnerability found in the review process, the relevant key personnel of CMCA, including audit administrator, safety administrator, system

super administrator or the employed professional system safety evaluation unit, jointly conduct the corresponding vulnerability evaluation, issue the evaluation report, and repair the system vulnerability within 96 hours.

对在审查过程中发现的物理安全、制度安全、人员安全等方面问题，要及时进行相应的处理和解决。

The problems in physical security, system security and personnel security found in the review process should be handled and solved accordingly.

5.5 记录归档 Records archival

5.5.1 归档记录的类型 Types of records archived

中国移动 CMCA 会对 CA 的数据库定期存档，间隔时间由中国移动 CMCA 自行决定，存档的内容包括中国移动 CMCA 发行的证书和 CRL、审查数据记录、证书申请审批资料等。（签名私钥由实体本身保存，有关私钥的责任由实体本身承担）。

CMCA would regularly file the CA database, and the internal time is voluntarily decided by CMCA, and the filing content includes the certificate and CRL released by CMCA, review data record, certificate application approval data, etc. (The signature private key is saved by the entity, and the responsibility related to the private key is undertaken by the entity).

5.5.2 归档记录的保存期限 Retention period for archived records

中国移动 CMCA 应保留所有与证书请求及其验证有关的文件，以及所有证书及其撤销，在基于该文件的任何证书失效后至少五年。

CMCA shall retain all documents relating to the certificate request and its verification, as well as all certificates and their revocation, at least 5 years after

the expiry of any certificate based on the document.

5.5.3 归档文件的保护 Protection of archive

存档内容既有物理安全措施的保证，如物理场地安全管理，存档信息异地存储，也有密码技术的保证，如存储区域密码设置，存储柜钥匙权限设置。

只有经过授权的工作人员按照特定的安全方式才能接近它们。

中国移动 CMCA 保护相关的档案免遭恶劣环境的威胁，例如温度、湿度和磁力的破坏。

中国移动 CMCA 每年会验证存档信息的完整性。

The filing contents have both the physical security measures and password technology guarantee.

Only the working personnel with authorization could access them in the specific safety method.

Relevant archives should be protected from threat of adverse environment, such as destruction of temperature, humidity, and magnetic forces by CMCA.

CMCA would verify the integrity of filing information every year.

5.5.4 归档文件的备份 Backup of archived records

所有存档文件的数据库除了保存在中国移动 CMCA 的主要存储库，还将在异地保存其备份。

存档的数据库采取物理或逻辑隔离的方式，与外界不发生信息交互。

只有授权的工作人员才能在监督的情况下，对档案进行读取操作。

中国移动 CMCA 在安全机制上保证禁止对档案及其备份进行删除、修改等操作。

All filing document databases are stored in the main storage library of CMCA, besides their backups would be kept in another place.

The filing database has no information interaction with the outside world in the method of physical separation or logic separation.

Only the authorized personnel could read the file under the supervision condition.

CMCA ensures no deletion, amendment and other operations to its files and backup are allowed in safety mechanism.

5.5.5 记录时间戳要求 Requirements for time-stamping of records

所有存档内容都要加时间标识。

All archived content should be identified with time.

5.5.6 归档收集系统 Archives collection system

中国移动 CMCA 中的档案收集系统由人工操作和自动操作两部分组成。

Document collection system in CMCA consists of manual operation and automatic operation.

5.5.7 获得和检验归档信息的程序 Procedures for obtaining and inspecting archived information

由两个人分别来保留归档数据的两个拷贝，并且为了确保档案信息的准确，需要对这两个拷贝进行比较。CMCA 每年会验证归档信息的完整性。

Two copies of the archived data are kept separately and are compared to ensure the accuracy of the archival information. CMCA verifies the integrity of the archived information each year.

5.6 电子认证服务机构密钥更替 Key replacement

5.6.1 密钥更替操作 Key replacement operation

在证书到期以前，CMCA 将按照证书策略的规定对根密钥进行更换，生成新的证书。在进行密钥的生成时，严格按照 CMCA 关于密钥管理的规范。CA 密钥更替必须遵循以下原则：

1. 在 CA 证书生命周期结束前停止签发新的下级证书，确保在 CA 的证书到期时所有下级证书也全部到期。
2. 在停止签发新的下级证书后至证书到期时，继续使用 CA 私钥签发 CRL，直到最后一张下级证书过期。
3. 生成和管理 CA 密钥时，严格遵守密钥规范。
4. 及时发布新的 CA 证书。
5. 确保整个过渡过程安全、顺利，不出现信任真空期。

Prior to the expiration of certificate, CMCA will replace the root key in accordance with the provisions of CP, and generate a new certificate. When generating the new key, specifications of CMCA key management will be followed strictly. CA key changeover must comply with the following principles:.

1. The new subordinate certificates can't be issued before the end of the life cycle of subordinate certificate, which ensures that all subordinate certificates are all expired as the CA certificates expired.
2. From the end of the issue of a new subordinate certificate to the expiration of the certificate, CA continues to sign CRLs with the original private key until the last subordinate certificate expires.
3. CA key generation and management must strictly follow the key regulations.
4. Release the new CA certificate timely.
5. Ensure the entire transition process safely, smoothly and no vacuum of

trust.

5.6.2 密钥更替操作管理 Key replacement operation management

CMCA 建立严格的密钥更替的管理要求：

- 1、 密钥管理员提前提交密钥更替审批，经策略委员会批准后明确操作；
- 2、 密钥更替过程将全程进行记录、录像，并由第三方审计机构见证；
- 3、 密钥更替将提前 30 天通知相关方。

CMCA establish strict key turnover management requirements:

1. The key administrator shall submit key replacement approval in advance, and operation is granted with consent by the policy committee;
2. The key-replacement process will be recorded and recorded in full and witnessed by a third-party audit institution;
3. Key replacement will be notified 30 days in advance.

5.7 损害与灾难恢复 Damage and Disaster Recovery (DR)

CA 系统的灾难恢复，指的是为保证在发生灾害（水灾、风灾、地震等自然灾害，或电力中断、火灾、爆炸等结构型破坏以及人为失误、网络黑客攻击、病毒等操作问题）或战争等攻击而导致 CA 彻底损毁时，能够恢复 CA 的密钥和客户资料。

The Disaster Recovery (DR) of CA system refers to the key and customer data which could recover CA when the disaster (flood, wind disaster, earthquake and other natural disasters, or electricity interruption, fire hazard, explosion and other structural damage, and human error, network hacker attack, virus and other operation problems) or war and other attacks happen and CA is completely damaged.

通过在异地设立灾难备份中心可以实现灾难恢复，灾难备份中心存放了备份

的私钥和客户数据。中国移动 CMCA 定期将系统备份服务器中的数据通过承载网网络传输到异地容灾备份中心。

The DR could be achieved by setting up a disaster backup center at another place, and the disaster backup center stores the backup private key and customer data. CMCA regularly backups the data of the system backup server by sending it to the disaster backup center in another place through network transmission.

当公钥基础设施（PKI）发生灾难性故障时，中国移动 CMCA 拥有恢复运营的能力。对于一般故障，CMCA 将在 2 小时内解决；对于紧急事件，CMCA 在 24 小时内解决；对于灾难性事件，在主运营场地出现灾难事故或不可抗力事故而不能正常运营时，CMCA 将在 48 小时内，利用备份数据和设备在数据备份中心恢复电子认证服务。

When the public key infrastructure (PKI) catastrophic failure, CMCA has the ability to resume operations. CMCA will solve the general failure within 2 hours; for emergencies, CMCA within 24 hours; for catastrophic events, in the event of a disaster or force majeure accident at the main operation site and cannot operate normally, CMCA will restore electronic authentication services in the data backup center using backup data and equipment within 48 hours.

CA 应具有事件响应计划和灾难恢复计划。

The CA should have event response plans and disaster recovery plans.

CA 应编制业务连续性和灾难恢复程序，用于在发生灾难、安全损害或业务失败时通知并合理保护应用程序软件供应商、订阅者和依赖方。

CA shall prepare business continuity and disaster recovery procedures to inform and reasonably protect application software suppliers, subscribers and dependencies in case of disaster, security damage or business failure.

CA 不需要公开披露其业务连续性计划，但应根据要求向 CA 的审计师提供其业务连续性计划和安全计划。

CA do not need to publicly disclose their business continuity plans, but should provide their business continuity plans and security plans to CA auditors as

required.

CA 应每年对这些程序进行测试、审查和更新。

These procedures shall be tested, reviewed and updated annually.

业务连续性计划必须包含如下内容：

1. 启动计划的条件
2. 紧急程序
3. 回退过程
4. 恢复程序
5. 计划的维护计划
6. 认知和教育要求
7. 个人的责任
8. 恢复时间目标(RTO)
9. 定期测试应变计划
10. 关键业务流程中断或失败后，CA 计划及时维护或恢复 CA 的业务操作
11. 在灾难发生后的一段时间内，以及在恢复原基地或偏远地点的安全环境之前，尽可能保护其设施的程序。

The business continuity plan must include the following:

1. Conditions for starting a plan
2. emergency procedure
3. Retreat process
4. Recovery program
5. Planned maintenance Plan
6. Cognitive and educational requirements
7. Personal responsibility
8. Recovery time target (RTO)
9. Regular test of the strain plan
10. CA plan to maintain or resume CA operations in a timely manner after critical business processes are interrupted or failed

11. Procedures to protect their facilities as far as possible during the period following the disaster and before restoring a safe environment in the original base or remote location.

灾难恢复的具体工作包括：

- 制定灾难恢复计划；
- 数据的备份和存储；
- 辅助设备准备；
- 启动灾难恢复计划；
- 灾难恢复所需时间评估。

Specific disaster recovery efforts include:

- Development of disaster recovery plans;
- Backup and storage of data;
- Auxiliary equipment preparation;
- Start up the disaster recovery plan;
- Time assessment for disaster recovery.

灾难恢复计划实施：

1. 所有的口令经安全部门主管以及相关的安全管理员、政策审批部门变更。
2. 根据灾难的性质，部分或全部证书需要吊销或以后重新认证。
3. 如果目录无法使用或者目录有不纯的嫌疑，目录数据，加密证书和 CRL 需要进行恢复，一旦目录管理员从备份中恢复了目录，安全部门和政策审批部门、授权运营部门可从中国移动 CMCA 系统的目录服务器恢复中国移动 CMCA 数据。

Disaster Recovery Plan implementation:

- 1) All passwords are changed by the head of the security department and the relevant security administrator, policy approval department.
- 2) Depending on the nature of the disaster, some or all of the certificates need to be revoked or re-certified later.
- 3) Where the directory cannot be used or the directory is suspected of being impure, directory data, encryption certificates and CRL need to be restored.

Once the directory administrator recovers the directory from the backup, the security department and the policy approval department, the authorized operation department can restore the CMCA data from the directory server of the CMCA system.

5.7.1 事故和损害处理程序 Processing procedure of accident and damage

事故和损害处理流程为：

1. 保证现有的对外提供的所有设备能够正常提供服务，并且针对每个环节设置紧急预案。
2. 所有的 CA 应用服务都具备基本的监控。
3. 出现故障时，应以尽快正常对外提供服务为目标，记录故障现场，对于影响面大的故障，发现问题 5 分钟内不能快速解决问题的，应考虑启动紧急预案。
4. 严重影响对外服务的故障，应该及时上报主管领导。

The process is as follows:

- 1) Ensure all equipment provided outsides could normally provide service, and set the emergency plan aiming at each link.
- 2) All CA application services own basic monitoring.
- 3) When the fault occurs, record the fault site as soon as possible aiming at normally providing service outsides. For the fault with large influence area, in case the problems couldn't be solved rapidly within 5 minutes after the problems are found, the emergency plan shall be started.
- 4) For the fault which severely influences the public service, promptly report to the competent leader.

5.7.2 计算资源、软件和/或数据的损坏 Damage of computing resource, software and/or data

当计算资源、软件和/或数据受到破坏时，进行以下操作：

1. 恢复环境、CA 系统和备份数据并上线；
2. 为客户恢复证书，重新进行认证；
3. 尽快启动原系统。

When the computing resource, software and/or data is damaged, the following operations shall be conducted:

1. Recover the environment, CA system and backup data, and on line;
2. Conduct the certification again to recover the certificate for the customer;
3. Start the original system as early as possible.

5.7.3 实体私钥损害处理程序 Damage treatment procedure of entity private key

对于实体证书私钥的损害，中国移动 CMCA 有如下处理要求和程序：

- 1) 当客户发现实体证书私钥损害时，必须立即停止使用其私钥，并立即访问中国移动 CMCA 或相应的注册机构的证书服务网站吊销其证书，或者立即通过电话、电子邮件的方式通知中国移动 CMCA 或注册机构吊销其证书。中国移动 CMCA 按 4.9 节发布证书吊销信息。
- 2) 当中国移动 CMCA 或注册机构发现证书订户的实体证书私钥受到损害时，中国移动 CMCA 或注册机构将立即吊销证书，并通知证书订户，订户必须立即停止使用其私钥。中国移动 CMCA 按 4.9 节发布证书吊销信息。
- 3) 当中国移动 CMCA 的 CA 证书出现私钥损害时，中国移动 CMCA 将立即吊销该 CA 证书并及时通过广达的途径通知依赖方，然后生成新的 CA

密钥对、签发新的 CA 证书。

For the damage of entity certificate private key, CMCA has the following treatment requirements and procedures:

- 1) When finding the entity certificate private key is damaged, the customer shall immediately stop using the private key, and immediately visit the certificate services website of CMCA or the corresponding RA to revoke its certificates, or immediately notify CMCA or the RA to revoke his certificate by phone and e-mail. CMCA releases the revocation information of certificate according to 4.9.
- 2) When finding the entity certificate private key of certificate subscriber is damaged, CMCA or RA would immediately revoke the certificate, and notify the certificate subscriber, then the subscriber shall immediately stop using his private key. CMCA releases the revocation information of certificate according to 4.9.
- 3) When the private key of CA certificate of CMCA is damaged, CMCA would immediately revoke such CA certificate and promptly notify the relying party by wide approaches, then generate new CA key pair and sign new CA certificate.

5.7.4 灾难后的业务连续能力 Business continuity ability after disaster

灾难发生后中国移动 CMCA 立即从备份系统或异地备份中心恢复系统和数据，系统上线并对客户提供服务，保持业务持续性。

After the disaster happens, CMCA immediately recovers the system and data from the backup system or off-site backup center, then the system is online and provides the service for the customer to keep the business continuity.

5.8 电子认证服务机构或注册机构的业务终止 CA or RA termination

5.8.1 CA 终止原因 Termination reason of CA

CA 终止服务的原因可以分为密钥受损原因和非密钥受损原因。

The service termination reason of CA could be divided into key damage reason and non-key damage reason.

5.8.2 终止通知 Termination notice

当中国移动 CMCA 打算终止经营时，会在终止经营前九十天向给中国移动 CMCA 受理点和证书订户书面通知，并在终止服务六十日前向国务院信息产业主管部门报告，按照相关法律法规规定的步骤进行操作。

In event CMCA intends to terminate its operations, it shall notify the acceptance point and certificate subscribers authorized by CMCA in writing 90 days prior to termination of operations, and shall report to the State Council's information industry department 60 days in advance. All procedures are in compliance with related laws and regulations.

5.8.3 终止归档 Termination filing

中国移动 CMCA 会按照相关法律法规的规定来安排好档案和证书的存档工作。CMCA would arrange the storage of file and certificate according to the relevant law regulations.

5.8.4 终止措施 Termination measures

在 CA 中止期间，采用以下措施终止业务：

- 起草 CA 终止声明；
- 通知与 CA 相关的实体；

- 关闭从目录服务器;
- 证书注销;
- 处理存档文件记录;
- 停止认证中心的服务;
- 存档主目录服务器;
- 关闭主目录服务器;
- 管理中国移动 CMCA 系统管理员和中国移动 CMCA 安全管理员;
- 处理加密密钥;
- 处理和存储敏感文档;
- 清除 CA 主机硬件。

During the termination period of CA, the following measures are adopted to terminate the business:

- Draw up the CA termination statement;
- Notify the entity related to CA;
- Close the secondary LDAP server;
- Certificate cancellation;
- Handle the filing document record;
- Stop the service of certification center;
- File the main LDAP server;
- Close the main LDAP server;
- Manage the system administrator and safety administrator of CMCA;
- Handle the encryption key;
- Handle and store the sensitive documents;
- Eliminate the host hardware of CA.

5.8.5 RA 的终止 Termination of RA

不涉及。

Not involved.

6. 认证系统技术安全控制 Technical safety control of certification system

6.1 密钥对的生成和安装 Generation and installation of key pair

由于密钥对是安全机制的关键，所以在 CP&CPS 中制定了相应的规定，确保密钥对的产生、传送、安装等具备保密性、完整性和不可否认性。

Since the key pair is the key of security mechanism, so the corresponding regulations are formulated in CP&CPS to ensure that the generation, convey, installation of key pair own the confidentiality, integrity and non-repudiation.

6.1.1 密钥对的生成 Generation of CA key pair

CA 密钥对必须在安全的物理环境中，由多个可信人员在国家密码主管部门批准和许可的密码设备中生成。密钥的生成、管理、存储、备份和恢复应遵循 FIPS140-2 标准的相关规定。由于 FIPS140-2 标准并非是国家密码主管部门认可和标准，国家对于密码产品有严格的管理要求，因此 FIPS140-2 标准仅参照执行，是在国家密码管理政策许可前提下的选择性适用，具体参照设备厂商提供的资料。用于此类密钥生成的密码模块须通过国家密码主管部门鉴定、认证。

CA 密钥对的生成过程需录像或由一名合格的审计师见证以确保其遵循 CP&CPS 以及角色分离的要求。密钥对生成过程和操作均需记录并保存。

订户密钥对由订户自身的服务器或其它设备内置的密钥生成机制生成，中国移动 CMCA 有义务指导订户按照正确的流程生产密钥对，中国移动 CMCA 拒绝弱密钥申请数字证书，并可在订户需要时提供相应的技术支持人员帮助订户生成正确的密钥。

The key pairs of CAs are generated within the cryptographic devices approved

and licensed by OSCCA, in a physically secure environment and under the control of multiple trusted persons. The generation, management, storage, backup and recovery of the key pair shall comply with the relevant regulations of FIPS140-2. Since FIPS140-2 is not a standard approved and accepted by OSCCA and OSCCA implements a strict management of state's cryptographic products, CMCA only applies part of the provisions of FIPS140-2 under the permission of OSCCA. Specifically, the product manual of the device is for your reference. Hardware Security Module used for key generation must be evaluated and certified by OSCCA. The generation of the CA key pairs shall be video recorded or witnessed by a qualified auditor to ensure the generation process complies with the requirements of this CP&CPS and follow the separation of roles principle. The procedures and operations related to key pair generation shall be recorded and archived.

The subscriber key pair is generated by the built-in key generation mechanism of the subscriber's own server or other devices. CMCA has the obligation to guide the subscriber to produce the key according to the correct process. CMCA refuses the weak key application for digital certificate, and can provide the corresponding technical support personnel to help the subscriber generate the correct key.

6.1.2 私钥传送给订户 Public key transfer

私钥由订户自行生成，不需要将私钥传递给订户。

The private key is generated by the subscriber itself, and it is not necessary to pass the private key to the subscriber.

6.1.3 公钥传送给证书签发机构 Public key transmission of CA

证书订户公钥以 PKCS #10 格式提交证书请求给 CA，应通过安全可靠的方式进行传输。

The certificate subscriber's public key submits the certificate request to CA in PKCs # 10 format, which should be transmitted in a safe and reliable way.

6.1.4 CMCA 电子认证服务机构公钥传送给依赖方 CMCA e-certification service agency public key is transmitted to the relying party

中国移动 CMCA 的根公钥包含在中国移动 CMCA 根证书中。证书订户可以从中国移动 CMCA 的网站上下载中国移动 CMCA 根证书。

Root public key of CMCA is contained in root certificate of CMCA. Certificate subscribers can download the CMCA root certificate from the website of CMCA.

6.1.5 密钥的长度 Length of key

CMCA 所签发的订户证书，支持的 RSA 密钥长度为 2048 位或以上（位数能被 8 整除）。如果国家法律法规、政府主管机构等对密钥长度有明确的规范和要求，CMCA 将会完全遵从。

The certificate issued by CMCA, the size of RSA key is 2048 bits or above (evenly divisible by 8). CMCA will conform to the specifications and requirements of key size from state's laws and regulations, government, etc.

6.1.6 公钥参数的生成和质量检查 Generation and quality check of public key

公钥参数由国家密码管理局许可的、中国移动 CMCA 数字证书签发系统支持的硬件产生。

The public key parameter is generated by the hardware which is permitted by State Cryptography Administration and supported by digital certificate issuing system of CMCA.

CMCA 在采购这些设备时要求其必须具有国家密码主管部门的相应资质，并遵从国家密码主管部门发布的《证书认证系统密码及相关安全技术规范》以及其他相关规范和标准要求，如对生成的公钥参数的质量检查标准，这些设备内置的协议、算法等均已达到足够的安全等级要求等。

When purchasing these devices, CMCA requires that they must have the corresponding qualification of the national cryptography authority, and comply with the "technical specification for password and related security of certificate authentication system" issued by the national cryptography authority, as well as other relevant specifications and standards, such as the quality inspection standard for generated public key parameters, the built-in protocols of these devices The algorithm has reached enough security level requirements.

6.1.7 密钥使用目的 Purpose of key use

CMCA 的根密钥仅用于签发以下证书：

- 为根 CA 自己签发的根 CA 自签名证书；
- 中级 CA 证书；
- 用于基础设施的证书（如 OCSP 响应验证证书）。

The root key of CMCA is only used to issue the following certificates:

- The root CA self-signed certificate issued by the root CA itself;
- Intermediate CA certificate;

- Certificates for infrastructure purposes (e.g. OCSP Response verification Certificates).

订户的密钥用于提高安全服务，例如身份认证、信息加密和解密、不可抵赖性和信息的完整性。

The subscriber's key is used to enhance security services, such as identity authentication, information encryption and decryption, non-repudiation, and information integrity.

6.2 私钥保护和密码模块工程控制 Private key protection and cryptographic module engineering controls

6.2.1 密码模块的标准和控制 Cryptographic module standards and controls

CMCA 所用的密码模块都是经国家密码管理局认可的产品，符合《GM/T 0028-2014 密码模块安全技术要求》，该标准与 FIPS 140-2 标准等同。CA 系统的密码模块符合 FIPS 140-2 第三级别的技术要求，订户使用的密码模块符合 FIPS 140-2 第二级别的技术要求。

Cryptographic modules used by CMCA are approved and licensed by OSCCA and comply with < GM/T 0028-2014 Security Requirements for Cryptographic Modules>, a standard equivalent to FIPS 140-2. The cryptographic module of the CA system meets the FIPS 140-2 Level 3 technical requirements, and the cryptographic modules of the subscribers conform to the FIPS 140-2 level 2 technical requirements.

6.2.2 私钥多人控制 Private key multi-person control

CMCA 私钥的生成、更新、撤销、备份和恢复等操作采用多人控制机制，即采取五选三方式，将私钥的管理权限分散到 5 位密钥管理员中，至少在其中

三人在场并许可的情况下，插入管理员卡并输入 PIN 码，才能对私钥进行操作。Generation, update, revocation, backup and recovery operations, etc. of CMCA private key adopt multi-person control mechanisms. Namely, the mechanism is three out of five, means the key management authority is distributed to five key administrators, the operation of private key is performed in the presence and permission of no less than three employees via inserting cards of administrators and inputting their PIN code.

6.2.3 私钥托管 Private key trusteeship

对于 CA 私钥,CMCA 无托管业务。

For CA private key, CMCA has no managed service.

6.2.4 私钥备份 Private key backup

CA 的私钥由加密机产生，对私钥的备份需多人操作，存储在满足 fips level2 安全要求的加密硬件设备，由经过授权的的安全管理人员掌握，并保存在屏蔽机房中保险箱中。

The private key of CA is generated by the encryptor machine, and backup of the encryption machine requires multiple people to operate, It is stored on encryption hardware devices that meet FIPS level 2 security requirements, controlled by authorized security administrators, and stored in a safe in the shielded machine room.

订户的私钥由订户产生，建议订户自行备份，并对备份的私钥采用口令或其他访问控制机制保护，防止非授权的修改或泄漏。

The private key of the subscriber is generated by the subscriber. It is suggested that the subscriber backup the private key by himself, and protect the backup private key by password or other access control mechanism to prevent unauthorized modification or disclosure.

6.2.5 私钥归档 Private key archival

当 CMCA 的 CA 密钥对到期后，这些密钥对将被归档保存至少 10 年。归档的 CA 密钥对保存在本 CP&CPS 6.2.1 所述的硬件密码模块中，并且 CMCA 的密钥管理策略和流程都确保了归档后的 CA 密钥对不会再被用于生产系统中。当归档 CA 密钥对达到归档保存期限之后，CMCA 将按照本 CPS6.2.10 所述的方法进行安全地销毁。

When the CA key pairs of CMCA expire, these key pairs will be archived for at least 10 years. The archived CA key pair is stored in the hardware password module described in CP&CPS 6.2.1. The key management strategy and process of CMCA ensure that the archived CA key pair will not be used in the production system. When the backup CA key pair reaches the archive retention period, CMCA will be destroyed safely in accordance with the method described in CP&CPS 6.2.10.

CMCA 不对订户证书的私钥进行归档。

CMCA does not archive the private key of the subscriber certificate.

6.2.6 私钥导入、导出密码模块 Private key transfer into or from a cryptographic module

CMCA 通过加密机生成 CA 密钥对，需要备份或迁移 CA 私钥时，从加密机中导出的私钥采用密文形式并由多人控制。

CMCA generates CA key pairs through an encryption machine. When it is necessary to backup or migrate the CA private key, the private key exported from the encryption machine is in ciphertext form and controlled by multiple people.

CMCA 不提供订户私钥从硬件密码模块中导出的方法，也不允许如此操作。对于存放在软件密码模块中的私钥，如果订户愿意并且自行承担相关风险，订户可自主选择导入导出的方式，操作时需要采用口令保护等授权访问控制措施。

CMCA does not provide the export of subscriber's private key from hardware

cryptographic module and allow this operation. As for the private key stored in software cryptographic module, and if subscriber is willing to bear the relevant risks, subscriber can choose the way of import and export with access control such as password, etc.

6.2.7 私钥在密码模块的存储 Private key storage on cryptographic module

私钥以密文的方式加密存放在通过国家密码管理部门产品鉴定的硬件加密机。

The private key is encrypted and stored in the hardware encryption module which has passed the product authentication of the national password management department.

CA 系统采用符合与 FIPS140-2 Level 3 安全规格相当的密码模块。

The CA system adopts a password module that meets the security specifications equivalent to FIPS140-2 Level 3 security specification.

订户的私钥存储在符合国家密码管理规定的 USB Key 介质或文件证书中，所有在 USB Key 中存储的私钥，都以密文的形式保存。对于使用软件密码模块生成的私钥，最好在硬件密码模块中存储和使用，订户也可以自主选择使用有安全保护措施 of 特定软件 密码模块。

Subscriber's private key is stored in the USB key medium or file certificate meeting the regulations of OSCCA. All the private keys stored in the USB key are stored in the form of cipher text. For the private key generated by software cryptographic modules is preferably stored and used in hardware cryptographic modules. Subscriber can also use specific software cryptographic modules with security measures.

6.2.8 激活私钥 Private key activation

CA 私钥存放在硬件密码模块中，并且其激活数据按第 6.2.2 节使用加密设

备的管理员权限实现，具有激活私钥权限的管理员使用 USBKey 登录，启动密钥管理程序，进行激活私钥的操作，需要三名管理员以上同时到场。

The CA private key is stored in the hardware password module, and its activation data is implemented using the administrator privileges of the encryption device according to Section 6.2.2. Administrators with the authorization to activate the private key log in using USBKey, start the key management program, and perform the operation of activating the private key. Three or more managers are required to be present at the same time.

6.2.9 解除私钥激活状态 Private key deactivation

对于服务器证书，当服务程序关闭、系统注销或系统断电后私钥即进入非激活状态。

For the server certificate, the private key immediately enters in the non-activation status after service procedure is closed; the system is cancelled or the system is powered off.

对于中国移动 CMCA 及其注册机构的运营服务器证书的私钥，当 CA 或 RA 系统向密码模块发出登出 (logout) 或密码管理软件向密码模块发出关闭 (close) 指令，或存放私钥的密码模块断电，私钥进入非激活状态。

For the private key of operation server certificate of CMCA and its RA, when CA or RA system sends the logout instruction to the cryptographic module or the password management software sends the close instruction to the cryptographic module, or the cryptographic module which is used to store the private key is powered off, the private key enters in the non-activation state.

对于中国移动 CMCA 私钥，当 CA 系统向密码模块发出登出 (logout) 或密码管理软件向密码模块发出关闭 (close) 指令，或存放私钥的硬件密码模块断电，私钥进入非激活状态。

For the private key to CMCA, when CA system sends out logout to cryptographic module, or the password management software sends out the close command to cryptographic module, or the hardware cryptographic

module storing private key loses power, the private key will enter in the inactivated state.

6.2.10 销毁私钥 Private key destruction

在 CA 私钥生命周期结束后，中国移动 CMCA 将 CA 私钥继续保存在一个备份硬件密码模块中，并进行归档，其他的 CA 私钥备份被安全销毁。归档的 CA 私钥在其归档期限结束后，需在多名可信人员参与的情况下安全销毁。CA 私钥的销毁将确保 CA 私钥从硬件密码模块中彻底删除，不留有任何残余信息。After the CA private key life cycle ends, CMCA shall continue keeping the CA private key in a backup hardware cryptographic module, and conduct the archival. Other CA private key backup is safely destroyed. After the filing deadline of archiving CA private key ends, the private key shall be destroyed when many trusted persons participate in. CA private key shall be completely destroyed from the hardware cryptographic module without any residual information.

6.2.11 密码模块的评估 Evaluation of cryptographic module

CMCA 使用国家密码主管部门鉴定并批准使用的具有自主知识产权的高速主机加密设备，接受其颁布的各类标准、规范、评估结果等各类要求。CMCA uses the high-speed host encryption equipment with independent intellectual property rights identified and approved by the national encryption authority, and accepts various standards, specifications, evaluation results and other requirements issued by CMCA.

6.3 密钥对管理的其他方面 Other aspects of key pair management

6.3.1 公钥归档

中国移动 CMCA 对所有的公钥进行归档处理。

CMCA archives all public keys.

6.3.2 证书操作期和密钥对使用期 Certificate operational periods and key pair usage periods

CMCA 公钥和私钥的使用期限与证书的有效期相关，但并不完全保持一致。，证书有效期设置期限如下：

The usage period of public key and private key is related to the validity period of certificate, but they are not completely consistent.

， The setting period of certificate is as follows:

- 根证书有效期应当最长为 25 年
- 中级 CA 证书有效期最长为 20 年
- 用户证书有效期不超过 397 天
- The root certificate should be valid for a maximum of 25 years
- The maximum validity period of subordinate CA certificate is 20 years
- The validity period of user certificate shall not exceed 397 days.

6.4 激活数据 Activation Data

6.4.1 激活数据的产生 Activation data generation

激活数据包括中国移动 CMCA 提供的口令、被加密的数据等。中国移动 CMCA 提供唯一的不可猜测的口令。这些口令由中国移动 CMCA 根据授权和操

作的许可仅发放给订户。

Activation data includes password and encrypted data provided by CMCA. CMCA provides the only unpredictable password. These passwords are only given to subscriber by CMCA according to authorization and operation permission.

6.4.2 激活数据的保护 Activation data protection

中国移动 CMCA 采取加解密机制等多种方式保护激活数据，以避免未授权使用。未授权客户企图使用激活数据达到预定目的时，激活数据会自动锁定。CMCA adopts multiple ways, including encryption and decryption mechanism to protect activation data, to avoid unauthorized use. The unauthorized customer attempts to reach the predicted purpose with the activation data which shall be automatically locked. Mobile CMCA adopts encryption and decryption mechanism to protect activation data to avoid unauthorized use. When unauthorized customers attempt to use activation data to achieve the intended purpose, the activation data will be automatically locked.

6.4.3 激活数据的其他方面 Other aspects of activation data

● 激活数据的传输 Activation of data transmission

存有 CA 私钥的加密设备和相关 IC 卡,通常被保存在 CMCA 最安全区机房,不能携带离开 CMCA。如在某种特殊情况下需要进行传输时(如建设灾备系统时),其传送过程需要在 CMCA 安全管理人员和密钥管理人员共同监督的情况下进行。

Encryption devices and related IC cards with CA private key are usually stored in the most secure computer room of CMCA and cannot be carried away from CMCA. For example, in some special circumstances, the transmission process

needs to be supervised by CMCA security manager and key manager.

对于证书订户，通过网络传输用于激活私钥的口令时，需要采取加密等保护措施，以防丢失。

For certificate subscribers, when the password used to activate the private key is transmitted over the network, encryption and other protection measures should be taken to prevent loss.

● **激活数据的销毁 Destruction of activation data**

CMCA 通过对设备初始化的方式来销毁 CA 私钥的激活数据。

订户私钥的激活数据在不需要时由订户自行销毁，订户应确保他人无法通过残余信息、存储介质直接或间接地恢复激活数据。

CMCA destroys the activation data of CA private key by initializing the device. The activation data of the subscriber's private key shall be destroyed by the subscriber when it is not needed. The subscriber shall ensure that the activation data cannot be recovered directly or indirectly by others through residual information or storage medium.

6.5 计算机安全控制 Computer Security Controls

6.5.1 具体的计算机安全技术要求 Computer security technical requirements

CMCA 数字证书签发系统的数据文件和设备由中国 CMCA 系统管理员维护，未经中国 CMCA 系统管理员授权，其它人员不能操作和控制 CMCA 系统。中国 CMCA 认证中心系统部署在多级不同厂家的防火墙之内，确保系统网络安全。

The data document and equipment of CMCA digital certificate issuing system are maintained by CMCA system administrator. Without the authorization of CMCA administrator, anyone can't operate and control CMCA system; Other

common customer has no system account and password. CMCA system is deployed in the firewall of multi-level different manufacturers to ensure the system network security.

中国 CMCA 中心系统内的计算机均采用了如防火墙、入侵检测、主机服务端口限制、操作系统安全补丁等防范措施，充分保证了计算机的安全可靠。

The computers in CMCA system shall adopt the preventive measures such as firewall, intrusion detection, host service port restriction, operation system security patches, etc. to fully ensure the computer's safety and reliability.

对于设备有一套完整的保管和维护制度：

There is a complete system for the storage and maintenance of the equipment:

1. 专人负责设备的领取和保管，做好设备的领用、进出库和报废登记。

Special personnel shall be responsible for the collection and storage of equipment, and the equipment collection, access to warehouse and scrap registration shall be made.

2. 对设备定期进行检查、清洁和保养维护。

Check, clean and maintain the equipment regularly.

3. 制定设备维修计划，建立满足正常运转最低要求的易损坏备件库。

Make equipment maintenance plan and establish a vulnerable spare parts warehouse meeting the minimum requirements of normal operation.

4. 对设备进行维修时，必须记录维修的对象、故障原因、排除方法、维修过程及与维修有关的情况等。

When repairing the equipment, the maintenance objects, causes of faults, troubleshooting methods and main points must be recorded

5. 设备维修时，必须有派专人在场监督

When the equipment is maintained, special personnel must be assigned to supervise on the spot.

6. 唯一的设备密码。

Unique device password.

并且每一个使用 CMCA 系统的人员必须使用唯一的数字证书，人员配置的访问限制为执行工作职责要求的最小权限，满足双因素认证。

And every person using CMCA system must use a unique digital

certificate. The access limit of personnel configuration is the minimum permission required to perform the work responsibilities, and meet the double factor authentication.

CA 对所有能够直接导致证书颁发的账户实施多因素认证。

CA performs multi factor certification for all accounts that can directly lead to certificate issuance.

6.5.2 计算机安全评估 Computer security rating

中国移动 CMCA 使用的密码设备是通过国家密码管理局批准生产的密码设备。其他涉及安全的网络设备、主机、系统软件等都通过了国家相关部门的检测，属合格产品。

The cryptographic equipment used by CMCA is the cryptographic equipment manufactured through the approval of the State Cryptography Administration. The network equipment involving security, host, system software, etc. are the qualified products passing the inspection of the relevant state department.

6.6 系统生命周期控制 System life cycle controls

6.6.1 系统开发控制 System development controls

CMCA 的系统由符合国家相关安全标准和具有商用密码产品认证证书的可靠开发商开发，其开发过程符合 CMCA 系统管理的各项规定。

CMCA system is developed by a reliable developer which meets relevant national security standards and has the qualification for cryptography standards, and the developing process complies with all requirements of CMCA system management.

6.6.2 安全管理控制 Security management controls

CMCA 已制定了各种安全策略、管理制度与流程对 CA 运营系统进行安全管理。

CMCA has made various security policies, management systems and procedures to carry out security management to CA operation system.

6.6.3 生命周期的安全控制 Life cycle security control

CMCA 认证系统的软硬件设备具备可持续性的升级计划，其中包括了对软、硬件生命周期的安排。

Software and hardware of CMCA certification system have sustainable upgrade plan such as arrangement of software and hardware lifetimes.

6.7 网络的安全控制 Network security controls

中国移动 CMCA 有防火墙以及其他访问控制机制保护，其配置只允许已授权的机器访问。并且通过入侵检测、漏洞扫描等机制配合保证系统网络的安全。CMCA is protected by firewall and other access control mechanisms, and its configuration only accept the visit of authorized machine. Pass the intrusion detection, vulnerability scanning and other mechanisms to ensure the system network security.

只有经过 CMCA 授权的员工才能够进入中国移动 CMCA 签发系统、中国移动 CMCA 目录服务器、中国移动 CMCA 证书发布系统等设备或系统。所有授权员工必须有合法的安全令牌，并且通过密码验证。

Only authorized employees of CMCA can enter the equipment or systems including CMCA issuing system, CMCA registration system, CMCA LDAP server, CMCA certificate issuing system. All authorized customers shall have the legal safety token which shall pass the password verification.

6.8 时间戳 Digital Time Stamp (DTS)

数字时间戳（DTS: Digital Time Stamp）是对时间信息的数字签名，主要用于实现确定在某一时间某个文件确实存在和确定多个文件在时间上的逻辑关系功能。

Digital Time Stamp (DTS) is the digital signature of time information, which is mainly used to confirm certain document really exists at certain time and confirm the logic relation function of many documents on the time.

7. 证书、证书吊销列表和在线证书状态协议 CERTIFICATE, CRL, AND OCSP PROFILES

7.1 证书 Certificate Profile

CMCA 签发的证书均符合 X.509 V3 证书格式。均按照 RFC5280 设置，符合 CA/Browser 的当前版本要求。证书的最基本字段与内容见下表。

All the certificates issued by CMCA conform to the format of X.509 V3 certificate. All of them are set according to rfc5280 and meet the requirements of the current version of CA / Browser. The most basic fields and contents of the certificate are shown in the table below.

CMCA GLOBAL TRUST ROOT CA

证书域	域值
版本	V3
序列号	包含 40 位的随机数
签名算法	SHA256RSA
颁发者	CN = CMCA GLOBAL TRUST ROOT CA O = Aspire Technologies C = CN

有效期起止日	证书有效期起始时间
有效期终止日	证书有效期终止时间
主题	证书的主题 DN, 见 CSP7.1.4
公钥	RSA (4096)
基本限制	Subject Type=CA Path Length Constraint=None
密钥用法	Digital Signature, Certificate Signing, Off-line CRL Signing, CRL Signing (86)

CMCA GLOBAL TRUST ROOT CA

Certificate domain	Field value
Edition	V3
Serial number	Random number containing 40 bits
Signature algorithm	SHA256RSA
Issuer	CN = CMCA GLOBAL TRUST ROOT CA O = Aspire Technologies C = CN
Effective date	Certificate validity start time
Expiry date	Certificate expiry date
Subject	Subject DN of certificate, see csp7.1.4
Public key	RSA (4096)
Basic Constraints	Subject Type=CA Path Length Constraint=None
Key Usage	Digital Signature, Certificate Signing, Off-line CRL Signing, CRL Signing (86)

CMCA DV SSL CA

证书域	域值
版本	V3
序列号	包含 40 位的随机数
签名算法	SHA256RSA
颁发者	CN = CMCA GLOBAL TRUST ROOT CA O = Aspire Technologies C = CN

有效期起止日	证书有效期起始时间
有效期终止日	证书有效期终止时间
主题	证书的主题 DN, 见 CSP7.1.4
公钥	RSA (4096)
颁发机构访问信息	<p>[1]Authority Info Access Access Method=证书颁发机构颁发者 (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_GLOBAL_TRUST_ROOT_CA.cer</p> <p>[2]Authority Info Access Access Method=联机证书状态协议 (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp</p>
基本限制	Subject Type=CA Path Length Constraint=None
证书策略	<p>[1]Certificate Policy: Policy Identifier=所有颁发策略</p> <p>[1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps</p>
CRL 发布点	该发布点包含了一个 URL, 用于获得 CRL 文件。
密钥用法	Digital Signature, Certificate Signing, Off-line CRL Signing, CRL Signing (86)

CMCA DV SSL CA

Certificate domain	Field value
Edition	V3
Serial number	Random number containing 40 bits
Signature algorithm	SHA256RSA
Issuer	CN = CMCA GLOBAL TRUST ROOT CA O = Aspire Technologies C = CN
Effective date	Certificate validity start time
Expiry date	Certificate expiry date
Subject	Subject DN of certificate, see csp7.1.4
Public key	RSA (4096)

Authority access information	[1]Authority Info Access Access Method=Certificate issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_GLOBAL_TRUST_ROOT_CA.cer [2]Authority Info Access Access Method=Online Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp
Basic Constraints	Subject Type=CA Path Length Constraint=None
Certificate Policy	[1]Certificate Policy: Policy Identifier=All award strategies [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps
CRL Distributionpoint	The publishing point contains a URL to get the CRL file.
Key Usage	Digital Signature, Certificate Signing, Off-line CRL Signing, CRL Signing (86)

CMCA OV SSL CA

证书域	域值
版本	V3
序列号	包含 40 位的随机数
签名算法	SHA256RSA
颁发者	CN = CMCA GLOBAL TRUST ROOT CA O = Aspire Technologies C = CN
有效期起止日	证书有效期起始时间
有效期终止日	证书有效期终止时间
主题	证书的主题 DN, 见 CSP7.1.4
公钥	RSA (4096)

颁发机构访问信息	[1]Authority Info Access Access Method=证书颁发机构颁发者 (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_GLOBAL_TRUST_ROOT_CA.cer [2]Authority Info Access Access Method=联机证书状态协议 (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp
基本限制	Subject Type=CA Path Length Constraint=None
证书策略	[1]Certificate Policy: Policy Identifier=所有颁发策略 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps
CRL 发布点	该发布点包含了一个 URL，用于获得 CRL 文件。
密钥用法	Digital Signature, Certificate Signing, Off-line CRL Signing, CRL Signing (86)

CMCA OV SSL CA

Certificate domain	Field value
Edition	V3
Serial number	Random number containing 40 bits
Signature algorithm	SHA256RSA
Issuer	CN = CMCA GLOBAL TRUST ROOT CA O = Aspire Technologies C = CN
Effective date	Certificate validity start time
Expiry date	Certificate expiry date
Subject	Subject DN of certificate, see csp7.1.4
Public key	RSA (4096)

Authority access information	[1]Authority Info Access Access Method=Certificate issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_GLOBAL_TRUST_ROOT_CA.cer [2]Authority Info Access Access Method=Online Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp
Basic Constraints	Subject Type=CA Path Length Constraint=None
Certificate Policy	[1]Certificate Policy: Policy Identifier=All award strategies [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps
CRL Distributionpoint	The publishing point contains a URL to get the CRL file.
Key Usage	Digital Signature, Certificate Signing, Off-line CRL Signing, CRL Signing (86)

CMCA EV SSL CA

证书域	域值
版本	V3
序列号	包含 40 位的随机数
签名算法	SHA256RSA
颁发者	CN = CMCA GLOBAL TRUST ROOT CA O = Aspire Technologies C = CN
有效期起止日	证书有效期起始时间
有效期终止日	证书有效期终止时间
主题	证书的主题 DN, 见 CSP7.1.4
公钥	RSA (4096)

颁发机构访问信息	[1]Authority Info Access Access Method=证书颁发机构颁发者 (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_GLOBAL_TRUST_ROOT_CA.cer [2]Authority Info Access Access Method=联机证书状态协议 (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp
基本限制	Subject Type=CA Path Length Constraint=None
证书策略	[1]Certificate Policy: Policy Identifier=所有颁发策略 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps
CRL 发布点	该发布点包含了一个 URL，用于获得 CRL 文件。
密钥用法	Digital Signature, Certificate Signing, Off-line CRL Signing, CRL Signing (86)

CMCA EV SSL CA

Certificate domain	Field value
Edition	V3
Serial number	Random number containing 24 bits
Signature algorithm	SHA256RSA
Issuer	CN = CMCA GLOBAL TRUST ROOT CA O = Aspire Technologies C = CN
Effective date	Certificate validity start time
Expiry date	Certificate expiry date
Subject	Subject DN of certificate, see csp7.1.4
Public key	RSA (4096)

Authority access information	[1]Authority Info Access Access Method=Certificate authority issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_GLOBAL_TRUST_ROOT_CA.cer [2]Authority Info Access Access Method=Online certificate status protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp
Basic Constraints	Subject Type=CA Path Length Constraint=None
Certificate Policy	[1]Certificate Policy: Policy Identifier=All issuance strategies [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps
CRL Distributionpoint	The publishing point contains a URL to get the CRL file.
Key Usage	Digital Signature, Certificate Signing, Off-line CRL Signing, CRL Signing (86)

订户证书（EV）

证书域	域值
版本	V3
序列号	包含 40 位的随机数
签名算法	SHA256RSA
颁发者	CN = CMCA EV SSL CA O = Aspire Technologies C = CN
有效期起止日	证书有效期起始时间
有效期终止日	证书有效期终止时间
主题	证书的主题 DN，见 CSP7.1.4
公钥	RSA

颁发机构访问信息	[1]Authority Info Access Access Method=证书颁发机构颁发者 (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_EV_SSL_CA.cer [2]Authority Info Access Access Method=联机证书状态协议 (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp
证书策略	[1]Certificate Policy: Policy Identifier=2.23.140.1.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps
CRL 发布点	该发布点包含了一个 URL，用于获得 CRL 文件。
密钥用法	Digital Signature, Key Encipherment (a0)
增强密钥用法	客户端身份验证 (1.3.6.1.5.5.7.3.2) 服务器身份验证 (1.3.6.1.5.5.7.3.1)
主题备用名	域名

Subscriber certificate (EV)

Certificate domain	Field value
Edition	V3
Serial number	Random number containing 40 bits
Signature algorithm	SHA256RSA
Issuer	CN = CMCA EV SSL CA O = Aspire Technologies C = CN
Effective date	Certificate validity start time
Expiry date	Certificate expiry date
Subject	Subject DN of certificate, see csp7.1.4
Public key	RSA

Authority access information	[1]Authority Info Access Access Method=Certificate authority issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_EV_SSL_CA.cer [2]Authority Info Access Access Method=Online certificate status protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp
Certificate Policy	[1]Certificate Policy: Policy Identifier=2.23.140.1.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps
CRL Distribution point	The publishing point contains a URL to get the CRL file.
Key Usage	Digital Signature, Key Encipherment (a0)
Extended Key Usage	Client authentication (1.3.6.1.5.5.7.3.2) Server authentication (1.3.6.1.5.5.7.3.1)
Subject Alternative name	Domain name

订户证书（OV）

证书域	域值
版本	V3
序列号	包含 40 位的随机数
签名算法	SHA256RSA
颁发者	CN = CMCA OV SSL CA O = Aspire Technologies C = CN
有效期起止日	证书有效期起始时间
有效期终止日	证书有效期终止时间
主题	证书的主题 DN，见 CSP7.1.4
公钥	RSA

颁发机构访问信息	[1]Authority Info Access Access Method=证书颁发机构颁发者 (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_OV_SSL_CA.cer [2]Authority Info Access Access Method=联机证书状态协议 (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp
证书策略	[1]Certificate Policy: Policy Identifier=2.23.140.1.2.2 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps
CRL 发布点	该发布点包含了一个 URL，用于获得 CRL 文件。
密钥用法	Digital Signature, Key Encipherment (a0)
增强密钥用法	客户端身份验证 (1.3.6.1.5.5.7.3.2) 服务器身份验证 (1.3.6.1.5.5.7.3.1)
主题备用名	域名

Subscriber Certificate (OV)

Certificate domain	Field value
Edition	V3
Serial number	Random number containing 40 bits
Signature algorithm	SHA256RSA
Issuer	CN = CMCA OV SSL CA O = Aspire Technologies C = CN
Effective date	Certificate validity start time
Expiry date	Certificate expiry date
Subject	Subject DN of certificate, see csp7.1.4
Public key	RSA

Authority access information	[1]Authority Info Access Access Method=Certificate authority issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_OV_SSL_CA.cer [2]Authority Info Access Access Method=Online certificate status protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp
Certificate Policy	[1]Certificate Policy: Policy Identifier=2.23.140.1.2.2 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps
CRL Distributionpoint	The publishing point contains a URL to get the CRL file.
Key Usage	Digital Signature, Key Encipherment (a0)
Extended Key Usage	Client authentication (1.3.6.1.5.5.7.3.2) Server authentication (1.3.6.1.5.5.7.3.1)
Subject Alternative name	Domain name

订户证书（DV）

证书域	域值
版本	V3
序列号	包含 40 位的随机数
签名算法	SHA256RSA
颁发者	CN = CMCA SSL CA O = Aspire Technologies C = CN
有效期起止日	证书有效期起始时间
有效期终止日	证书有效期终止时间
主题	证书的主题 DN，见 CPS7.1.4
公钥	RSA

颁发机构访问信息	[1]Authority Info Access Access Method=证书颁发机构颁发者 (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_DV_SSL_CA.cer [2]Authority Info Access Access Method=联机证书状态协议 (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp
证书策略	[1]Certificate Policy: Policy Identifier=2.23.140.1.2.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps
CRL 发布点	该发布点包含了一个 URL，用于获得 CRL 文件。
密钥用法	Digital Signature, Key Encipherment (a0)
增强密钥用法	客户端身份验证 (1.3.6.1.5.5.7.3.2) 服务器身份验证 (1.3.6.1.5.5.7.3.1)
主题备用名	域名

Subscriber Certificate (DV)

Certificate	Field value
domain	
Edition	V3
Serial number	Random number containing 40 bits
Signature algorithm	SHA256RSA
Issuer	CN = CMCA DV SSL CA O = Aspire Technologies C = CN
Effective date	Certificate validity start time
Expiry date	Certificate expiry date
Subject	Subject DN of certificate, see csp7.1.4
Public key	RSA

Authority access information	[1]Authority Info Access Access Method=Certificate authority issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://www.cmca.net/files/CMCA_DV_SSL_CA.cer [2]Authority Info Access Access Method=Online certificate status protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://www.cmca.net/webtrust/status/ocsp
Certificate Policy	[1]Certificate Policy: Policy Identifier=2.23.140.1.2.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cmca.net/files/cps
CRL Distribution point	The publishing point contains a URL to get the CRL file.
Key Usage	Digital Signature, Key Encipherment (a0)
Extended Key Usage	Client authentication (1.3.6.1.5.5.7.3.2) Server authentication (1.3.6.1.5.5.7.3.1)
Subject Alternative name	Domain name

7.1.1 证书版本号 Version Number(s)

X.509 V3。

7.1.2 证书扩展项 Certificate Content and Extensions; Application of RFC 5280

CMCA 签发的证书，其证书扩展项遵循 IETF RFC 5280 标准要求。

The certificate extension of CMCA follows the requirements of IETF RFC 5280.

7.1.2.1 根证书扩展项目 Root CA Certificate

1、 密钥用法 Key usage

按照 RFC5280 进行填充，内容为 Digital Signature, Certificate Signing, Off-line CRL Signing, CRL Signing (86)，该项的 criticality 域设置为 true。

Fill in according to rfc5280, the contents are digital signature, certificate signing, off-line CRL signing, CRL signing (86), and the criticality field of this item is set to true.

2、基本约束 Basic constraints

Path Length Constraint=None, 该项的 criticality 域设置为 true。

Path length constraint = none, and the criticality field of the item is set to true.

3、颁发者机构密钥标识符 Authority Key Identifier

颁发者机构密钥标识符由根 CA 证书公钥的 256 位 SHA256 散列组成。该项的 criticality 域设置为 false。

The authority key identifier consists of a 256 bit SHA256 hash of the public key of the root CA certificate. The criticality field of the item is set to false.

4、主体密钥标识符 Subject key identifier

主体密钥标识符由根 CA 证书公钥的 256 位 SHA256 散列组成。该项的 criticality 域设置为 false。

The principal key identifier consists of 160 bit SHA1 hash of the root CA certificate public key. The criticality field of the item is set to false.

7.1.2.2 中级证书扩展项 Subordinate certificate extension

1、密钥用法 (Key Usage) Key usage

按照 RFC5280 进行填充, 内容为 Digital Signature, Certificate Signing, Off-line CRL Signing, CRL Signing (86), 该项的 criticality 域设置为 true。

Fill in according to rfc5280, the contents are digital signature, certificate signing, off-line CRL signing, CRL signing (86), and the criticality field of this item is set to true.

2、证书策略 (Certificate Policies Extension) Certificate Policies extension

按照 RFC5280 进行填充。该项的 criticality 域设置为 false。

Fill according to rfc5280. The criticality field of the item is set to false.

3、基本约束 (Basic Constraints) Basic constraints

Path Length Constraint=None, 该项的 criticality 域设置为 true。

Path length constraint = none, and the criticality field of the item is set to true.

4、CRL 发布点 (CRL Distribution Points) CRL distribution points

该发布点包含了一个 URL，URL 地址为 http://www.cmca.net/crl/CMCA_GLOBAL_TRUST_ROOT_CA.crl 用于获得 CRL 文件，该项的 criticality 域设置为 false。

The publishing point contains a URL, the URL address is http://www.cmca.net/crl/CMCA_GLOBAL_TRUST_ROOT_CA.crl is used to get the CRL file, and the criticality field of this item is set to false.

5、颁发者机构密钥标识符 (Authority Key Identifier) Authority key identifier

颁发者机构密钥标识符由根 CA 证书公钥的 256 位 SHA256 散列组成。该项的 criticality 域设置为 false。

The authority key identifier consists of a 256 bit SHA256 hash of the public key of the root CA certificate. The criticality field of the item is set to false.

6、主体密钥标识符 (Subject Key Identifier) Subject key identifier

主体密钥标识符由中级 CA 证书公钥的 160 位 SHA1 散列组成。该项的 criticality 域设置为 false。

The principal key identifier consists of a 160 bit SHA1 hash of the subordinate CA certificate public key. The criticality field of the item is set to false.

7、颁发者机构访问 (Authority Info Access) Authority info access

颁发者机构访问为联机证书状态协议，该项的 criticality 域设置为 false。

The authority access is the online certificate status protocol, and the criticality field of the key is set to false.

7.1.2.3 订户证书扩展项 Subscriber Certificate

1、密钥用法 (Key Usage) Key usage

按照 RFC5280 进行填充，内容为 Digital Signature, Key Encipherment (a0)，该项的 criticality 域设置为 true。

Fill in according to rfc5280, the content is digital signature, key encryption (A0), and the criticality field of the item is set to true.

2、证书策略 (Certificate Policies Extension) Certificate Policies extension

按照 RFC5280 进行填充。该项的 criticality 域设置为 false。

Fill according to rfc5280. The criticality field of the item is set to false.

3、扩展密钥用法 (Extended Key Usage) Extended key usage

如果有将按照RFC5280进行填，内容为客户端身份验证 (1.3.6.1.5.5.7.3.2)，服务器身份验证 (1.3.6.1.5.5.7.3.1)。该项的criticality域设置为false。

If yes, it will be filled in according to rfc5280, including client authentication (1.3.6.1.5.5.7.3.2) and server authentication (1.3.6.1.5.5.7.3.1). The criticality field of the item is set to false.

4、CRL 发布点 (CRL Distribution Points) CRL distribution points

该发布点包含了一个 URL，用于获得 CRL 文件，该项的 criticality 域设置为 false。

The publishing point contains a URL to get the CRL file, and the criticality field of the item is set to false.

5、颁发者机构密钥标识符 (Authority Key Identifier) Authority key identifier

颁发者机构密钥标识符由中级CA证书公钥的256位SHA256散列组成。该项的criticality域设置为false。

The issuer key identifier consists of a 256 bit SHA256 hash of the subordinate CA certificate public key. The criticality field of the item is set to false.

6、主题密钥标识符 (Subject Key Identifier) Subject key identifier

主题密钥标识符标识了被认证的公钥，可用于区分同一主体使用的不同密钥（如证书密钥更新时）。其值从公钥中或者生成唯一值的方法导出。该项的criticality域设置为false。

The subject key identifier identifies the authenticated public key, which can be used to distinguish different keys used by the same principal (such as when the certificate key is updated). Its value is derived from the public key or from a method that generates a unique value. The criticality field of the item is set to false.

7、颁发者机构访问 (Authority Info Access) Authority info access

颁发者机构访问为联机证书状态协议，该项的 **criticality** 域设置为 **false**。

The authority access is the online certificate status protocol, and the criticality field of the key is set to false.

8、使用者备用名称（Subject Alternative Name）Subject alternative name 按照 RFC5280 进行填充，该项的 **criticality** 域设置为 **false**。

Fill in according to rfc5280, and the criticality field of the item is set to false.

7.1.3 算法对象标识符 Algorithm object identifier

中国移动 CMCA 签发的证书按照 RFC 5280 标准，用 SHA256 算法签名。

The certificate issued by CMCA is signed with sha256 algorithm according to RFC 5280 standard.

7.1.4 名称形式 Name form

CMCA 签发的证书（包括根证书、中间证书以及订户证书）的 DN 都采用 X.500（Distinguished Name; DN）命名方式，遵循 RFC5280 相关规定。

The DN of certificates issued by CMCA (including root certificate, subordinate certificate and subscriber certificate) adopts X.500 (distinguished name; According to rfc5280.

7.1.4.1 证书颁发者 Certificate issuer

➤ DV SSL 证书（certificate）

CN = CMCA DV SSL CA

O = Aspire Technologies

C = CN

➤ OV SSL 证书（certificate）

CN = CMCA OV SSL CA

O = Aspire Technologies

C = CN

➤ EV SSL 证书 (certificate)

CN = CMCA EV SSL CA

O = Aspire Technologies

C = CN

➤ CMCA EV SSL CA 中级证书 (Subordinate Certificate)

CN = CMCA GLOBAL TRUST ROOT CA

O = Aspire Technologies

C = CN

➤ CMCA OV SSL CA 中级证书 (Subordinate Certificate)

CN = CMCA GLOBAL TRUST ROOT CA

O = Aspire Technologies

C = CN

➤ CMCA DV SSL CA 中级证书 (Subordinate Certificate)

CN = CMCA GLOBAL TRUST ROOT CA

O = Aspire Technologies

C = CN

➤ CMCA GLOBAL TRUST ROOT CA 根证书 (Root certificate)

CN = CMCA GLOBAL TRUST ROOT CA

O = Aspire Technologies

C = CN

7.1.4.2 证书主题 Subject Information – Subscriber Certificates

CMCA 签发证书的甄别名符合 X.500 关于甄别名的规定，同时符合 CA/Browser 论坛 Baseline Requirements 中 7.1.4 节的要求。

The distinguished name of the certificate issued by CMCA meets the requirements of X.500 on distinguished name, and comply with the requirements of Section 7.1.4 of the CA/Browser Forum Baseline Requirements.

7.1.5 名称限制 Name Constraints

CMCA 全球信任体系下签发的证书，其实体名称不允许为匿名或者伪名，必须是有明确含义的识别名称，使用英文名称时应能正确表达实体名称。

The physical name of the certificate issued under CMCA global trust system is not allowed to be anonymous or pseudo name. It must be an identification name with clear meaning. When using English name, it should be able to correctly express the entity name.

7.1.6 证书策略对象标识符 Certificate Policy Object Identifier

CA 中级证书的证书策略扩展项中，certificatePolicies:policyIdentifier 设置为 anyPolicy。

订户证书策略对象标识符如下：

DV SSL 证书对应的证书策略对象标识号符（OID）为 2.23.140.1.2.1。

OV SSL 证书对应的证书策略对象标识号符（OID）为 2.23.140.1.2.2。

EV SSL 证书对应的证书策略对象标识号符（OID）为 2.23.140.1.1。

CMCA 签发的证书应包含策略标识符。证书策略标识符包含一个证书策略对象标识符 OID 和 URL 地址。订户证书的证书策略对象标识符见 1.2，中级证书的证书策略对象标识符是所有策略，根证书没有证书策略对象标识符。订户证书、中级证书策略表述 URL 为

<http://www.cmca.net/files/cps>

In the Certificate Policy Extension of CA subordinate certificate, certificatePolicies:policyIdentifier set to anyPolicy;

The subscriber Certificate Policy object identifier is as follows:

The oid corresponding to DV SSL certificate is 2.23.140.1.2.1.

The oid corresponding to OV SSL certificate is 2.23.140.1.2.2.

The oid of EV SSL certificate is 2.23.140.1.1.

Certificate issued by CMCA should contain policy identifier. The certificate policy identifier contains a certificate policy object identifier oid and a URL address. For the Certificate Policy object identifier of subscriber certificate, see 1.2. The Certificate Policy object identifier of subordinate certificate is all policies, and the root certificate has no certificate policy object identifier. The policy expression URL of subscriber certificate and subordinate certificate is <http://www.cmca.net/files/cps>

证书标识符符合CA/浏览器论坛（CA/Browser Forum）发布的Baseline Requirements 7.1.6部分要求。

The certificate identifier conforms to section 7.1.6 of the Baseline Requirements published by CA / Browser forum.

7.1.7 策略限制扩展项的用法 Usage of Policy Constraints Extension

未使用本扩展域。

This extended domain is not used.

7.1.8 策略限定符的语法和语义 Policy Qualifiers Syntax and Semantics

未使用本扩展域。

This extended domain is not used.

7.1.9 关键证书策略扩展项的处理规则 Processing Semantics for the Critical Certificate Policies Extension

未使用本扩展域。

This extended domain is not used.

7.2 证书吊销列表 CRL PROFILE

CMCA 定期签发 CRL(证书吊销列表), 供订户查询使用。具体参见 SGP.22 。
CMCA regularly issues CRL (Certificate Revocation List). It is for subscribers' inquiries. See SGP.22 for details.

7.2.1 版本号 Version number(s)

X.509: V2。

7.2.2 CRL 和 CRL 条目扩展项 CRL and CRL entry extensions

CRL 符合 RFC5280 要求。列表包含最基本的字段和内容中指定下面的表:

字段	内容
Version	参考 7.2.1 章节
Signature Algorithm	用于对 CRL 进行签名的算法。参考 RFC3279
Issuer	签发 CRL 的实体, CRL 的颁发者。
Effective Date	CRL 文件的发布时间
Next Update	CRL 的下一步发布时间。CRL 的发布频率参考 4.9.7.
Revoked Certificates	插销的证书清单。包括证书序列号以及撤销日期, 撤销原因。

CRL 基本字段

CRL meets the requirements of rfc5280. The list contains the most basic fields and contents specified in the following table:

Field	Content
Version	Refer to section 7.2.1
Signature Algorithm	The algorithm used to sign CRL. Refer to rfc3279
Issuer	The entity that issues the CRL, the issuer of the CRL.

Effective Date	Release time of CRL file
Next Update	The next release time of CRL. Refer to 4.9.7 for release frequency of CRL
Revoked Certificates	List of certificates for the plug. Including certificate serial number, revocation date and revocation reason.

CRL basic fields

中国移动 CMCA 每隔 24 小时自动发布最新的 CRL。

CMCA automatically releases the latest CRL every 24 hours.

7.3 在线证书状态查询协议 OCSP Profile

CMCA 为证书用户提供 OCSP (在线证书状态查询) 服务, OCSP 为 CRL 的有效补充, 方便证书订户及时查询证书状态信息。

CMCA provides OCSP (Online Certificate Status Protocol) service for the certificate customer, and OCSP is the effective complement of CRL in order that the certificate subscriber promptly inquires the certificate status information.

7.3.1 版本号 Version number(s)

中国移动 CMCA 为证书客户提供 OCSP (在线证书状态查询) 服务, OCSP 为 CRL 的有效补充, 方便证书订户及时查询证书状态信息。

版本号为 RFC 6960 定义的 OCSPV1 版。

CMCA provides OCSP (Online Certificate Status Protocol) service for the certificate customer, and OCSP is the effective complement of CRL in order that the certificate subscriber promptly inquires the certificate status information.

The version number is OCSPV1 defined by RFC 6960.

7.3.2 OCSP 扩展项 OCSP extension

不适用。

Not applicable.

8 认证机构审计和其他评估 Audit and other assessments of certification body

8.1 审计的频率或情形 Frequency or circumstances of audit

CMCA在如下情形中进行评估：

1. 内部审计：CMCA自行组织内部审计，频率为根据相关内审部门要求定期组织，至少每季度一次；
2. 主管部门的评估和检查：通常为年度检查，具体以国家相关主管部门要求为主；
3. 第三方审计公司的WebTrust审计：每年进行WebTrust审计，且审计报告发布日期不得晚于审计期间结束后三个月。

CMCA evaluates in the following situations:

1. Internal audit: CMCA organizes internal audits on its own, with a frequency of regularly organizing them according to the requirements of relevant internal audit departments, at least once a quarter.
2. Evaluation and inspection by competent authorities: usually annual inspection, mainly based on the requirements of relevant national regulatory authorities.
3. WebTrust audit of the third party audit company: conduct an annual WebTrust audit, and the release date of the audit report shall not be later than three months after the end of the audit period.

8.2 审计者的资质 Qualification of auditor

1. 内部审计人员资质：一般为公司内部安全管理人员，或按照公司相关管理要求指定的审计人员；

Qualification of internal auditors: Internal security management personnel of the company, or auditors designated according to relevant management

requirements of the company;

2. 主管部门评估审计：由主管部门确认资质要求并指派符合要求的审计人员；

Evaluation and audit by the competent department: The competent department confirms the qualification requirements and assigns auditors who meet the requirements;

3. 第三方WebTrust审计资质：对外部审计机构和审计师要求如下：

- 熟悉公钥基础设施技术、信息安全、WebTrust审计相关的法律法规、标准规范要求。
- 具备WebTrust审计要求的服务资质和职业资格等
- 具备相关专业技术、工具与技能
- 具有独立审计精神，受法律法规和职业道德规范的约束，在业界享有良好声誉

Third party WebTrust audit qualifications: The requirements for external audit institutions and auditors are as follows:

- Familiar with public key infrastructure technology, information security, WebTrust auditing related laws, regulations, and standard specifications.
- Having service qualifications and professional qualifications required for WebTrust auditing
- Possess relevant professional skills, tools, and skills
- Having an independent auditing spirit, constrained by laws, regulations, and professional ethics, and enjoying a good reputation in the industry

8.3 审计者与中国移动 CMCA 的关系 Relationships between auditors and CMCA

8.3.1 审计者与中国移动 CMCA 的关系 Relationships between auditors and CMCA

审计者与 CMCA 应无任何业务、财务往来或其它足以影响评估客观性的利害关系。

The auditor and CMCA shall have no business, financial transactions or other interests that may affect the objectivity of the assessment.

8.4 审计内容 Audit content

对中国移动 CMCA 的审计包括但不限于以下内容：

- 1、CA 物理环境和控制
- 2、密钥管理操作
- 3、基础 CA 控制
- 4、证书生命周期管理
- 5、CA 业务规则

The regulation audit to CMCA should include::

1. CA physical environment and control
2. Key management operations
3. Basic CA control
4. Certificate lifecycle management
5. CA business rules

8.5 对问题与不足采取的措施 Resolution for problems and deficiencies

如果在审计过程中发现执行规范有不足之处，中国移动 CMCA 将根据审计报告的内容准备一份整改方案，并尽快落实解决。

If finding the standard implemented has deficiencies during the audit, CMCA will prepare a rectification plan according to the audit report contents and solve the deficiencies as soon as possible.

8.6 评估结果的传达与发布 Communications of results

当CMCA接受行业主管部门的检查或评估后，行业主管部门会向公众发布对CMCA的检查或评估结果。当CMCA接受外部审计机构的审计后，CMCA会在公

司网站上公布外部审计结果。当CMCA进行内部审计后，审计结果将只在公司内部进行传达。

When CMCA is inspected or evaluated by the industry authorities, the industry authorities will release the inspection or evaluation results of CMCA to the public.

When CMCA is audited by an external auditor, CMCA will publish the external audit results on the company's website.

When CMCA conducts internal audit, the audit results will only be communicated within the company.

8.7 其他 Other

CMCA 在证书签发期间为严格控制服务质量以及保证对 CP&CPS 及 BR 准则的符合性应至少每季度要进行一次内部审计，随机抽取百分之三（如小于一则抽取一份样本）的样本进行评估。

In order to strictly control the service quality and ensure the compliance with CP&CPS and BR standards, CMCA shall conduct self-audit at least once a quarter during the certificate issuing period, and randomly select 3% (or one sample if less than one) samples for evaluation.

9 法律责任和其他业务条款 Legal responsibility and other business terms

9.1 费用 Fees

9.1.1 证书签发和更新费用 Certificate fees

根据市场和管理部门的规定，CMCA将收取合理的费用，并在订户向CMCA订购证书时，提前告知证书的签发与更新费用。

According to the regulations of the marketing and management departments, CMCA will charge a reasonable fee and inform the subscriber of the issuing

and updating fee of the certificate in advance when ordering the certificate from CMCA.

9.1.2 证书查询费用 Certificate inquiry fee

CMCA 暂不收取此项收费，但保留对此项服务收费的权利。

CMCA does not charge for this service, but reserves the right to charge for this service.

9.1.3 证书吊销或状态信息的查询费用 Query fee for certificate revocation or status information

CMCA 暂不收取此项收费，但保留对此项服务收费的权利。

CMCA does not charge for this service, but reserves the right to charge for this service.

9.1.4 其他服务费用 Other service charges

CMCA 保留收取其他服务费用的权利。

CMCA reserves the right to charge for other services.

9.1.5 退款策略 Refund policy

除非CMCA违背了本CP&CPS所规定的责任与义务，订户可以要求退款。否则，CMCA对订户收取的费用均不退还。

订户应当提供符合CMCA要求的完整、真实、准确的证书申请信息，否则CMCA对此造成的损失和后果不承担任何责任。

Unless CMCA is in breach of its responsibilities and obligations under this CP&CPS, subscriber may request a refund. Otherwise, the fees charged by CMCA to subscribers will not be refunded.

The subscriber shall provide complete, true and accurate certificate application information that meets the requirements of CMCA, otherwise CMCA will not be responsible for the losses and consequences.

9.2 财务责任 Financial responsibility

中国移动 CMCA 及其授权的分支机构应该具有维持其运作和履行其责任的经济能力，应该有能力承担对订户、依赖方等造成的风险。

中国移动 CMCA 每年定期委托公正、客观的第三方进行财务审核。

中国移动 CMCA 对于证书运营服务产生的风险，为了保障客户的权益，将建立财务赔偿基金，用来支付由于证书业务产生的赔偿。

CMCA and its authorized branch shall own the economic ability to maintain its operation and perform its responsibility, and shall have the ability to undertake the risk incurred due to the subscriber, relying party, etc.

CMCA entrusts just and objective third party for financial audit regularly each year.

For the risks incurred for certificate operation service, in order to safeguard customer's rights and benefits, CMCA will establish financial indemnification fund to pay for indemnification incurred for certificate business.

9.2.1 保险范围 Insurance coverage

中国移动 CMCA 根据业务发展情况决定其投保策略，包括但不限于：

- 1、建筑物与硬件设施的火灾等意外险；
- 2、证书责任险，保险范围涵盖中国移动 CMCA 证书订户和证书依赖方；
- 3、保险时间为在证书的有效期内。

中国移动 CMCA 在保险范围内仅承担有限责任。

CMCA determines its insurance policies according to the business development condition, including but not limited to:

- 1、The fire hazard of building and hardware facility, and other accident insurance;
 - 2、Certificate liability insurance, with insurance covering the certificate subscribers of CMCA and certificate relying party;
 - 3、The insurance time is within the effective date of certificate.
- CMCA only bears limited liabilities within the insurance scope.

9.2.2 其他资产 Other assets

CMCA 确保具有足够的财务实力来维持其正常经营并保证相应义务的履行，并合理地承担对订户及对依赖方的责任。

此要求对证书订户同样适用。

CMCA ensures that it has sufficient financial strength to maintain its normal operation and ensure the performance of corresponding obligations, and reasonably assumes the responsibility to subscribers and relying parties.

The same applies to certificate subscribers.

9.2.3 对最终实体的保险或担保 Insurance or guarantee of end entity

如果CMCA根据本CP&CPS或任何法律规定，以及司法判定须承担赔偿责任和/或补偿责任的，CMCA将按照相关法律法规的规定、仲裁机构的裁定或法院的判决承担相应的赔偿责任。

If CMCA is liable for compensation and / or compensation in accordance with this CP&CPS or any laws and judicial decisions, CMCA will be liable for compensation in accordance with relevant laws and regulations, arbitration institutions' decisions or court decisions.

9.3 业务信息保密 Business information confidentiality

9.3.1 保密信息范围 Confidential information scope

1、CMCA与订户之间的协议、资料中未公开的内容等属于保密信息。除非法律明文规定或政府、执法机关等的要求，CMCA承诺不对外公布或透露订户证书信息以外的任何其它隐私信息。

2、订户私钥属于机密信息，订户应当根据本CP&CPS的规定妥善保管，如因订户自己泄漏私钥造成的损失，订户应自行承担。

1. The agreements, letters and commercial treaties between CMCA and the certificate issuing authority authorized by CMCA, between CMCA and relying party/subscribers, and those between RAs authorized by CMCA and relying party/subscribers shall not be published arbitrarily by one party without the approval of the other party generally, unless expressly specified by laws.
2. The private key of certificate subscribers is confidential, which should be properly kept by certificate subscribers and can't be disclosed to unauthorized third party. The losses caused by disclosure of private key by certificate subscribers shall be borne by the subscribers.

9.3.2 不属于保密的信息 Information not within the scope of confidential information

- 1、CA系统签发的证书信息和CRL中的信息。
 - 2、在提供方披露数据和信息之前，已被接受方所持有的数据和信息。
 - 3、在提供方披露数据和信息时或在披露数据和信息之后，非由于接受方的原因而被披露的信息。
 - 4、经公开或通过其他途径成为公众领域的一部分数据和信息。
 - 5、有权披露的第三方披露给接受方的数据和信息。
 - 6、其他可以通过公共、公开渠道获得的信息。
1. Certificate information issued by CA system and information in CRL.
 2. Data and information held by the receiving party prior to the disclosure of

- data and information by the provider.
3. Information disclosed by the provider, or after the disclosure of the data and information, not for the reasons of the recipient.
 4. Become part of the data and information in the public domain, either publicly or through other means.
 5. Data and information disclosed to the receiving party by a third party entitled to disclose.
 6. Other information that can be obtained through public and public channels.

9.3.3 保护保密信息 的责任 Responsibility of business information confidentiality

CMCA 有各种严格的管理制度、流程和技术手段来保护机密信息，包括但不限于商业机密、客户信息等。CMCA 的每个员工都要接受信息保密方面的培训。

CMCA has a variety of strict management systems, processes and technical means to protect confidential information, including but not limited to business secrets, customer information, etc. Every employee of CMCA should receive training on information confidentiality.

9.4 个人隐私保密 Privacy of individual information

9.4.1 隐私保密方案 Privacy plan

客户的个人隐私信息存储于 CA、RA 数据库中，证书的密钥加密存储于数据库中，未经授权无法取得。

CMCA 尊重所有订户和他们的隐私，个人隐私信息保密方案遵守现行法律已经同意接受 CMCA 的隐私保护制度。

Customer's individual privacy information is stored in CA and RA databases, and the certificate private key is stored in database after being encrypted,

which can't be obtained without authorization.

CMCA respects all subscribers and their privacy, and the privacy information confidentiality scheme of individual privacy complies with the existing laws and states that it has agreed to accept the privacy protection system of CMCA.

9.4.2 作为隐私处理的信息 Information treated as private

CMCA 在管理和使用订户提供的相关信息时，除了证书中已经包括的信息以及证书状态信息外，该订户的基本信息将被视为隐私处理，这些信息将只能由 CMCA 使用，非经订户同意或有关法律法规、公共权力部门根据合法的程序要求，CMCA 不会任意公开。包括但不限于以下信息：

- 订户的有效身份证号码，如居民身份证号码
- 订户的联系电话
- 订户的通信地址和住址
- 订户的银行账号

When CMCA manages and uses the relevant information provided by the subscriber, in addition to the information already included in the certificate and the status information of the certificate, the basic information of the subscriber will be treated as privacy. This information can only be used by CMCA, and CMCA will not disclose it arbitrarily without the consent of the subscriber or according to the legal procedure requirements of the relevant laws and regulations and public authorities. Including but not limited to the following information:

- Subscriber's valid ID card number, such as resident ID card number
- The contact phone number of the subscriber
- Subscriber's mailing address and residential address
- The subscriber's bank account number

9.4.3 不被视为隐私的信息 Information not deemed private

证书内包括的信息以及该证书的状态信息等是可以公开的，将不被视为隐私信息。

The information included in the certificate and the status information of the certificate could be publicized, and wouldn't be regarded as the private information.

9.4.4 保护隐私的责任 Responsibility to protect private information

CMCA、注册机构、订户、依赖方等机构或个人都有义务按照本CP&CPS的规定，承担相应的隐私保护责任。在法律法规或公共权力部门通过合法程序要求下，CMCA可以向特定的对象公布隐私信息，CMCA无需承担由此造成的任何责任。

CMCA, registration agencies, subscribers, relying parties and other institutions or individuals are all obliged to undertake corresponding responsibilities on privacy protection in compliance with provisions of this CP&CPS. Under requirements of laws and regulations or public authorities through legal procedures, CMCA can pronounce private information to specific objects, and CMCA does not need to bear any incurring responsibility.

9.4.5 使用隐私信息的告知与同意 Notice and Consent to Use Private Information

1、订户同意，CMCA在业务范围内并按照本CP&CPS规定的隐私保护政策使用所获得的任何订户信息，无论是否涉及到隐私，CMCA均可以不用告知订户。

2、订户同意，在任何法律法规或公共权力部门要求下，CMCA向特定对象

披露隐私信息时，CMCA均可以不用告知订户。

1. Subscriber agrees that CMCA may use any subscriber information obtained in the business scope and in accordance with the privacy protection policy stipulated in this CP&CPS, whether it involves privacy or not, CMCA may not inform subscribers.
2. Subscriber agrees that CMCA may not inform subscribers when disclosing privacy information to specific objects, as required by any law, regulation or public authority.

9.4.6 依法律或行政程序的信息披露 Information disclosure in accordance with legal or administrative procedures

除非符合下列条件，CMCA不会将订户的保密信息提供给其他个人或第三方机构：

- 1、司法、行政部门或其他法律法规授权的部门依据政府法律法规、规章、决定、命令等的规定通过合法授权提出的申请。
- 2、订户采用书面形式的信息披露授权。
- 3、本CP&CPS规定的其他可以披露的情形。

CMCA will not provide subscriber's confidential information to other individuals or third parties unless the following conditions are met:

1. The application filed by the judicial, administrative departments or other departments authorized by laws and regulations through legal authorization in accordance with the provisions of government laws and regulations, rules, decisions, orders, etc.
2. Subscriber's authorization for information disclosure is in writing.
3. Other circumstances that can be disclosed in this CP&CPS.

9.4.7 其他信息披露情形 Other information disclosure

CMCA、订户、注册机构、依赖方等机构或个人都有义务按照本CP&CPS的规定，承担相应的保护隐私责任。在法律法规或公共权力部门通过合法程序或

订户书面申请授权要求下，CMCA可以向特定的对象公布隐私信息，CMCA无需承担由此造成的任何责任。

CMCA, subscribers, registered institutions, relying parties and other institutions or individuals are obliged to bear the corresponding responsibility for privacy protection in accordance with the provisions of this CP&CPS. CMCA can publish private information to specific objects under the legal procedures or the written authorization requirements of subscribers by laws and regulations or public authority departments, and CMCA does not need to bear any responsibility.

9.5 知识产权 Intellectual property rights

CMCA享有并保留对证书以及CMCA提供的全部软件、资料、数据等的著作权、专利申请权等全部知识产权；CMCA制订并发布的CP&CPS、技术支持手册、发布的证书和CRL等的所有权和知识产权均归属于CMCA。

CMCA shall enjoy and retain all intellectual property rights such as copyright, patent application right and other intellectual property rights to certificate and all software, data, data, etc. provided by CMCA; The ownership and intellectual property rights of CP&CPS, technical support manual, issued certificate and CRL formulated and issued by CMCA are all attributed to CMCA.

9.6 陈述与担保 Representations and warranties

9.6.1 电子认证服务机构的陈述与担保 CA representations and warranties

9.6.1.1 中国移动 CMCA 的责任和义务 Responsibilities and obligations of CMCA

中国移动 CMCA 应承担的唯一和绝对的责任和义务是：

- 保证中国移动 CMCA 机构本身使用和发放的公钥算法在现有通常技术条件下不会被攻破；
- 保证中国移动 CMCA 的签名私钥在中国移动 CMCACSF 内部得到安全的存放和保护；
- 中国移动 CMCA 建立和执行的安全机制符合国家政策的规定；
- 中国移动 CMCA 向证书受益人（订户、应用软件供应方、依赖方）声明及保证，在证书有效期内，CMCA 在签发及管理证书时，已遵守 BR 规定，以及 CMCA 的 CP&CPS。
- 中国移动 CMCA 证书担保在证书业务过程中，对以下信息 进行完整准确的验证，经过验证通过后，才对执行相关证书操作：
 - 1.使用域名或 IP 地址的权利
 - 2.证书授权
 - 3.信息的准确性
 - 4.没有误导信息
 - 5.申请人身份
 - 6.用户协议
 - 7.状态
 - 8.撤销

The sole and absolute responsibility and obligation that CMCA shall bear are:

- Ensure the public key algorithm used and issued by CMCA wouldn't be broken under the existing common technical conditions;
- To ensure secure storage and protection of the signature private key in CMCACSF;
- The security mechanism established and implemented by CMCA complies with the requirements of national policies;
- CMCA declares and warrants to the certificate beneficiary (subscriber, application software supplier and relying party) that during the validity of the certificate, CMCA has complied with BR regulations when

issuing and managing the certificate, as well as CP&CPS of CMCA.

- CMCA certificate guarantee, in the process of certificate business, conducts complete and accurate verification of the following information. After the verification is passed, relevant certificate operation can be performed:
 1. right to use domain name or IP address
 2. Certificate Authorization
 3. accuracy of information
 4. no misleading information
 5. applicant's identity
 6. user agreement
 7. status
 8. revocation

除上述规定的职责条款，中国移动 CMCA、中国移动 CMCA 的服务机构、中国移动 CMCA 授权的注册机构、中国移动 CMCA 的雇员不承担其它任何义务。必须指出，本认证业务声明的内容，没有任何信息可以暗示或解释成中国移动 CMCA 必须承担其它的义务或中国移动 CMCA 必须对其行为作出其它的承诺。

Except for the above-mentioned terms of responsibility, CMCA, CMCA service organization, registered institution authorized by CMCA and employees of CMCA shall not bear any other obligations. It must be noted that the content of this certification business statement has no information that can imply or explain that CMCA must undertake other obligations or CMCA must make other commitments to its actions.

9.6.1.2 客观意外和不可抗力 Objective accident and force majeure

中国移动 CMCA 不对由于客观意外或其他不可抗力事件造成的操作失败或延迟承担任何损失、损坏或赔偿责任。这些事件包括劳动纠纷、交易一方故意或

无意的行为、罢工、暴动、骚动、战争、火灾、爆炸、地震、水灾或其他大灾难等。

CMCA doesn't undertake any loss, damage or indemnification responsibility to the operation failure or delay incurred due to objective accident or other force majeure. These events include the labor dispute, intentionally or unintentional behavior of one transaction party, strike, riot, turmoil, war, fire hazard, explosion, earthquake, flood or other catastrophes.

9.6.1.3 其他 Others

在第 9.6.1.2 条款所罗列的任何情况下，中国移动 CMCA 由于受到影响，可免除第 9.6.1.1 条款、本 CP&CPS 规定的责任和义务。

由于技术的进步与发展，为保证证书的安全性，中国移动 CMCA 会要求证书订户及时更换证书以保证中国移动 CMCA 能更好地履行 9.6.1.1 条款。

Under any circumstance listed in Article 9.6.1.2, due to being affected, CMCA can be exempted from the responsibilities and obligations specified in Article 9.6.1.1, the CP&CPS.

Due to the progress and development of technology, to ensure the certificate security, CMCA may require certificate subscribers to replace certificate timely, to ensure that CMCA can perform Article 9.6.1.1 in a better way.

9.6.2 注册机构的陈述与担保 RA representations and warranties

注册机构必须遵守本认证业务声明的条款，以及《中国移动 CMCA 运营规范》和《中国移动 CMCA RA 管理规范》等规范制度，

注册机构均须遵守并按照鉴证规范在证书签发前严格执行鉴证流程，确保证书签发的准确性和可靠性。

RAs must abide by the CPS terms, as well as the standardizing system of Operations Management Specification of CMCA and Management

Specification of CMCA RA.

RAs must follow and strictly implement the certificate authentication process according to the standard for certificate authentication before the certificate is issued, to ensure the accuracy and reliability of certificate issuing.

9.6.3 订户的陈述与担保 **Subscriber representations and warranties**

在签发证书之前，为了 CA 和证书受益人的明确利益，证书订户必须提交纸质的签字和盖章的《CMCA 数字证书申请表》。所有的证书订户一旦提交该项材料，即默认用户同意《中国移动 CMCA 数字证书订户协议》中的所有条款，用户一旦违反订户协议中的条款，将承担因违反条款所带来的后果与责任，包括相应的法律责任。

Before issuing the certificate, for the clear interests of CA and certificate beneficiary, the certificate subscriber must submit the paper signed and sealed CMCA digital certificate application form. Once all certificate subscribers submit this material, it means that the default user agrees to all the terms in CMCA digital certificate subscriber agreement. Once the user violates the terms in the subscriber agreement, he will bear the consequences and responsibilities caused by the violation of the terms, including the corresponding legal liabilities.

证书申请人为 CA 和证书受益人作出承诺和保证。

- 所有的证书订户必须严格遵守关于证书申请以及私钥的所有权和安全保存相关的程序，严格保护证书的密钥；
- 证书订户在证书申请表上或在线填列的所有声明和信息必须是完整、准确和真实的，证书订户对其提交的所有证书申请材料真实性负责，供中国移动 CMCA 或受理点检查和核实；
- 证书签发后，证书订户通过证书申请表上的邮箱接受 CMCA 签发的证书；
- 证书订户保证所申请的证书在合理合法范围内使用，如违规使用，证书

订户承担因此带来的一切问题与责任。

- 证书订户必须严格遵守和服从认证业务声明规定的或者由中国移动 CMCA 推荐使用的安全措施；
- 证书订户需熟悉本认证业务声明的条例和与证书相关的证书政策，还需遵守证书订户证书使用方面的有关限制；
- 一旦发生任何可能导致安全性危机的情况，如证书订户遗失私钥、遗忘或泄密以及其他情况，证书订户应立刻通知中国移动 CMCA 或中国移动 CMCA 授权的注册机构，申请采取挂失、吊销等处理措施；
- 如证书订户需要终止使用证书，应及时向 CA 中心提出申请。

The applicant of the certificate undertakes and guarantees for the Ca and the beneficiary of the certificate.

- All certificate subscribers shall strictly abide by the procedures of ownership and safety savings about the certification application and private key;
- All statements and information filled in the certificate application form or filled online by certificate subscribers must be complete, accurate and true, which are for inspection and verification of CMCA or LRAs;
- After the certificate is issued, the certificate subscriber accepts the certificate issued by CMCA through the email box on the certificate application form;
- The certificate subscriber guarantees that the certificate applied for is used within a reasonable and legal range. If the certificate is used in violation of the regulations, the certificate Subscriber shall bear all the problems and responsibilities arising therefrom;
- Certificate subscribers must strictly follow and obey the security measures specified in the CP&CPS or recommended by CMC;
- Certificate subscribers should be familiar with the regulations of the CP&CPS and certificate policies related to the certificate, and shall follow related restrictions about use of subscriber's certificate;

- In case of any circumstance that may result in security crisis, such as certificate subscriber's losing, forgetting or disclosing private key or other circumstances, the certificate subscriber shall inform CMCA or RAs authorized by CMCA to apply for adopting the disposal measures for reporting the loss of the certificate or revoking the certificate;
- If the subscriber needs to terminate the use of the certificate, he should apply to the CMCA in time.

9.6.4 依赖方的陈述与担保 Representations and warranties of relying party

依赖方在信赖中国移动 CMCA 证书的时候, 必须保证遵守和实施以下条款:

- 依赖方熟悉相关的证书政策, 了解证书的使用目的。
- 依赖方在信赖任何 CA 证书前, 必须检查最新的 CRL 以检查证书的状态, 只有确认该证书没有被作废时, 该证书才有效。
- 所有依赖方必须承认, 他们对证书的信赖行为就表明他们承认了解这里的有关条例。

The relying party shall promise to follow and implement the following terms when trusting the certificate of CMCA:

- The relying party gets familiar with the relevant certificate policy, and knows the use purpose of the certificate.
- The relying party shall check the latest CRL to inspect the certificate status before trusting any CA certificate. The certificate could be effective only if it isn't cancelled by confirmation.
- All relying parties shall promise their trusts to certificate indicate they promise they know the relevant regulations here.

9.6.5 其他参与者的陈述与担保 Representations and warranties of other participants

其他参与者如目录服务提供者、以及其他提供电子认证相关服务的实体需要遵守中国移动 CMCA 的 CP&CPS。

Other participants, such as LDAP serve providers and other entities providing services related to electronic authentication, shall follow the CP&CPS of CMCA.

9.7 担保免责 Disclaimers of warranties

如果证书申请人故意或无意地提供不完整、不可靠或已过期的信息，而他又根据正常的流程提供了必须的审核文件，由此得到了中国移动 CMCA 机构签发的数字证书。由此引起的经济纠纷应由申请人全部承担，中国移动 CMCA 不承担与证书内容相关的法律和经济责任，但可以根据受害者的请求提供协查帮助。

In case the certificate applicant intentionally or unintentionally provides the incomplete, unreliable and expired information, but he also provides the necessary review document according to the normal processes, thus obtains the digital certificate issued by CMCA. All economic disputes incurred due to this shall be undertaken by the applicant, and CMCA doesn't undertake legal and economic responsibility related to the certificate consent, but could provide the survey assistance and help according to the request of the victim.

中国移动 CMCA 不承担任何其他未经授权的人或组织以中国移动 CMCA 名义编撰、发表或散布不可信赖的信息所引起的法律责任。

CMCA shall not bear any legal responsibility caused by preparing, publishing or spreading unreliable information by any other unauthorized person or organization in the name of CMCA.

中国移动 CMCA 在法律许可的范围内，根据受害者或法律的要求如实提供电子交易和作业中“不可抵赖”的数字签名依据，但并不对此承担法律责任。

CMCA truthfully provides the "non-repudiation" digital signature basis in the electronic transaction and operation according to the requirements of victim or laws within the permitted scope of laws, but it doesn't undertake legal responsibility.

中国移动 CMCA 不对任何一方在信赖证书或使用证书过程中引起的直接或间接的损失承担责任。

CMCA doesn't undertake the responsibility to the direct or indirect loss incurred by any party in the certificate trust or usage process.

9.8 有限责任 Limited liability

如果 CMCA 根据本 CP&CPS 或任何法律规定, 以及司法判定须承担赔偿责任和/或补偿责任的, CMCA 将按照相关法律法规的规定、仲裁机构的裁定或法院的判决承担相应的赔偿责任。

If CMCA is liable for compensation and / or compensation in accordance with this CP&CPS or any laws and judicial decisions, CMCA will be liable for compensation in accordance with relevant laws and regulations, arbitration institutions' decisions or court decisions.

9.9 赔偿 Indemnities

1、除非有另外的规定或约定, 对于非因本CP&CPS项下的认证服务而导致的任何损失, CMCA不向订户和/或依赖方承担任何赔偿和/或补偿责任。

Unless otherwise specified or agreed, CMCA shall not be liable to the subscriber and / or the relying party for any loss not caused by the certification services under this CP&CPS

2、订户或依赖方进行的民事活动因CMCA提供的认证服务而遭受的损失, CMCA将依据本CP&CPS的相关条款给予相应的赔偿。但无论如何, 如果CMCA能够证明其提供的服务是按照《电子签名法》、《电子认证服务管理办法》、CMCA向主管部门备案的CP&CPS实施的, 则视为CMCA不具有任何过错, CMCA将不对订户或依赖方承担任何赔偿或补偿责任。

CMCA will make corresponding compensation in accordance with the relevant provisions of this CP&CPS for the losses suffered by subscribers or relying parties in civil activities due to the certification services provided by CMCA. However, in any case, if CMCA can prove that the services provided by CMCA are implemented in accordance with the electronic signature law, the administrative measures for electronic authentication services and the CP&CPS filed by CMCA with the competent authorities, it shall be deemed that CMCA does not have any fault, and CMCA will not be liable for any compensation or compensation to the subscriber or the relying party.

3、无论本CP&CPS是否有相反或不同规定，就以下损失或损害，CMCA不承担任何赔偿和/或补偿责任：

（1）订户和或依赖方的任何间接损失、直接或间接的利润或收入损失、信誉或商誉损害、任何商机或契机损失、失去项目、以及失去或无法使用任何数据、无法使用任何设备、无法使用任何软件；

（2）由上述第（1）项所述的损失相应生成或附带引起的损失或损害；

（3）非CMCA的行为而导致的损失；

（4）因不可抗力而导致的损失，如罢工、战争、灾害、恶意代码病毒等。

Regardless of the contrary or different provisions of this CP&CPS, CMCA shall not be liable for any compensation and / or compensation for the following losses or damages:

(1) Any indirect loss, direct or indirect loss of profit or revenue, damage to reputation or goodwill, loss of business opportunities or opportunities, loss of project, loss or inability to use any data, equipment or software of subscriber and or relying party;

(2) Loss or damage arising from or incidental to the loss mentioned in (1) above;

(3) Losses caused by non CMCA actions;

(4) Losses caused by force majeure, such as strikes, wars, disasters, malicious code viruses, etc.

4、无论本CP&CPS是否有相反或不同规定，如果CMCA根据本CP&CPS或任何法律规定，以及司法判定须承担赔偿责任和/或补偿责任的，CMCA将按照相关法律法规的规定、仲裁机构的裁定或法院的判决承担相应的赔偿责任。

If CMCA is subject to this CP&CPS or any law, whether or not this CP&CPS is

otherwise or not specified CMCA will be liable for compensation in accordance with the relevant laws and regulations, the arbitration agency's decision or the court judgment if the law stipulates that the judicial judgment shall bear the liability for compensation and / or compensation.

9.10 有效期限与终止 Term and termination

9.10.1 有效期限 Term of validity

本 CP&CPS 自发布之日起正式生效，上一版本的 CP&CPS 同时失效；本 CP&CPS 在下一版本 CP&CPS 生效之日或在 CMCA 终止电子认证服务时失效。This CP&CPS shall come into effect on the date of issue, and the CP&CPS of the previous version shall be invalid at the same time; This CP&CPS shall become invalid on the effective date of the next version of CP&CPS or when CMCA terminates the electronic authentication service.

9.10.2 终止 Termination

CMCA 终止电子认证服务时，本 CP&CPS 终止。
When CMCA terminates the electronic authentication service, this CP&CPS will terminate.

9.10.3 效力的终止与保留 Termination and reservation of validity

本 CP&CPS 终止后，其效力将同时终止，CP&CPS 中的内容将视为无效使用，但对终止之日前发生的法律事实，本 CP&CPS 中对各方责任的规定及责任免除仍然适用。

After the termination of this CP&CPS, its effect will be terminated at the same time, and the contents in the CP&CPS will be regarded as invalid use.

However, for the legal facts occurring before the date of termination, the provisions of this CP&CPS on the liability of all parties and the exemption of liability still apply.

9.11 对参与者的个别通告与沟通 Individual notification and communication to participants

参与者如需要进一步了解任何本 CP&CPS 中提及的服务、规范、操作等信息，可以通过网站或者邮件联系 CMCA。

联系网站: www.cmca.net

联系邮箱: cmca@aspirecn.com

If participants need to know more about any service, specification, operation and other information mentioned in this CP&CPS, they can contact CMCA through website or email.

Contact website: www.cmca.net

Contact email: cmca@aspirecn.com

9.12 修订 Amendments

9.12.1 修订程序 Revision procedure

修订程序与本 CP&CPS 1.5.4 “CPS 批准程序”相同。

The revision procedure is the same as CP&CPS section 1.5.4 "CPS approval procedure".

9.12.2 通知机制和期限 Notification mechanism and time limit

修订后的 CP&CPS 经批准后将立即在 CMCA 的网站 www.cmca.net 上发

布。

The revised CP&CPS will be published on CMCA's website (www.cmca.net) as soon as it is approved.

9.12.3 必须修改业务规则的情形 Situations where business rules have to be modified

CMCA 必须对本 CP&CPS 进行修改的情形包括：CP&CPS 中相关内容与管辖法律的不一致，国家监管部门对本机构认证业务有明确的更改或调整要求等。
The situations that CMCA must modify this CP&CPS include: the inconsistency between the relevant contents of CP&CPS and the governing laws, and the clear requirements of the national regulatory authorities for the change or adjustment of the certification business of CMCA.

9.13 争议处理 Dispute resolution

若本证书策略及认证业务声明的规定与其他规定、指导方针相互抵触，客户必须接受本证书策略及认证业务声明的约束。

凡因本认证业务声明引起的或与本证书策略及认证业务声明有关的一切争议，当事人均同意由卓望数码技术（深圳）有限公司注册地所在人民法院管辖。
In case the provisions in this CP/ mutually contradict with other provisions and guideline, the customer shall receive the constraint stated in the CP&CPS.
For all disputes incurred by this CP&CPS or related to this CP&CPS, all parties consent the local People's Court of ASPIRE TECHNOLOGIES (SHENZHEN) LTD. to administer.

9.14 管辖法律 Governing laws

本证书策略及认证业务声明在各方面服从中华人民共和国电子签名法的管

制和解释。

This CP&CPS is subject to the control and explanation of Law of Electronic Signature of the People's Republic of China in all aspects.

9.15 适用法律的符合性 Applicable laws

无论合同或其他法律条款的选择及无论是否在中国建立商业关系，中国移动CMCA 认证业务声明的执行、解释、翻译和有效性均适用中华人民共和国的法律。

法律的选择是确保对所有客户有统一的程序和解释，而不管他们在何地居住以及在何处使用证书。

The implementation, interpretation, translation and validity of CMCA certification business statement shall be governed by the laws of the People's Republic of China regardless of the choice of contract or other legal terms and whether or not a business relationship is established in China.

The choice of law is to ensure that there is a uniform procedure and interpretation for all customers, regardless of where they live and where they use certificates.

9.16 一般条款 General terms

9.16.1 完整协议 Entire agreement

本协议和附件构成双方就所涉事项达成的全部理解和同意，并取代所有双方先前达成的暂行协议或谅解备忘录。

The agreement and appendixes shall constitute complete understanding and consent between both parties with respect to the matters concerned, and shall supersede all temporary agreements or memorandum of understanding between them prior to the effective date of the agreement.

9.16.2 转让 Assignment

无论是各方明示的或暗示的继任者、执行者、继承者、代表、管理者和受让人，中国移动 CMCA 的 CP&CPS 均保证其权益，并对其有约束力。各方可根据法律转让（包括并合或转让可控有价证券）中国移动 CMCA 的 CP&CPS 详述的权利和义务。

For any of successor, performer, heir, representative, manager or assignee expressed or implied by either party, the CP&CPS of CMCA will ensure their rights and benefits and bind on them. Either party may transfer (including merger or transferring controllable securities) the rights and obligations specifically described in the CP&CPS of CMCA according to laws.

9.16.3 分割性 Segmentation

中国移动 CMCA 的 CP&CPS 的任何条款或其应用，如果因为任何原因或在任何范围内发现无效或不能执行，那么 CP&CPS 其余的部分（以及对它方的无效或不能执行的条款的适用）将会做出合理的解释以反映当事人的原意。相关当事人了解并同意，中国移动 CMCA 的 CP&CPS 所规定的责任限制、保证或其它免责条款或限制、或损害赔偿的排除等，系可独立于其它条款的个别条款，并可加以执行。

In case any terms of CP&CPS or its applications of CMCA are invalid or couldn't be implemented due to any reason or within any scope, the residual part (and the serviceability of invalid or unexecutable terms of other parties) of CP&CPS would make reasonable explanation to reflect the original intention of the party. The relevant parties know and agree that the responsibility limitation as regulated in the CP&CPS of CMCA, guarantee, or other exceptions or limitation, or elimination of damages is the individual term which could be independent of other terms and could be implemented.

9.16.4 强制执行 Enforcement

CMCA 声明，证书订户、依赖方等必须执行 CMCA 的 CP&CPS 中的所有

规定。若证书订户、依赖方等实体未执行 CMCA 的 CP&CPS 中某项规定，不被认为该实体将来不执行该项或其他规定。

CMCA states that certificate subscribers, relying parties, etc. must implement all the provisions in CP&CPS of CMCA. If the certificate subscriber, relying party and other entities do not implement a provision of CP&CPS of CMCA, it is not considered that the entity will not implement this or other provisions in the future.

9.16.5 不可抗力 Force majeure

中国移动 CMCA 和发证机构将不对以下超越它们控制能力的事件所造成中国移动 CMCA 的 CP&CPS 规定的担保责任违反、延误或无法履行负责。不可抗力一般包括劳动纠纷、交易一方故意或无意的行为、罢工、暴动、瘟疫、骚动、战争、断电、火灾、爆炸、地震、水灾或其他大灾难等。

CMCA and certifying authority shall not be responsible for the violation, delay or failure of fulfillment of guarantee liability specified in the CP&CPS of CMCA caused by the following force majeure events. The force majeure generally includes the labor dispute, intentionally or unintentional behavior of one transaction party, strike, riot, pestilence, turmoil, war, outage, fire hazard, explosion, earthquake, flood or other catastrophes.

9.17 其他条款 Other terms

中国移动 CMCA 与具体客户协商后另行确定其他条款，包括未在上述说明的其他相关内容条款。

CMCA could separately confirm other terms after negotiation with the specific customers, including other relevant content terms instructed in the above.

附录：证书信息

Appendix: Certificate information

Root/CA Certificate	Information
CMCA GLOBAL TRUST ROOT CA	Country=CN Organization= Aspire Technologies Common Name= CMCA GLOBAL TRUST ROOT CA Serial Number= 181faf8edf0c227ace014a3ca094479bfb1c85a Validity= July 12, 2024 to July 13, 2049 SHA1digest= fbd422815e6d06136d0d3f76cdf42fb0e2206b24
CMCA EV SSL CA	Country=CN Organization= Aspire Technologies Common Name= CMCA EV SSL CA Serial Number= 6ad784ca44a73bb0d09404bcad77c3502d15fc25 Validity= July 12, 2024 to July 12, 2044 SHA1digest= a26fc8a6e8fc6800a62534bf089adcb2aea55404
CMCA OV SSL CA	Country=CN Organization= Aspire Technologies Common Name= CMCA OV SSL CA Serial Number= 4f05bd17db8c6b31107b9108cc3bb7acde556fd5 Validity= July 12, 2024 to July 12, 2044 SHA1digest= 4658702c9549c8ce64964b212938e63b93f4b8fa
CMCA DV SSL CA	Country=CN Organization= Aspire Technologies Common Name= CMCA DV SSL CA

	<div>Serial</div> <div>6df0bb4095e70fadcdcaafc17b26141cdd2bc942</div> <div>Validity= July 12, 2024 to July 12, 2044</div> <div>SHA1digest=</div> <div>f7f5f383a4320b2eece6207709538c6a05cd1821</div>	<div>Number=</div>
--	--	--------------------